

Index to volume 173

Author index*

A

- Abbott J (see Ricciotti et al). 1995;173:1619-20
 Abec CR (see Coates et al). 1995;173:1664-70
 Abrams LS (see Goodwin et al). 1995;173:913-7
 Abrams RM, Gerhardt KJ, Rosa C, Peters AJM. Fetal acoustic stimulation test: stimulus features of three artificial larynges recorded in sheep. 1995;173:1372-6
 Abuhamad AZ, Shaffer W, Mari G, Copel JA, Hobbins JC, Evans AT. Single umbilical artery: Does it matter which artery is missing? 1995;173:728-32
 Abulafia O, Sherer DM. Ultrasonographic and magnetic resonance imaging findings of a large asymptomatic retroperitoneal pelvic leiomyoma. 1995;173:228-30
 Adair CD (see Sanchez-Ramos et al). 1995;173:1079-84
 Adam K (see Montgomery et al). 1995;173:234-5
 Adams TJ, Douglas MJ. Maternal oxygen administration and fetal well-being. 1995;173:974 (Letter)
 Addison WA. Paying debts that cannot be repaid. 1995;173:1661-3 (Pres. address)
 Addy CL (see Meyer et al). 1995;173:181-6
 Aderka D (see Kupferminc et al). 1995;173:900-5
 Adler S (see Dibbs et al). 1995;173:134-40
 Adra AM, Mejides AA, Dennaoui MS, Beydoun SN. Fetal pyelectasis: Is it always "physiologic"? 1995;173:1263-6
 Ahn MO (see Phelan et al). 1995;173:1380-4
 Ahner R, Egarter C, Kiss H, Heinzl K, Zeillinger R, Schatten C, Dormeier A, Husslein P. Fetal fibronectin as a selection criterion for induction of term labor. 1995;173:1513-7
 Aloia JF. Do menopause and hormonal replacement therapy influence body cell mass and body fat mass? 1995;173:669 (Letter reply)
 Ambros RA (see Nazeer et al). 1995;173:1829-34
 American Exosurf Neonatal Study Group I (see White et al). 1995;173:286-90
 Amini SB (see Catalano et al). 1995;173:1176-81
 Andersen R (see Simpson et al). 1995;173:1742-8
 Andersen WA, Nichols GE, Avery SR, Taylor PT. Cytologic diagnosis of ovarian tumors: factors influencing accuracy in previously undiagnosed cases. 1995;173:457-64
 Anderson FD (see Archer et al). 1995;173:471-8
 Anderson GG (see Gluck et al). 1995;173:629-30 (Classic pages in obstetrics and gynecology)
 Andersson K-E (see Wide-Svensson et al). 1995;173:872-8
 Andrews E, Marcucci G, White A, Long W, Exosurf Neonatal Treatment Investigational New Drug Study Group. Associations between use of antenatal corticosteroids and neonatal outcomes within the Exosurf Neonatal Treatment Investigational New Drug program. 1995;173:290-5
 — (see White et al). 1995;173:286-90
 — (see Wright et al). 1995;173:263-9
 Andrews RG (see Shields et al). 1995;173:1157-60
 Andrews WW, Hauth JC, Goldenberg RL, Gomez R, Romero R, Cassell GH. Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational

- age in women delivered after spontaneous labor versus indicated delivery. 1995;173:606-12
 — (see Guinn et al). 1995;173:1310-5
 — (see Meis et al). 1995;173:1231-5
 Antsaklis A (see Vintzileos et al). 1995;173:1021-4
 Anyaegbunam A (see Mikhail et al). 1995;173:673-4 (Letter reply)
 Appell RA (see Sand et al). 1995;173:72-9
 Araki S (see Ohbuchi et al). 1995;173:1483-90
 Archer DF, Fahy GE, Viniegra-Sibal A, Anderson FD, Snipes W, Foldesdy RG. Initial and steady-state pharmacokinetics of a vaginally administered formulation of progesterone. 1995;173:471-8
 Ardill JES (see Harper et al). 1995;173:863-4
 Arduini D (see Rizzo et al). 1995;173:1775-81
 Arena B (see Myers et al). 1995;173:966-7
 Aronson MP, Bates SM, Jacoby AF, Chelmsow D, Sant GR. Periurethral and paravaginal anatomy: an endovaginal magnetic resonance imaging study. 1995;173:1702-10
 Arquilla ER (see Wellik et al). 1995;173:1878-84
 Arredondo F (see Phelps et al). 1995;173:942-5
 Artal R (see Dye et al). 1995;173:671-2 (Letter reply)
 — (see McGregor et al). 1995;173:1337-42
 Asrat T (see Weeks et al). 1995;173:1636-7 (Letter reply)
 Asseryanis E, Frigo P, Schurz B, Huber J. A new diagnostic method to detect ectopic pregnancy at a very early stage. 1995;173:236-7
 Association Française pour le Dépistage et la Prévention des Handicaps de l'Enfant Study Group (see Grandjean et al). 1995;173:16-9
 Atkinson MW, Goldenberg RL, Gaudier FL, Cliver SP, Nelson KG, Merkatz IR, Hauth JC. Maternal corticosteroid and tocolytic treatment and morbidity and mortality in very low birth weight infants. 1995;173:299-305
 —, Guinn D, Owen J, Hauth JC. Does magnesium sulfate affect the length of labor induction in women with pregnancy-associated hypertension? 1995;173:1219-22
 Aubry M-C (see Muller et al). 1995;173:508-13
 Aubry RH (see Dye et al). 1995;173:671-2 (Letter reply)
 Auersperg N, Maines-Bandiera S, Booth JH, Lynch HT, Godwin AK, Hamilton TC. Expression of two mucin antigens in cultured human ovarian surface epithelium: influence of a family history of ovarian cancer. 1995;173:558-65
 Aune B, Øian P, Omsjø I, Østerud B. Hormone replacement therapy reduces the reactivity of monocytes and platelets in whole blood—A beneficial effect on atherogenesis and thrombus formation? 1995;173:1816-20
 Avallone DA (see Catalano et al). 1995;173:1176-81
 Avery SR (see Andersen et al). 1995;173:457-64
 Aznar J (see Gilabert et al). 1995;173:1849-54

B

- Badawy SZA, Kasello DJ, Powers C, Elia G, Wojtowycz AR. Supernumerary ovary with an endometrioma and osseous metaplasia: a case report. 1995;173:1623-4
 Baggish M, Paraiso M, Breznock EM, Griffey S. A computer-controlled, continuously circulating, hot irrigating system for endometrial ablation. 1995;173:1842-8

*July, 1-356; August, 357-676; September, part 1, 677-980; part 2, 981-1006; October, 1007-1356; November, 1357-1648; December, 1649-1774.

- Bahado-Singh RO, Goldstein I, Uerpaiojkit B, Copel JA, Mahoney MJ, Baumgarten A. Normal nuchal thickness in the midtrimester indicates reduced risk of Down syndrome in pregnancies with abnormal triple-screen results. 1995; 173:1106-10
- Bain KW (see Lipscomb et al). 1995;173:772-4
- Bain R (see Shankaran et al). 1995;173:305-12
- Baker RS (see Stek et al). 1995;173:1592-8
- Baker S (see Leviton et al). 1995;173:312-6
- Baker SP (see Young et al). 1995;173:1719-26
- Ballard PL, Ballard RA. Scientific basis and therapeutic regimens for use of antenatal glucocorticoids. 1995;173:254-62
- Ballard RA (see Ballard and Ballard). 1995;173:254-62
- Ballouk F (see Nazeer et al). 1995;173:1829-34
- Bambra CS (see D'Hooghe et al). 1995;173:125-34
- Barbera A, Jones OW III, Zerbe GO, Hobbins JC, Battaglia FC, Meschia G. Early ultrasonographic detection of fetal growth retardation in an ovine model of placental insufficiency. 1995;173:1071-4
- , —, —, —, —. Ultrasonographic assessment of fetal growth: comparison between human and ovine fetus. 1995;173:1765-9
- Barbour LA, Smith JM, Marlar RA. Heparin levels to guide thromboembolism prophylaxis during pregnancy. 1995;173:1869-73
- Barbour MM (see Derby et al). 1995;173:544-50
- Bardicef M (see Bardicef et al). 1995;173:879-80
- Bardicef O, Bardicef M, Sorokin Y, Cotton DB, Resnick LM. "Physiologic" intracellular acidosis in pregnancy. 1995;173: 879-80
- Bar-Hava I, Divon MY, Sardo M, Barnhard Y. Is oligohydramnios in postterm pregnancy associated with redistribution of fetal blood flow? 1995;173:519-22
- (see Barnhard et al). 1995;173:1523-7
- Barnhard Y, Bar-Hava I, Divon MY. Is polyhydramnios in an ultrasonographically normal fetus an indication for genetic evaluation? 1995;173:1523-7
- (see Bar-Hava et al). 1995;173:519-22
- (see Meizner and Barnhard). 1995;173:1620-2
- Baron C, Morgan MA, Garite TJ. The impact of amniotic fluid volume assessed intrapartum on perinatal outcome. 1995; 173:167-74
- Barr M Jr. Vascular clamping model not new. 1995;173:345 (Letter)
- Barrachina R (see Gilabert et al). 1995;173:1849-54
- Barrett RJ II, Harlan LC, Wesley MN, Hill HA, Chen VW, Clayton LA, Kotz HL, Eley JW, Robboy SJ, Edwards BK. Endometrial cancer: stage at diagnosis and associated factors in black and white patients. 1995;173:414-23
- Barros F (see Belizán et al). 1995;173:894-9
- Barros LF (see Riquelme et al). 1995;173:733-8
- Barton JR, Stanziano GJ, Jacques DL, Bergauer NK, Sibai BM. Monitored outpatient management of mild gestational hypertension remote from term in teenage pregnancies. 1995; 173:1865-8
- Baselski VS (see Mercer et al). 1995;173:1325-8
- Bastian LA (see Piscitelli et al). 1995;173:424-32
- Bates SM (see Aronson et al). 1995;173:1702-10
- Battaglia FC (see Barbera et al). 1995;173:1071-4
- (see Barbera et al). 1995;173:1765-9
- Bauer CR (see Fanaroff et al). 1995;173:1423-31
- (see Shankaran et al). 1995;173:305-12
- Baumgarten A (see Bahado-Singh et al). 1995;173:1106-10
- Bawle EV (see Puder et al). 1995;173:239-41
- Baxi L (see Ramirez et al). 1995;173:955-7
- Beischer NA, Wein P, Sheedy MT, Mackay IR, Rowley MJ, Zimmet P. Prevalence of antibodies to glutamic acid decarboxylase in women who have had gestational diabetes. 1995;173:1563-9
- Belfort MA. Beat-to-beat variation. 1995;173:349 (Letter reply)
- (see Montgomery et al). 1995;173:234-5
- (see Montgomery et al). 1995;173:1075-8
- (see Rokey et al). 1995;173:1148-52
- Belizán JM, Barros F, Langer A, Farnot U, Victora C, Villar J. Latin American Network for Perinatal and Reproductive Research. Impact of health education during pregnancy on behavior and utilization of health resources. 1995;173:894-9
- Bellitt P (see Moore et al). 1995;173:361-8
- Ben-Baruch G (see Menczer et al). 1995;173:774-8
- Benn PA, Horne D, Briganti S, Greenstein RM. Prenatal diagnosis of diverse chromosome abnormalities in a population of patients identified by triple-marker testing as screen positive for Down syndrome. 1995;173:496-501
- Bennett M (see Brown et al). 1995;173:218-23
- Bennett PR (see Lighten et al). 1995;173:1182-5
- Berg G (see Dahle et al). 1995;173:175-80
- Berg RL (see Gribble et al). 1995;173:214-7
- Bergauer NK (see Barton et al). 1995;173:1865-8
- Bergman A, Elia G. Three surgical procedures for genuine stress incontinence: five-year follow-up of a prospective randomized study. 1995;173:66-71
- Berkowitz KM (see Wellik et al). 1995;173:1878-84
- Berkowitz RS, Bernstein MR, Harlow BL, Rice LW, Lage JM, Goldstein DP, Cramer DW. Case-control study of risk factors for partial molar pregnancy. 1995;173:788-94
- Berkus MD (see Xenakis et al). 1995;173:1874-8
- Bernard A (see Moya et al). 1995;173:1401-5
- Bernardes J, da Costa Pereira A. Reports on the clinical use of fetal biophysical testing: Shouldn't they take into consideration the important results from the studies on validity and efficacy? 1995;173:1636 (Letter)
- Bernstein IM (see Konchak et al). 1995;173:1115-9
- Bernstein MR (see Berkowitz et al). 1995;173:788-94
- Berry DD (see Jaekle et al). 1995;173:694-701
- Berry SA (see Reish et al). 1995;173:1640-1 (Letter)
- Berry SM, Romero R, Gomez R, Puder KS, Ghezzi F, Cotton DB, Bianchi DW. Premature parturition is characterized by in utero activation of the fetal immune system. 1995;173: 1315-20
- Best RG (see Meyer et al). 1995;173:181-6
- Beutz M (see Draper et al). 1995;173:1506-12
- Beydoun SN (see Adra et al). 1995;173:1263-6
- Bhat M (see Dolkart and Bhat). 1995;173:969-71
- Bianchi DW (see Berry et al). 1995;173:1315-20
- (see de la Cruz et al). 1995;173:1354-5 (Letter)
- Biousse V (see Wechsler et al). 1995;173:1627-9
- Biringer A (see Sermer et al). 1995;173:146-56
- Bjornsson TD (see Sobel et al). 1995;173:801-8
- Black AC Jr, Goolsby LW, Cohen GA, Young HE. Effects of prenatal ethanol exposure on the hippocampal neurochemistry of albino rats at 90 days of postnatal age. 1995;173: 514-9
- Blakemore KJ (see Khouzami et al). 1995;173:1202-6
- Bobrowski RA (see Tomlinson et al). 1995;173:1614-6
- Bocking AD (see Gagnon et al). 1995;173:1354 (Letter reply)
- Bogges KA, Easterling TR, Raghu G. Management and outcome of pregnant women with interstitial and restrictive lung disease. 1995;173:1007-14
- Bolen DD (see Orr et al). 1995;173:399-406

- Bombard A (see Kellner et al). 1995;173:1306-9
Booth JH (see Auersperg et al). 1995;173:558-65
Boots L (see Wenstrom et al). 1995;173:1287-92
— (see Wenstrom et al). 1995;173:1297-300
Borer RC Jr (see Gluck et al). 1995;173:629-30 (Classic pages in obstetrics and gynecology)
Bork MD, Egan JFX, Diana DJ, Scorza WE, Fabbri EL, Feeney LD, Campbell WA. A new method for on-screen ultrasonographic determination of fetal cardiac axis. 1995;173:1192-5
Bottoms SF (see Dombrowski et al). 1995;173:847-8
— (see Tomlinson et al). 1995;173:1614-6
Boulot P (see Cachia et al). 1995;173:42-51
Bourgeois L. Observations diverses sur la stérilité, perte de fruit, fécondité accouchements et maladies des femmes et enfants nouveaux naiz 1995;173:1893-4 (Classic pages in obstetrics and gynecology)
Bower S, Flack NJ, Sepulveda W, Talbert DG, Fisk NM. Uterine artery blood flow response to correction of amniotic fluid volume. 1995;173:502-7
— (see Flack et al). 1995;173:1186-91
Boyd KL, Ross EK, Sherman SJ. Jelly beans as an alternative to a cola beverage containing fifty grams of glucose. 1995;173:1889-92
Boyle JG. The accuracy of prenatal ultrasonography in detecting congenital anomalies. 1995;173:667 (Letter)
Brace RA (see Cheung et al). 1995;173:753-9
Bradfield W (see Johnson et al). 1995;173:59-65
Bradley LA (see Schleifer et al). 1995;173:1152-6
Brady A (see Coates et al). 1995;173:1664-70
Brancazio LR, Roperti KA, Stierer R, Laifer SA. Pharmacokinetics and pharmacodynamics of subcutaneous heparin during the early third trimester of pregnancy. 1995;173:1240-5
Branch DW (see Silver et al). 1995;173:479-82 (Clin. opinion)
— (see Silver et al). 1995;173:1410-5
Brand AH, Scurry JP, Planner RS, Grant PT. Grapelike leiomyoma of the uterus. 1995;173:959-61
Brandt DW (see Bruns et al). 1995;173:739-46
Braun RD. Postdates is not postmature. 1995;173:669-70 (Letter)
Bray PF (see Khouzami et al). 1995;173:1202-6
Breen JL (see Denchy et al). 1995;173:1697-702
Brenhofer JK (see MacGregor et al). 1995;173:1254-8
Brenner PH (see Gluck et al). 1995;173:629-30 (Classic pages in obstetrics and gynecology)
Brewer AS (see Wiczorek et al). 1995;173:708-13
Breznock EM (see Baggish et al). 1995;173:1842-8
Briganti S (see Benn et al). 1995;173:496-501
Brockman DE (see Ghabour et al). 1995;173:687-94
Bronstein JM, Goldenberg RL. Practice variation in the use of corticosteroids: a comparison of eight data sets. 1995;173:296-8
Brown MA, Buddle ML, Bennett M, Smith B, Morris R, Whitworth JA. Ambulatory blood pressure in pregnancy: comparison of the Spacelabs 90207 and Accutracker II monitors with intraarterial recordings. 1995;173:218-23
Brown SB (see Gannon et al). 1995;173:1826-8
Brubaker L. Sacrocolpopexy and the anterior compartment: support and function. 1995;173:1690-6
Brucker MC. Clarification of source. 1995;173:1899-900 (Letter)
Bruinse HW (see van Oppen et al). 1995;173:923-8
Bruns DE (see Bruns et al). 1995;173:739-46
— (see Ferguson et al). 1995;173:448-56
Bruns ME, Ferguson JE II, Bruns DE, Burton DW, Brandt DW,

- Jüppner H, Segre GV, Deftos LJ. Expression of parathyroid hormone-related peptide and its receptor messenger ribonucleic acid in human amnion and chorion-decidua: implications for secretion and function. 1995;173:739-46
— (see Ferguson et al). 1995;173:448-56
Bryant EM (see Shields et al). 1995;173:1157-60
Buchanan KD (see Harper et al). 1995;173:863-4
Buckley D (see Kyle et al). 1995;173:865-72
Buckley HR (see Nyirjesy et al). 1995;173:820-3
Buddle ML (see Brown et al). 1995;173:218-23
Bump RC, Elser DM, Theofrastous JP, McClish DK, Continence Program for Women Research Group. Valsalva leak point pressures in women with genuine stress incontinence: reproducibility, effect of catheter caliber, and correlations with other measures of urethral resistance. 1995;173:551-7
— (see Soper et al). 1995;173:465-71
— (see Theofrastous et al). 1995;173:407-14
Burns DN (see Minkoff et al). 1995;173:585-9
Burrows EA (see Burrows and Burrows). 1995;173:929-35
Burrows RF, Burrows EA. The feasibility of a control population for a randomized control trial of seizure prophylaxis in the hypertensive disorders of pregnancy. 1995;173:929-35
Burrus DR, Ernest JM, Veille J-C. Fetal fibronectin, interleukin-6, and C-reactive protein are useful in establishing prognostic subcategories of idiopathic preterm labor. 1995;173:1258-62
Burton DW (see Bruns et al). 1995;173:739-46
Burton GJ (see Reshetnikova et al). 1995;173:724-7
Buyon JP (see Copel et al). 1995;173:1384-90
Büyükpamukçu N (see Kizilcan et al). 1995;173:36-41
Byam-Smith M (see Glassman et al). 1995;173:1550-6
Byars RW (see Meeks et al). 1995;173:1676-83

C

- Cachia O, Léger CL, Boulot P, Vernet M-H, Michel F, de Paulet AC, Descomps B. Red blood cell vitamin E concentrations in fetuses are related to but lower than those in mothers during gestation. 1995;173:42-51
Cadet P, Rady PL, Tying SK, Yandell RB, Hughes TK. Interleukin-10 messenger ribonucleic acid in human placenta: implications of a role for interleukin-10 in fetal allograft protection. 1995;173:25-9
Çakar N (see Kizilcan et al). 1995;173:36-41
Calayag PT (see Ricciotti et al). 1995;173:1619-20
Callan NA (see Khouzami et al). 1995;173:1202-6
Campbell DJ (see Wathen et al). 1995;173:1884-8
Campbell K (see Natale et al). 1995;173:351-2 (Letter reply)
— (see Natale et al). 1995;173:352-3 (Letter reply)
Campbell S (see Gallery et al). 1995;173:918-23
— (see Gallery et al). 1995;173:1557-62
— (see Hecher et al). 1995;173:10-5
— (see Jauniaux et al). 1995;173:1749-53
Campbell WA (see Bork et al). 1995;173:1192-5
— (see Smulian et al). 1995;173:1195-201
Canadian Exosurf Neonatal Study Group (see White et al). 1995;173:286-90
Cano A (see Gilabert et al). 1995;173:1849-54
Capeless EL (see Konchak et al). 1995;173:1115-9
Caplan MS (see Silver et al). 1995;173:702-7
Cappagli B (see Gambacciani et al). 1995;173:890-3
Capponi A (see Rizzo et al). 1995;173:1775-81
Cararach V (see Carmona et al). 1995;173:55-9
Cardwell MS (see Dorman and Cardwell). 1995;173:1632-3
Carey T (see Hietanen et al). 1995;173:1477-82
Carleton RA (see Derby et al). 1995;173:544-50

- Carlton E (see Devoe et al). 1995;173:1128-31
- Carmona F, Martínez-Román S, Manau D, Cararach V, Iglesias X. Immediate maternal and neonatal effects of low-forceps delivery according to the new criteria of The American College of Obstetricians and Gynecologists compared with spontaneous vaginal delivery in term pregnancies. 1995;173:55-9
- Carpenter A (see Peters et al). 1995;173:953-4
- Carpenter M (see Carr et al). 1995;173:1267-72
- Carpentieri AM (see Ling et al). 1995;173:946-50
- Carr SR, Slocum J, Tefft L, Haydon B, Carpenter M. Precision of office-based blood glucose meters in screening for gestational diabetes. 1995;173:1267-72
- Casal D (see Iams et al). 1995;173:141-5
- Casper RF (see Vanin et al). 1995;173:1491-8
- Cassell GH (see Andrews et al). 1995;173:606-12
- Catalano PM, Thomas AJ, Avallone DA, Amini SB. Anthropometric estimation of neonatal body composition. 1995;173:1176-81
- Cavaillé F, Kacémi A, Mondon F, Fournier T, Ferré F. Contractile proteins in human fetoplacental vessels. 1995;173:1793-9
- Cefalo RC (see Freed et al). 1995;173:1607-13
- Chachra D (see Vanin et al). 1995;173:1491-8
- Challis JRG (see Murotsuki et al). 1995;173:30-5
- Chantilis SJ (see Yonkers and Chantilis). 1995;173:632-8 (Symposium)
- Chard T (see Wathen et al). 1995;173:1884-8
- Chari RS, Friedman SA, O'Brien JM, Sibai BM. Daily antenatal testing in women with severe preeclampsia. 1995;173:1207-10
- Chauhan SP, Roberts WE, McLaren RA, Roach H, Morrison JC, Martin JN Jr. Delivery of the nonvertex second twin: breech extraction versus external cephalic version. 1995;173:1015-20
- (see Washburne et al). 1995;173:226-8
- Chehab FF (see McLean et al). 1995;173:1282-6
- Chelmon D (see Aronson et al). 1995;173:1702-10
- (see Kauff et al). 1995;173:957-8
- Chen E (see Sermer et al). 1995;173:146-56
- Chen VW (see Barrett et al). 1995;173:414-23
- Cheng EY, Luthy DA, Dunne DFB, Luthardt FW, Distech CM. Is the 15-in situ clone protocol necessary to detect amniotic fluid mosaicism? 1995;173:1025-30
- (see Nyberg et al). 1995;173:1030-5
- Chetrit A (see Menczer et al). 1995;173:774-8
- Cheung CY, Singh M, Ebaugh MJ, Brace RA. Vascular endothelial growth factor gene expression in ovine placenta and fetal membranes. 1995;173:753-9
- Chez RA, Jones RF III. The battered woman. 1995;173:677-9 (Primary care)
- Chik L (see Evans et al). 1995;173:1896-7 (Letter reply)
- Cho NH (see Rizzo et al). 1995;173:1753-8
- Choe JY (see Denehy et al). 1995;173:1697-702
- Chou MM, MacKenzie IZ. The control of blood loss at cesarean section with intramyometrial prostaglandin $F_{2\alpha}$ analog versus intravenous synthetic oxytocin. 1995;173:354 (Letter reply)
- Christensen HD (see Larson et al). 1995;173:1166-70
- Chuck FJ, Huffaker BJ. Labor induction with intravaginal misoprostol versus intracervical prostaglandin E_2 gel (Prepidil gel): randomized comparison. 1995;173:1137-42
- Chueh JT, Goldberg JD, Wohlferd MM, Golbus MS. Comparison of transcervical and transabdominal chorionic villus sampling loss rates in nine thousand cases from a single center. 1995;173:1277-82
- Chwalisz K (see Katkam et al). 1995;173:779-87
- Cincotta RB, Davis SM, Gerraty RP, Thomson KR. Thrombolytic therapy for basilar artery thrombosis in the puerperium. 1995;173:967-9
- Clapp JF III, Little KD. The interaction between regular exercise and selected aspects of women's health. 1995;173:2-9 (Primary care)
- Clark KE (see Stek et al). 1995;173:1592-8
- Clark P, Duff P. Inhibition of neutrophil oxidative burst and phagocytosis by meconium. 1995;173:1301-5
- Clark SJ (see Freed et al). 1995;173:1607-13
- Clausen HV, Larsen LG. Postdates is not postmature. 1995;173:670 (Letter reply)
- Clayton LA (see Barrett et al). 1995;173:414-23
- Cleary NT (see O'Brien et al). 1995;173:1855-9
- Cliver SP (see Atkinson et al). 1995;173:299-305
- (see Rouse et al). 1995;173:1357-63 (Clin. opinion)
- Coates KW, Gibson S, Williams LE, Brady A, Abec CR, Shull BL, Kuehl TJ. The squirrel monkey as an animal model of pelvic relaxation: an evaluation of a large breeding colony. 1995;173:1664-70
- Cohen GA (see Black et al). 1995;173:514-9
- Cohen HR (see Sermer et al). 1995;173:146-56
- Coles EC (see Meis et al). 1995;173:590-6
- (see Meis et al). 1995;173:597-602
- Collaborative Home Uterine Monitoring Study (CHUMS) Group. A multicenter randomized controlled trial of home uterine monitoring: active versus sham device. 1995;173:1120-7
- Collins CL (see Collins et al). 1995;173:768
- Collins JH, Collins CL, Weckwerth SR, De Angelis L. Nuchal cords: timing of prenatal diagnosis and duration. 1995;173:768
- Colombo M, Maggioni A, Zanini A, Rangoni G, Scalabrino S, Mangioni C. A randomized trial of open versus closed vaginal vault in the prevention of postoperative morbidity after abdominal hysterectomy. 1995;173:1807-11
- Colton T, Kayne HL, Zhang Y, Heeren T. A metaanalysis of home uterine activity monitoring. 1995;173:1499-505
- Connell FA (see Powell et al). 1995;173:1585-92
- Continence Program for Women Research Group (see Bump et al). 1995;173:551-7
- (see Theofrastous et al). 1995;173:407-14
- Conway D (see Xenakis et al). 1995;173:1874-8
- Copas P (see Horowitz et al). 1995;173:1710-4
- Copel JA, Buyon JP, Kleinman CS. Successful in utero therapy of fetal heart block. 1995;173:1384-90
- (see Abuhamad et al). 1995;173:728-32
- (see Bahado-Singh et al). 1995;173:1106-10
- Copper RL (see Hauth et al). 1995;173:578-84
- Corsi P (see Johnson et al). 1995;173:59-65
- Cossart YE (see Rose et al). 1995;173:1461-8
- Cotton DB (see Bardicef et al). 1995;173:879-80
- (see Berry et al). 1995;173:1315-20
- (see Standley et al). 1995;173:1160-5
- (see Tomlinson et al). 1995;173:1614-6
- Cramer DW (see Berkowitz et al). 1995;173:788-94
- Creech C (see Moise et al). 1995;173:51-5
- Creinin MD. Laminaria versus Dilapan osmotic cervical dilators for second-trimester abortion. 1995;173:354-5 (Letter)
- , Vittinghoff E, Galbraith S, Klaisle C. A randomized trial comparing misoprostol three and seven days after methotrexate for early abortion. 1995;173:1578-84

- Crenshaw C (see Ling et al). 1995;173:946-50
- Critchlow CW, Wölner-Hanssen P, Eschenbach DA, Kiviat NB, Koutsky LA, Stevens CE, Holmes KK. Determinants of cervical ectopia and of cervicitis: age, oral contraception, specific cervical infection, smoking, and douching. 1995; 173:534-43
- Crosby S (see Larson et al). 1995;173:1228-31
- Croughan-Minihane MS (see Robertson et al). 1995;173: 1171-6
- Crowley PA. Antenatal corticosteroid therapy: a meta-analysis of the randomized trials, 1972 to 1994. 1995;173:322-35
- Crowther C, Haslam R, Hiller J, McGee T, Ryall R, Robinson J. Thyrotropin-releasing hormone: Does two hundred micrograms provide effective stimulation to the preterm fetal pituitary gland compared with four hundred micrograms? 1995;173:719-23
- Cunningham FG (see Ramin et al). 1995;173:187-91
- Currie JL (see Edwards et al). 1995;173:244-5
- Cutter GR (see Hauth et al). 1995;173:578-84
- D
- da Costa Pereira A (see Bernardes and da Costa Pereira). 1995;173:1636 (Letter)
- Dahlbäck B (see Hellgren et al). 1995;173:210-3
- Dahle LO, Berg G, Hammar M, Hurtig M, Larsson L. The effect of oral magnesium substitution on pregnancy-induced leg cramps. 1995;173:175-80
- Dalrymple C (see Rose et al). 1995;173:1461-8
- Darai E, Vlastos G, Madelenat P. Acquired immunodeficiency syndrome-related Kaposi's sarcoma: two cervical cases. 1995;173:979 (Letter)
- Das A (see Meis et al). 1995;173:1231-5
- Davies A (see Magos et al). 1995;173:977 (Letter reply)
- Davies MF (see Shackelford et al). 1995;173:80-4
- Davis GH (see Ranzini et al). 1995;173:603-5
- Davis SM (see Cincotta et al). 1995;173:967-9
- Dawes GS. Beat-to-beat variation. 1995;173:349 (Letter)
- , Moulden M, Redman CWG. Computerized analysis of antepartum fetal heart rate. 1995;173:1353-4 (Letter)
- Daxenbichler G (see Marth et al). 1995;173:1835-42
- De Angelis L (see Collins et al). 1995;173:768
- Defos LJ (see Bruns et al). 1995;173:739-46
- de Goeij AFPM (see van der Linden et al). 1995;173:566-70
- deGruy FV (see Williams et al). 1995;173:654-9 (Symposium)
- De Jonge I (see D'Hooghe et al). 1995;173:125-34
- Dekker GA, de Vries JIP, Doelitzsch PM, Huijgens PC, von Blomberg BME, Jakobs C, van Geijn HP. Underlying disorders associated with severe early-onset preeclampsia. 1995; 173:1042-8
- de Koning Gans HJ (see Keirse et al). 1995;173:1859-64
- de la Cruz F, Shifrin H, Elias S, Simpson JL, Jackson L, Klinger K, Bianchi DW, Kaplan SH, Evans M, Holzgreve W, Gänshirt D. Prenatal diagnosis by use of fetal cells isolated from maternal blood. 1995;173:1354-5 (Letter)
- DeLancey J. Urethral and bladder neck closure mechanisms. 1995;173:347-8 (Letter reply)
- De Lia JE, Michelin DP, Johnson SC, Kajdacsy-Balla A. Chereny versus midline vertical incision for myomectomy or hysterectomy of a significantly enlarged uterus. 1995;173: 1714-8
- Del Valle GO (see Sanchez-Ramos et al). 1995;173:1079-84
- Delves HT (see Wathen et al). 1995;173:1884-8
- de Mendonça R, Kay TT. Value of transvaginal ultrasonography and hysteroscopy in the evaluation of postmenopausal women with metrorrhagia. 1995;173:1352-3 (Letter)
- Denehy TR, Choe JY, Gregori CA, Breen JL. Modified Le Fort partial colpocleisis with Kelly urethral plication and posterior colpoperineoplasty in the medically compromised elderly: a comparison with vaginal hysterectomy, anterior colporrhaphy, and posterior colpoperineoplasty. 1995;173: 1697-702
- Dennaoui MS (see Adra et al). 1995;173:1263-6
- de Paulet AC (see Cachia et al). 1995;173:42-51
- Derby CA, Hume AL, McPhillips JB, Barbour MM, Carleton RA. Prior and current health characteristics of postmenopausal estrogen replacement therapy users compared with nonusers. 1995;173:544-50
- Desai R (see Wenstrom et al). 1995;173:1287-92
- Descomps B (see Cachia et al). 1995;173:42-51
- de Swiet M (see Kyle et al). 1995;173:865-72
- (see Kyle et al). 1995;173:1897-8 (Letter reply)
- de Veciana M (see Wellik et al). 1995;173:1878-84
- Devoe LD, Carlton E, Prescott P. Neural network prediction of nonstress test results: How often should we perform nonstress tests? 1995;173:1128-31
- de Vries JIP (see Dekker et al). 1995;173:1042-8
- De Wilde RL, Hesseling M. No more radiogenic castration in women with Hodgkin's disease? 1995;173:1639 (Letter)
- D'Hooghe TM, Bamba CS, Raeymaekers BM, De Jonge I, Lauweryns JM, Koninckx PR. Intrapelvic injection of menstrual endometrium causes endometriosis in baboons (*Papio cynocephalus* and *Papio anubis*). 1995;173:125-34
- Diana DJ (see Bork et al). 1995;173:1192-5
- Dibbs KI, Sadovsky Y, Li X-J, Koide SS, Adler S, Fuchs A-R. Estrogenic activity of RU 486 (mifepristone) in rat uterus and cultured uterine myocytes. 1995;173:134-40
- Dillon AE (see Eller et al). 1995;173:523-7
- Dilmen G (see Özmen et al). 1995;173:232-3
- Dilmen U (see Özmen et al). 1995;173:232-3
- Disteche CM (see Cheng et al). 1995;173:1025-30
- Divon M (see Westgren et al). 1995;173:1416-22
- Divon MY (see Bar-Hava et al). 1995;173:519-22
- (see Barnhard et al). 1995;173:1523-7
- Dobie SA, Oliver LM. Managing premature ruptured membranes at term. 1995;173:350-1 (Letter)
- Doelitzsch PM (see Dekker et al). 1995;173:1042-8
- Dolkart LA, Bhat M. Sturge-Weber syndrome in pregnancy. 1995;173:969-71
- Dombrowski MP, Tomlinson MW, Bottoms SF, Johnson MP, Sokol RJ. Computer-generated admission forms have greater accuracy. 1995;173:847-8
- (see Tomlinson et al). 1995;173:1614-6
- Dommergues M (see Muller et al). 1995;173:508-13
- Donovan EF (see Fanaroff et al). 1995;173:1423-31
- (see Wright et al). 1995;173:269-74
- Dooley SL (see Rizzo et al). 1995;173:1753-8
- Dören M, Reuther G, Minne HW, Schneider HPG. Superior compliance and efficacy of continuous combined oral estrogen-progestogen replacement therapy in postmenopausal women. 1995;173:1446-51
- Dorman K (see Moise et al). 1995;173:747-53
- Dorman SL, Cardwell MS. Ballantyne syndrome caused by a large placental chorioangioma. 1995;173:1632-3
- Dormeier A (see Ahner et al). 1995;173:1513-7
- Dormont D (see Wechsler et al). 1995;173:1627-9
- Dorsey JH, Steinberg EP, Holtz PM. Clinical indications for hysterectomy route: Patient characteristics or physician preference? 1995;173:1452-60
- Douglas MJ (see Adams and Douglas). 1995;173:974 (Letter)
- Draper D, McGregor J, Hall J, Jones W, Beutz M, Heine RP,

- Porreco R. Elevated protease activities in human amnion and chorion correlate with preterm premature rupture of membranes. 1995;173:1506-12
— (see McGregor et al). 1995;173:157-67
- DuBard MB (see Wenstrom et al). 1995;173:1287-92
— (see Wenstrom et al). 1995;173:1292-6
- Duff P (see Clark and Duff). 1995;173:1301-5
- Dullien V (see McGregor et al). 1995;173:1337-42
- Dunne DFB (see Cheng et al). 1995;173:1025-30
- Dunselman GAJ (see van der Linden et al). 1995;173:566-70
- Dur  M (see Moise et al). 1995;173:51-5
— (see Moise et al). 1995;173:747-53
- Dutch Collaborative Prostaglandin Trialists' Group (see Keirse et al). 1995;173:1859-64
- Duvekot JJ (see van Oppen et al). 1995;173:923-8
- Dye TD, Aubry RH, Artal R, Gross S. Amniotomies and the intrauterine prevention of meconium aspiration. 1995;173:671-2 (Letter reply)
- E
- Easterling T (see Boggess et al). 1995;173:1007-14
— (see Powell et al). 1995;173:1585-92
— (see Shields et al). 1995;173:1157-60
- Ebaugh MJ (see Cheung et al). 1995;173:753-9
- Ebrahim SAD (see Hume et al). 1995;173:1334-6
- Edwards BK (see Barrett et al). 1995;173:414-23
- Edwards C, Yi CH, Currie JL. Chorioamnionitis caused by *Capnocytophaga*: case report. 1995;173:244-5
- Edwards K (see White et al). 1995;173:286-90
- Edwin SS (see Silver et al). 1995;173:1410-5
- Egan JFX (see Bork et al). 1995;173:1192-5
— (see Vintzileos and Egan). 1995;173:1640 (Letter reply)
- Egarter C (see Ahner et al). 1995;173:1513-7
- Ehrenkranz RA (see Fanaroff et al). 1995;173:1423-31
— (see Wright et al). 1995;173:269-74
- Eis ALW (see Ghabour et al). 1995;173:687-94
- Ekholm E (see Polo and Ekholm). 1995;173:238-9
- Eley JW (see Barrett et al). 1995;173:414-23
- Elia G (see Badawy et al). 1995;173:1623-4
— (see Bergman and Elia). 1995;173:66-71
- Elias S (see de la Cruz et al). 1995;173:1354-5 (Letter)
— (see Simpson et al). 1995;173:1742-8
- Elkins TE (see Verdeja et al). 1995;173:1468-9
- Eller DP, Scardo JA, Dillon AE, Klein AJ, Stramm SL, Newman RB. Distance from an intrauterine hydrophone as a factor affecting intrauterine sound pressure levels produced by the vibroacoustic stimulation test. 1995;173:523-7
—, VanDorsten JP. Route of delivery for the breech presentation: a conundrum. 1995;173:393-8
- Ellertson CE (see Harper and Ellertson). 1995;173:1438-45
- Ellings JM (see Scardo et al). 1995;173:1376-80
- Elliott JP (see Johnson and Elliott). 1995;173:1369-72
- Elliott PM (see Rose et al). 1995;173:1461-8
- El Maradny E (see Kanayama et al). 1995;173:192-9
- Elser DM (see Bump et al). 1995;173:551-7
— (see Theofrastous et al). 1995;173:407-14
- Emanuel MH, Verdel MJ, Wamsteker K. Value of transvaginal ultrasonography and hysteroscopy in the evaluation of postmenopausal women with metrorrhagia. 1995;173:1353 (Letter reply)
—, —, —, Lammes FB. Adenomyosis must be considered in patients with menorrhagia and a normal-appearing cavity on hysteroscopy or ultrasonography. 1995;173:675 (Letter reply)
- , —, —, —. Ultrasonographic evaluation of patients with abnormal bleeding. 1995;173:1352 (Letter reply)
- Embree JE (see Kredentser et al). 1995;173:199-204
- Endresen MJR. Endothelial dysfunction yes, cytotoxicity no! 1995;173:979 (Letter reply)
- Eriksson UJ (see Hagay et al). 1995;173:1036-41
- Ernest JM (see Burrus et al). 1995;173:1258-62
— (see Petermann and Ernest). 1995;173:369-74
- Eschenbach DA (see Critchlow et al). 1995;173:534-43
- Eskenazi B, Fenster L, Sidney S, Elkin EP. Fetal growth retardation in infants of multiparous and nulliparous women with preeclampsia (1993;169:1112-8). 1995;173:950 (Correction)
- Esp  a F (see Gilabert et al). 1995;173:1849-54
- Estell  s A (see Gilabert et al). 1995;173:1849-54
- Ethier M (see Wenstrom et al). 1995;173:1297-300
- Evans AT (see Abuhamad et al). 1995;173:728-32
- Evans MI, Chik L, O'Brien JE, Sokol RJ. Are DADs (discriminant aneuploidy detection) as good as MOMs (multiples of the median)? 1995;173:1896-7 (Letter reply)
—, —, —, —. MOMs (multiples of the median) may know best: There are insufficient data to suggest that DADs (discriminant aneuploidy detection) are superior. 1995;173:1896-7 (Letter reply)
— (see de la Cruz et al). 1995;173:1354-5 (Letter)
— (see Hume et al). 1995;173:1334-6
— (see Johnson et al). 1995;173:59-65
— (see Quintero et al). 1995;173:668-9 (Letter reply)
- Evers JLH (see van der Linden et al). 1995;173:566-70
- Evertson LR (see Kurz and Evertson). 1995;173:1900 (Letter)
- Exosurf Neonatal Treatment Investigational New Drug Study Group (see Andrews et al). 1995;173:290-5
- Ezeh UO, Pearson M. The control of blood loss at cesarean section with intramyometrial prostaglandin $F_{2\alpha}$ analog versus intravenous synthetic oxytocin. 1995;173:353-4 (Letter)
- F
- Fabbri EL (see Bork et al). 1995;173:1192-5
— (see Smulian et al). 1995;173:1195-201
- Fabrizi G. De formato foetu. 1995;173:1617-8 (Classic pages in obstetrics and gynecology)
- Facchini V (see Gambacciani et al). 1995;173:890-3
- Fahy GE (see Archer et al). 1995;173:471-8
- Falcone T (see Lin et al). 1995;173:769-71
- Fanaroff AA, Wright LL, Stevenson DK, Shankaran S, Donovan EF, Ehrenkranz RA, Younes N, Korones SB, Stoll BJ, Tyson JE, Bauer CR, Oh W, Lemons JA, Papile LA, Verter J. Very-low-birth-weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, May 1991 through December 1992. 1995;173:1423-31
— (see Wright et al). 1995;173:269-74
- Farah LA (see Sanchez-Ramos et al). 1995;173:1079-84
- Farahani G (see Fried-Oginski et al). 1995;173:1633-5
- Farine D (see Sermer et al). 1995;173:146-56
- Farnot U (see Beliz  n et al). 1995;173:894-9
- Fausto A (see Valsecchi et al). 1995;173:673 (Letter)
- Fayngershteyn RP (see Figueroa et al). 1995;173:1800-6
- Fee SC (see Gribble et al). 1995;173:214-7
- Feeney LD (see Bork et al). 1995;173:1192-5
— (see Smulian et al). 1995;173:1195-201
- Ferenczy A (see Sun et al). 1995;173:1432-7
- Ferguson JE II, Seaman RM, Bruns DE, Bruns ME. Interleukin-1 β and interleukin-4 increase parathyroid hormone-

- related protein secretion by human umbilical vein endothelial cells in culture. 1995;173:448-56
- (see Bruns et al). 1995;173:739-46
- (see Thiagarajah et al). 1995;173:388-92
- Ferré F (see Cavaillé et al). 1995;173:1793-9
- Figge H (see Nazeer et al). 1995;173:1829-34
- Figuerola JP, Massmann GA. Estrogen increases nitric oxide synthase activity in the uterus of nonpregnant sheep. 1995;173:1539-45
- Figuerola R, Martinez E, Fayngershteyn RP, Jiang H, Omar HA, Tejani N, Wolin MS. Absence of relaxation to lactate in human placental vessels of pregnancies with severe preeclampsia. 1995;173:1800-6
- Fisher BK (see Stek et al). 1995;173:1592-8
- Fisher CW. The expert witness. 1995;173:1898-9 (Letter reply)
- Fisk NM (see Bower et al). 1995;173:502-7
- (see Flack et al). 1995;173:1186-91
- (see Lighten et al). 1995;173:1182-5
- (see Sepulveda et al). 1995;173:1788-92
- (see Stagiannis et al). 1995;173:1546-50
- Flack NJ, Sepulveda W, Bower S, Fisk NM. Acute maternal hydration in third-trimester oligohydramnios: effects on amniotic fluid volume, uteroplacental perfusion, and fetal blood flow and urine output. 1995;173:1186-91
- (see Bower et al). 1995;173:502-7
- (see Sepulveda et al). 1995;173:1788-92
- Flake AW (see Johnson et al). 1995;173:59-65
- Flynn M, Niloff JM. Minilaparotomy for the ambulatory management of ovarian cysts. 1995;173:1727-30
- Foldes RG (see Archer et al). 1995;173:471-8
- Foley K (see Markenson et al). 1995;173:1143-7
- Foran CM (see Robertson et al). 1995;173:1171-6
- Forman A (see Wide-Swensson et al). 1995;173:872-8
- Fossum GT, Greep N, Kletzky OA. Patterns of luteinizing and follicle-stimulating hormone pulsatility in menopausal women: correlation with plasma testosterone level and vasomotor instability episodes. 1995;173:795-800
- Fournier T (see Cavaillé et al). 1995;173:1793-9
- Fowler WC Jr (see Valea et al). 1995;173:808-13
- Fratkin JD (see Washburne et al). 1995;173:226-8
- Freed GL, Clark SJ, Cefalo RC, Sorenson JR. Breast-feeding education of obstetrics-gynecology residents and practitioners. 1995;173:1607-13
- Freeman R (see Ray et al). 1995;173:224-5 (Classic pages in obstetrics and gynecology)
- French JI (see McGregor et al). 1995;173:157-67
- Freund M (see Moya et al). 1995;173:1401-5
- Fricke JL (see Mercer et al). 1995;173:1325-8
- Friedman EH. Neurobiology of uterine irritability in preterm labor. 1995;173:1638 (Letter)
- Friedman SA (see Chari et al). 1995;173:1207-10
- (see Schiff et al). 1995;173:1405-9
- Fried-Oginski W, Lovecchio JL, Farahani G, Smilari T. Malignant myxoid sarcoma of the Bartholin gland in pregnancy. 1995;173:1633-5
- Frigo P (see Asseryanis et al). 1995;173:236-7
- Fuchs A-R (see Dibbs et al). 1995;173:134-40
- Fuentes A, Rojas A, Porter KB, Saviello G, O'Brien WF. The effect of magnesium sulfate on bleeding time in pregnancy. 1995;173:1246-9
- Fujiwaki R, Hata T, Hata K, Kitao M. Intrauterine ultrasonographic assessments of embryonic development. 1995;173:1770-4
- Fukaya T, Murakami T, Tamura M, Watanabe T, Terada Y, Yajima A. Laser vaporization of the ovarian surface in polycystic ovary disease results in reduced ovarian hyperstimulation and improved pregnancy rates. 1995;173:119-25
- Fuqua P (see Sanchez-Ramos et al). 1995;173:1079-84

G

- Gabbe SG (see Gordon et al). 1995;173:1089-97
- Gagnon R, Bocking AD, Richardson BS. Computerized analysis of antepartum fetal heart rate. 1995;173:1354 (Letter reply)
- (see Murotsuki et al). 1995;173:30-5
- Galbraith S (see Creinin et al). 1995;173:1578-84
- Gall SA (see How et al). 1995;173:1518-22
- Gallery EDM, Rowe J, Campbell S, Hawkins T. Effect of serum on secretion of prostacyclin and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies. 1995;173:918-23
- , —, —, —. Secretion of prostaglandins and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies: comparison with human umbilical vein endothelial cells. 1995;173:1557-62
- Gallo R (see Gambacciani et al). 1995;173:890-3
- Gambacciani M, Spinetti A, Gallo R, Cappagli B, Teti GC, Facchini V. Ultrasonographic bone characteristics during normal pregnancy: longitudinal and cross-sectional evaluation. 1995;173:890-3
- Ganapathy V (see Ramamoorthy et al). 1995;173:1782-7
- Gandhi JA, Zhang XY, Maidman JE. Fetal cardiac hypertrophy and cardiac function in diabetic pregnancies. 1995;173:1132-6
- Gannon MJ, Johnson N, Roberts DJH, Holroyd JA, Vernon DI, Brown SB, Lilford RJ. Photosensitization of the endometrium with topical 5-aminolevulinic acid. 1995;173:1826-8
- Gänshirt D (see de la Cruz et al). 1995;173:1354-5 (Letter)
- Gare DJ (see Sermer et al). 1995;173:146-56
- Garfield RE. Mechanism underlying phasic contractions of pregnant rat myometrium simulated by aluminum fluoride. 1995;173:348 (Letter)
- (see Glassman et al). 1995;173:1550-6
- Garite TJ (see Baron et al). 1995;173:167-74
- Garrison CZ (see Meyer et al). 1995;173:181-6
- Gasser R (see Verdeja et al). 1995;173:1468-9
- Gaudier FL (see Atkinson et al). 1995;173:299-305
- Gautier E (see Muller et al). 1995;173:508-13
- Gavriil P (see Jauniaux et al). 1995;173:1749-53
- Gaylor J (see Menczer et al). 1995;173:774-8
- Gei A (see Moise et al). 1995;173:51-5
- Généreau T (see Wechsler et al). 1995;173:1627-9
- Gerhardt KJ (see Abrams et al). 1995;173:1372-6
- Gerraty RP (see Cincotta et al). 1995;173:967-9
- Ghabour MS, Eis ALW, Brockman DE, Pollock JS, Myatt L. Immunohistochemical characterization of placental nitric oxide synthase expression in preeclampsia. 1995;173:687-94
- Gharavi AE (see Silver et al). 1995;173:1410-5
- Ghezzi F (see Berry et al). 1995;173:1315-20
- Gibson S (see Coates et al). 1995;173:1664-70
- Gilbert J, Estellés A, Cano A, España F, Barrachina R, Granchar S, Aznar J, Tortajada M. The effect of estrogen replacement therapy with or without progesterone on the fibrinolytic system and coagulation inhibitors in postmenopausal status. 1995;173:1849-54
- Gimpelson RJ, Whalen TR. Hysteroscopy as gold standard for evaluation of abnormal uterine bleeding. 1995;173:1637 (Letter)

- Glassman W, Byam-Smith M, Garfield RE. Changes in rat cervical collagen during gestation and after antiprogesterone treatment as measured in vivo with light-induced autofluorescence. 1995;173:1550-6
- Gluck L, Kulovich MV, Borer RC Jr, Brenner PH, Anderson GG, Spellacy WN. Diagnosis of the respiratory distress syndrome by amniocentesis. 1995;173:629-30 (Classic pages in obstetrics and gynecology)
- Godeau P (see Wechsler et al). 1995;173:1627-9
- Godwin AK (see Auersperg et al). 1995;173:558-65
- Goedert JJ (see Minkoff et al). 1995;173:585-9
- Golbus MS (see Chuch et al). 1995;173:1277-82
- Gold RL (see Puder et al). 1995;173:239-41
- Goldberg GL (see Platek et al). 1995;173:1236-40
- Goldberg JD (see Chuch et al). 1995;173:1277-82
- (see McLean et al). 1995;173:1282-6
- Goldberg MS, Jacobson HI, Kellom TA. Estimation of Down syndrome risk in a donor egg pregnancy. 1995;173:974-5 (Letter)
- Goldenberg RL (see Andrews et al). 1995;173:606-12
- (see Atkinson et al). 1995;173:299-305
- (see Bronstein and Goldenberg). 1995;173:296-8
- (see Guinn et al). 1995;173:1310-5
- (see Hauth et al). 1995;173:578-84
- (see Leviton et al). 1995;173:312-6
- (see Meis et al). 1995;173:1231-5
- (see Rouse et al). 1995;173:1357-63 (Clin. opinion)
- (see Wenstrom et al). 1995;173:1292-6
- Goldstein DP (see Berkowitz et al). 1995;173:788-94
- Goldstein I, Reece EA. Cerebellar growth in normal and growth-restricted fetuses of multiple gestations. 1995;173:1343-8
- (see Bahado-Singh et al). 1995;173:1106-10
- Goldstein SR. Ultrasonographic evaluation of patients with abnormal bleeding. 1995;173:1351-2 (Letter)
- Gomez R (see Andrews et al). 1995;173:606-12
- (see Berry et al). 1995;173:1315-20
- Goodrich SM. A piece of my mind. 1995;173:357-60 (Pres. address)
- Goodwin TM, Millar L, North L, Abrams LS, Weglein RC, Holland ML. The pharmacokinetics of the oxytocin antagonist atosiban in pregnant women with preterm uterine contractions. 1995;173:913-7
- (see Iams et al). 1995;173:141-5
- (see McGregor et al). 1995;173:1337-42
- Goolsby LW (see Black et al). 1995;173:514-9
- Gopalkrishnan K (see Katkam et al). 1995;173:779-87
- Gordon MC, Zimmerman PD, Landon MB, Gabbe SG, Kniss DA. Insulin and glucose modulate glucose transporter messenger ribonucleic acid expression and glucose uptake in trophoblasts isolated from first-trimester chorionic villi. 1995;173:1089-97
- Gordon SF. Clinical experience with a seven-day estradiol transdermal system for estrogen replacement therapy. 1995;173:998-1004 (Symposium)
- Goyert GL (see Puder et al). 1995;173:239-41
- Graham A (see Moise et al). 1995;173:51-5
- (see Moise et al). 1995;173:747-53
- Granai CO (see Myers et al). 1995;173:966-7
- Granberg S (see Karlsson et al). 1995;173:1637-8 (Letter reply)
- Grancha S (see Gilabert et al). 1995;173:1849-54
- Grandjean H, Sarramon M-F, Association Française pour le Dépistage et la Prévention des Handicaps de l'Enfant Study Group. Femur/foot length ratio for detection of Down syndrome: results of a multicenter prospective study. 1995;173:16-9
- Grant PT (see Brand et al). 1995;173:959-61
- Gravenhorst JB (see Nagel et al). 1995;173:1758-64
- Grazioli V (see Valsecchi et al). 1995;173:673 (Letter)
- Greenstein RM (see Benn et al). 1995;173:496-501
- Greenwald M (see Karlan et al). 1995;173:97-104
- Greep N (see Fossum et al). 1995;173:795-800
- Greer IA (see Lyall et al). 1995;173:714-8
- Gregori CA (see Denehy et al). 1995;173:1697-702
- Greig PC, Herbert WNP, Robinette BL, Teot LA. Amniotic fluid interleukin-10 concentrations increase through pregnancy and are elevated in patients with preterm labor associated with intrauterine infection. 1995;173:1223-7
- Grénman S (see Hietanen et al). 1995;173:1477-82
- Gribble RK, Fee SC, Berg RL. The value of routine urine dipstick screening for protein at each prenatal visit. 1995;173:214-7
- Griffey S (see Baggish et al). 1995;173:1842-8
- Grody MHT (see Nyirjesy et al). 1995;173:820-3
- Groner Y (see Hagay et al). 1995;173:1036-41
- Gross S (see Dye et al). 1995;173:671-2 (Letter reply)
- Grossman RA. Women cannot discriminate between different paracervical block techniques applied to opposite sides of the cervix. 1995;173:935-6
- Grosswald SJ (see Ling et al). 1995;173:946-50
- Grynepas MD (see Vanin et al). 1995;173:1491-8
- Guinn D, Goldenberg RL, Hauth JC, Andrews WW, Thom E, Romero R. Risk factors for the development of preterm premature rupture of the membranes after arrest of preterm labor. 1995;173:1310-5
- (see Atkinson et al). 1995;173:1219-22
- Gulbis B (see Jauniaux et al). 1995;173:1749-53
- Gunkel H (see Wright et al). 1995;173:263-9
- Gunkel JH, Mitchell BR. Observational evidence for the efficacy of antenatal steroids from randomized studies of surfactant replacement. 1995;173:281-5
- Guzman ER (see Vintzileos et al). 1995;173:1021-4

H

- Haberman S (see Ramirez et al). 1995;173:955-7
- Hack M, Wright LL, Shankaran S, Tyson JE, Horbar JD, Bauer CR, Younes N. National Institute of Child Health and Human Development Neonatal Research Network. Very-low-birth-weight outcomes of the National Institute of Child Health and Human Development Neonatal Network, November 1989 to October 1990 (1995;172:457-64). 1995;173:961 (Correction)
- Haddow JE (see Palomaki and Haddow). 1995;173:1639-40 (Letter)
- (see Palomaki et al). 1995;173:1895-6 (Letter)
- (see Simpson et al). 1995;173:1742-8
- Hagay ZJ, Weiss Y, Zusman I, Peled-Kamar M, Reece EA, Eriksson UJ, Groner Y. Prevention of diabetes-associated embryopathy by overexpression of the free radical scavenger copper zinc superoxide dismutase in transgenic mouse embryos. 1995;173:1036-41
- Hahn SR (see Williams et al). 1995;173:654-9 (Symposium)
- Haig D. Whitridge Williams' obstetrics. 1995;173:1351 (Letter)
- Hakala A, Kacinski BM, Stanley ER, Kohorn EI, Puistola U, Risteli J, Risteli L, Tomás C, Kauppila A. Macrophage colony-stimulating factor 1, a clinically useful tumor marker in endometrial adenocarcinoma: comparison with CA 125

- and the aminoterminal propeptide of type III procollagen. 1995;173:112-9
- Halim A (see Kanayama et al). 1995;173:192-9
- Halinda E (see Natale et al). 1995;173:351-2 (Letter reply)
- (see Natale et al). 1995;173:352-3 (Letter reply)
- Hall J (see Draper et al). 1995;173:1506-12
- Haller U (see Schaer et al). 1995;173:1812-5
- Hamilton TC (see Auersperg et al). 1995;173:558-65
- Hammar M (see Dahle et al). 1995;173:175-80
- Hannah ME, Ohlsson A, Willan A. Induction of labor versus expectant management: Does it matter? 1995;173:352-3 (Letter)
- Harlan LC (see Barrett et al). 1995;173:414-23
- Harlow BL (see Berkowitz et al). 1995;173:788-94
- Harman C (see Menticoglou et al). 1995;173:906-12
- Harper CC, Ellertson CE. The emergency contraceptive pill: a survey of knowledge and attitudes among students at Princeton University. 1995;173:1438-45
- Harper MA, McVeigh JE, Thompson W, Ardill JES, Buchanan KD. Successful pregnancy in association with Zollinger-Ellison syndrome. 1995;173:863-4
- Harris EN (see Silver et al). 1995;173:1410-5
- Harris RL, Yancey CA, Wiser WL, Morrison JC, Meeks GR. Comparison of anterior colporrhaphy and retropubic urethropexy for patients with genuine stress urinary incontinence. 1995;173:1671-5
- Haskill S (see Valea et al). 1995;173:808-13
- Haslam R (see Crowther et al). 1995;173:719-23
- Hassol A (see Leviton et al). 1995;173:312-6
- Hastings C (see McGregor et al). 1995;173:1337-42
- Hata K (see Fujiwaki et al). 1995;173:1770-4
- Hata T (see Fujiwaki et al). 1995;173:1770-4
- Hauth JC, Goldenberg RL, Parker CR Jr, Copper RL, Cutter GR. Maternal serum thromboxane B₂ reduction versus pregnancy outcome in a low-dose aspirin trial. 1995;173:578-84
- (see Andrews et al). 1995;173:606-12
- (see Atkinson et al). 1995;173:299-305
- (see Atkinson et al). 1995;173:1219-22
- (see Guinn et al). 1995;173:1310-5
- (see Wenstrom et al). 1995;173:1292-6
- Hawkins T (see Gallery et al). 1995;173:918-23
- (see Gallery et al). 1995;173:1557-62
- Haydon B (see Carr et al). 1995;173:1267-72
- Hecher K, Snijders R, Campbell S, Nicolaides K. Fetal venous, intracardiac, and arterial blood flow measurements in intrauterine growth retardation: relationship with fetal blood gases. 1995;173:10-5
- Hedrick J (see Thorp et al). 1995;173:974 (Letter reply)
- Heeren T (see Colton et al). 1995;173:1499-505
- Heine RP (see Draper et al). 1995;173:1506-12
- Heinrichs L (see Newhall-Perry et al). 1995;173:824-9
- Heinzl K (see Ahner et al). 1995;173:1513-7
- Hellgren M, Svensson PJ, Dahlbäck B. Resistance to activated protein C as a basis for venous thromboembolism associated with pregnancy and oral contraceptives. 1995;173:210-3
- Hemminki E, Meriläinen J. Long-term follow-up of mothers and their infants in a randomized trial on iron prophylaxis during pregnancy. 1995;173:205-9
- Henderson CE (see Platek et al). 1995;173:1236-40
- Hendricks CH (see Saacks et al). 1995;173:432-9
- Henriksson L, Sternquist M. Randomized comparison of a new estradiol-releasing vaginal ring versus estradiol vaginal pessaries. 1995;173:670-1 (Letter reply)
- Henry OA (see Kjos et al). 1995;173:1532-9
- Henzi M (see Newhall-Perry et al). 1995;173:824-9
- Herbert WNP (see Greig et al). 1995;173:1223-7
- Herbst AL (see Wilcox et al). 1995;173:835-6
- Hern WM. Laminaria versus Dilapan osmotic cervical dilators for second-trimester abortion. 1995;173:355 (Letter reply)
- Hesselgesser R (see Ray et al). 1995;173:224-5 (Classic pages in obstetrics and gynecology)
- Hesseling M (see De Wilde and Hesseling). 1995;173:1639 (Letter)
- Hickok DE (see Powell et al). 1995;173:1585-92
- Hiçsönmez A (see Kizilcan et al). 1995;173:36-41
- Hietanen SH, Kurvinen K, Syrjänen K, Grénman S, Carey T, McClatchey K, Syrjänen S. Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells. 1995;173:1477-82
- Higby K, Suiter CR, Siler-Khodr T. A comparison between two screening methods for detection of microproteinuria. 1995;173:1111-4
- (see Phelps et al). 1995;173:942-5
- Higgins RV (see Moore et al). 1995;173:361-8
- Hill HA (see Barrett et al). 1995;173:414-23
- Hill JA, Melling GC, Johnson PM. Immunohistochemical studies of human uteroplacental tissues from first-trimester spontaneous abortion. 1995;173:90-6
- Hiller J (see Crowther et al). 1995;173:719-23
- Hillier SL (see Joesoef et al). 1995;173:1527-31
- Hobbins JC (see Abuhamad et al). 1995;173:728-32
- (see Barbera et al). 1995;173:1071-4
- (see Barbera et al). 1995;173:1765-9
- Hod M (see McFarland et al). 1995;173:1211-4
- Hodinka RL (see Silverman et al). 1995;173:1396-400
- Hoerner JK (see Knox and Hoerner). 1995;173:951-2 (Classic pages in obstetrics and gynecology)
- Hoffman MK (see Shackelford et al). 1995;173:80-4
- Hogg BB (see Scardo et al). 1995;173:1249-53
- Holcberg G, Kossensjans W, Miodovnik M, Myatt L. The interaction of nitric oxide and superoxide in the human fetal-placental vasculature. 1995;173:528-33
- Holimon JL (see Orr et al). 1995;173:399-406
- Holland ML (see Goodwin et al). 1995;173:913-7
- Holloway L (see Newhall-Perry et al). 1995;173:824-9
- Holmes KK (see Critchlow et al). 1995;173:534-43
- Holroyd JA (see Gannon et al). 1995;173:1826-8
- Holt VL (see Powell et al). 1995;173:1585-92
- Holtz PM (see Dorsey et al). 1995;173:1452-60
- Holzappel S (see Sermer et al). 1995;173:146-56
- Holzgreve W (see de la Cruz et al). 1995;173:1354-5 (Letter)
- Honma Y (see Minakami et al). 1995;173:345-6 (Letter)
- Horal M (see Westgren et al). 1995;173:1416-22
- Horbar JD, Investigators of the Vermont-Oxford Trials Network. Antenatal corticosteroid treatment and neonatal outcomes for infants 501 to 1500 gm in the Vermont-Oxford Trials Network. 1995;173:275-81
- (see Wright et al). 1995;173:263-9
- Horger EO III (see Wolf and Horger). 1995;173:1364-8 (Clin. opinion)
- Horibe N, Okamoto T, Itakura A, Nakanishi T, Suzuki T, Kazeto S, Tomoda Y. Levels of hepatocyte growth factor in maternal serum and amniotic fluid. 1995;173:937-42
- Horne D (see Benn et al). 1995;173:496-501
- Hornsby PP (see Wilcox et al). 1995;173:835-6
- Horowitz IR, Copas P, Majmudar B. Granular cell tumors of the vulva. 1995;173:1710-4

- Hoshiai H, Mitsuhashi Y. Japanese endometriosis progression: Universally applicable? 1995;173:350 (Letter reply)
- Hossain AM, Whitman GF, Khan I. Kininogen present in rat reproductive tissues is apparently synthesized by the liver, not by the reproductive system. 1995;173:830-4
- How HY, Hughes SA, Vogel RL, Gall SA, Spinnato JA. Oral terbutaline in the outpatient management of preterm labor. 1995;173:1518-22
- Howard AE (see Young et al). 1995;173:1719-26
- Hsu LYF, Shapiro LR, Kaffe S. Maternal serum screening should not replace amniocentesis. 1995;173:977-8 (Letter)
- Hubel CA (see Roberts et al). 1995;173:978-9 (Letter)
- Huber J (see Asseryanis et al). 1995;173:236-7
- Huffaker BJ (see Chuck and Huffaker). 1995;173:1137-42
- Hughes SA (see How et al). 1995;173:1518-22
- Hughes TK (see Cadet et al). 1995;173:25-9
- Huijgens PC (see Dekker et al). 1995;173:1042-8
- Hume AL (see Derby et al). 1995;173:544-50
- Hume RF (see Johnson et al). 1995;173:59-65
- Hume RF Jr, Kilmer-Ernst P, Wolfe HM, Ebrahim SAD, Treadwell MC, Johnson MP, Evans MI. Prenatal cytogenetic abnormalities: correlations of structural rearrangements and ultrasonographically detected fetal anomalies. 1995;173:1334-6
- Humes RA (see Puder et al). 1995;173:239-41
- Hunter VJ (see Sancho-Tello et al). 1995;173:1470-7
- Hurd WW, Wang L, Schemmel MT. A comparison of the relative risk of vessel injury with conical versus pyramidal laparoscopic trocars in a rabbit model. 1995;173:1731-3
- Hurt WG (see Soper et al). 1995;173:465-71
- Hurtig M (see Dahle et al). 1995;173:175-80
- Husslein P (see Ahner et al). 1995;173:1513-7
- I
- Iams JD, Casal D, McGregor JA, Goodwin TM, Kreaden US, Lowensohn R, Lockitch G. Fetal fibronectin improves the accuracy of diagnosis of preterm labor. 1995;173:141-5
— (see Meis et al). 1995;173:1231-5
- Idajadi A (see Joesoef et al). 1995;173:1527-31
- Iffy L. The expert witness. 1995;173:1898 (Letter)
- Iglesias X (see Carmona et al). 1995;173:55-9
- Ikenoue T (see Ohbuchi et al). 1995;173:1483-90
- Indman PD (see Spirtos et al). 1995;173:105-11
- Ingemarsson I (see Westgren et al). 1995;173:1416-22
— (see Wide-Swensson et al). 1995;173:872-8
- Investigators of the Vermont-Oxford Trials Network (see Horbar and Investigators of the Vermont-Oxford Trials Network). 1995;173:275-81
- Itakura A (see Horibe et al). 1995;173:937-42
- Ito S (see Moretti et al). 1995;173:1625-6
- Izumi A (see Minakami et al). 1995;173:345-6 (Letter)
- J
- Jackson GM (see McGregor et al). 1995;173:1337-42
- Jackson L (see de la Cruz et al). 1995;173:1354-5 (Letter)
- Jackson MT (see Pien and Jackson). 1995;173:964-5
- Jacobson HI (see Goldberg et al). 1995;173:974-5 (Letter)
- Jacoby AF (see Aronson et al). 1995;173:1702-10
- Jacques DL (see Barton et al). 1995;173:1865-8
- Jaekle RK, Sheikh AU, Berry DD, Washburn L, Rose JC. Hemodynamic and hormonal responses to atrial distension in the ovine fetus. 1995;173:694-701
- Jakobs C (see Dekker et al). 1995;173:1042-8
- Jarrett CS (see Rose et al). 1995;173:1461-8
- Jauniaux E, Gulbis B, Jurkovic D, Gavril P, Campbell S. The origin of α -fetoprotein in first-trimester anembryonic pregnancies. 1995;173:1749-53
- Jeanty P. The accuracy of prenatal ultrasonography in detecting congenital anomalies. 1995;173:667-8 (Letter reply)
- Jennekens-Schinkel A (see Nagel et al). 1995;173:1758-64
- Jiang H (see Figueroa et al). 1995;173:1800-6
- Joesoef MR, Hillier SL, Wiknjosastro G, Sumampouw H, Linan M, Norojono W, Idajadi A, Utomo B. Intravaginal clindamycin treatment for bacterial vaginosis: effects on preterm delivery and low birth weight. 1995;173:1527-31
- Johns KA (see Meis et al). 1995;173:590-6
— (see Meis et al). 1995;173:597-602
- Johnson D (see Sun et al). 1995;173:1432-7
- Johnson F (see Meis et al). 1995;173:1231-5
- Johnson MP, Corsi P, Bradfield W, Hume RF, Smith C, Flake AW, Qureshi F, Evans MI. Sequential urinalysis improves evaluation of fetal renal function in obstructive uropathy. 1995;173:59-65
— (see Dombrowski et al). 1995;173:847-8
— (see Hume et al). 1995;173:1334-6
— (see Quintero et al). 1995;173:668-9 (Letter reply)
- Johnson N (see Gannon et al). 1995;173:1826-8
- Johnson PM (see Hill et al). 1995;173:90-6
- Johnson RL, Elliott JP. Fetal acoustic stimulation, an adjunct to external cephalic version: a blinded, randomized crossover study. 1995;173:1369-72
- Johnson SC (see De Lia et al). 1995;173:1714-8
- Johnson TRB (see Luke et al). 1995;173:849-62
- Johnston L (see Murotsuki et al). 1995;173:30-5
- Jones DC (see Kliman et al). 1995;173:1084-8
- Jones J (see Karlan et al). 1995;173:97-104
- Jones OW III (see Barbera et al). 1995;173:1071-4
— (see Barbera et al). 1995;173:1765-9
- Jones RF III (see Chez and Jones). 1995;173:677-9 (Primary care)
- Jones W (see Draper et al). 1995;173:1506-12
— (see McGregor et al). 1995;173:157-67
- Jordan CA (see Nyirjesy et al). 1995;173:820-3
- Jouppila P (see Räsänen and Jouppila). 1995;173:20-5
- Jüppner H (see Bruns et al). 1995;173:739-46
- Jurkovic D (see Jauniaux et al). 1995;173:1749-53
- Justice WM (see Sancho-Tello et al). 1995;173:1470-7
- K
- Kacémi A (see Cavaillé et al). 1995;173:1793-9
- Kacinski BM (see Hakala et al). 1995;173:112-9
- Kaffe S (see Hsu et al). 1995;173:977-8 (Letter)
- Kain ZN, Mayes LC, Pakes J, Rosenbaum SH, Schottenfeld R. Thrombocytopenia in pregnant women who use cocaine. 1995;173:885-90
- Kajdacsy-Balla A (see De Lia et al). 1995;173:1714-8
- Kajiwarra Y (see Kanayama et al). 1995;173:192-9
- Kaluarachchi A, Krishnamurthy S. Post-cesarean section splenic rupture. 1995;173:230-2
- Kambich MP (see MacGregor et al). 1995;173:1254-8
- Kaminski PF (see Shackelford et al). 1995;173:80-4
- Kanayama N, El Maradny E, Halim A, Liping S, Maehara K, Kajiwarra Y, Terao T. Urinary trypsin inhibitor prevents uterine muscle contraction by inhibition of Ca^{++} influx. 1995;173:192-9
- Kao L (see Schiff et al). 1995;173:1405-9
- Kaplan SH (see de la Cruz et al). 1995;173:1354-5 (Letter)
- Karlan BY, Jones J, Greenwald M, Lagasse LD. Steroid hormone effects on the proliferation of human ovarian surface epithelium in vitro. 1995;173:97-104

- Karlsson B, Granberg S, Wikland M. Hysteroscopy as gold standard for evaluation of abnormal uterine bleeding. 1995; 173:1637-8 (Letter reply)
- Kasello DJ (see Badawy et al). 1995;173:1623-4
- Kasik JW, Rice EJ. An increase in expression of the lipocalin 24p3 is found in mouse uterus coincident with birth. 1995; 173:613-7
- Kasra M (see Vanin et al). 1995;173:1491-8
- Katkam RR, Gopalkrishnan K, Chwalisz K, Schillinger E, Puri CP. Onapristone (ZK 98.299): a potential antiprogesterin for endometrial contraception. 1995;173:779-87
- Kauff ND, Chelmow D, Kawada CY. Intractable bleeding managed with Foley catheter tamponade after dilation and evacuation. 1995;173:957-8
- Kaunitz AM (see Sanchez-Ramos et al). 1995;173:1079-84
- Kaupilla A (see Hakala et al). 1995;173:112-9
- Kawada CY (see Kauff et al). 1995;173:957-8
- Kay TT (see de Mendonça and Kay). 1995;173:1352-3 (Letter)
- Kayne HL (see Colton et al). 1995;173:1499-505
- Kazeto S (see Horibe et al). 1995;173:937-42
- Keirse MJNC. New perspectives for the effective treatment of preterm labor. 1995;173:618-28 (Curr. dev.)
- , de Koning Gans HJ, Dutch Collaborative Prostaglandin Trialists' Group. Randomized comparison of the effects of endocervical and vaginal prostaglandin E₂ gel in women with various degrees of cervical ripeness. 1995;173:1859-64
- Keith L (see Luke et al). 1995;173:849-62
- Kellner LH, Weiner Z, Weiss RR, Neuer M, Martin GM, Mueenuddin M, Bombard A. Triple marker (α -fetoprotein, unconjugated estriol, human chorionic gonadotropin) versus α -fetoprotein plus free- β subunit in second-trimester maternal serum screening for fetal Down syndrome: a prospective comparison study. 1995;173:1306-9
- Kellom TA (see Goldberg et al). 1995;173:974-5 (Letter)
- Kenshole AB (see Sermer et al). 1995;173:146-56
- Khan I (see Hossain et al). 1995;173:830-4
- Khouzami AN, Kickler TS, Bray PF, Callan NA, Sciscione AC, Shumway JB, Blakemore KJ. Molecular genotyping of fetal platelet antigens with uncultured amniocytes. 1995;173: 1202-6
- Kickler TS (see Khouzami et al). 1995;173:1202-6
- Kilmer-Ernst P (see Hume et al). 1995;173:1334-6
- Kilpatrick SJ (see Robertson et al). 1995;173:1171-6
- Kimball RE (see Spirtos et al). 1995;173:105-11
- Kimler BF (see Sancho-Tello et al). 1995;173:1470-7
- King RA (see Reish et al). 1995;173:1640-1 (Letter)
- Kiss H (see Ahner et al). 1995;173:1513-7
- Kissane J (see Kyle et al). 1995;173:865-72
- Kitamura K (see Ohbuchi et al). 1995;173:1483-90
- Kitao M (see Fujiwaki et al). 1995;173:1770-4
- Kiviat NB (see Critchlow et al). 1995;173:534-43
- Kizilcan F, Tanyel FC, Çakar N, Büyükpamukçu N, Hiçsönmez A. The effect of low amniotic pressure without oligohydramnios on fetal lung development in a rabbit model. 1995;173: 36-41
- Kjos SL, Leung A, Henry OA, Victor MR, Paul RH, Medearis AL. Antepartum surveillance in diabetic pregnancies: predictors of fetal distress in labor. 1995;173:1532-9
- Klaisle C (see Creinin et al). 1995;173:1578-84
- Klein AJ (see Eller et al). 1995;173:523-7
- Kleinman CS (see Copel et al). 1995;173:1384-90
- Kletzky OA (see Fossom et al). 1995;173:795-800
- Kliman HJ, Perrotta PL, Jones DC. The efficacy of the placental biopsy. 1995;173:1084-8
- Klinger K (see de la Cruz et al). 1995;173:1354-5 (Letter)
- Knee G (see Silverman et al). 1995;173:1396-400
- Kniss DA (see Gordon et al). 1995;173:1089-97
- Knox IC Jr, Hoerner JK. The role of infection in premature rupture of the membranes. 1995;173:951-2 (Classic pages in obstetrics and gynecology)
- Knuppel RA (see Vintzileos et al). 1995;173:1021-4
- Koehli OR (see Schaer et al). 1995;173:1812-5
- Kohorn EI (see Hakala et al). 1995;173:112-9
- Koide SS (see Dibbs et al). 1995;173:134-40
- Kole S (see Peters et al). 1995;173:953-4
- Konchak PS, Bernstein IM, Capeless EL. Uterine artery Doppler velocimetry in the detection of adverse obstetric outcomes in women with unexplained elevated maternal serum α -fetoprotein levels. 1995;173:1115-9
- Konijnenberg A (see van der Post et al). 1995;173:1897 (Letter)
- Koninckx PR (see D'Hooghe et al). 1995;173:125-34
- Kopelman JN (see Markenson et al). 1995;173:1143-7
- Koren G (see Moretti et al). 1995;173:1625-6
- Korones SB (see Fanaroff et al). 1995;173:1423-31
- Korst LM (see Phelan et al). 1995;173:1380-4
- Kossensjans W (see Holberg et al). 1995;173:528-33
- Kotz HL (see Barrett et al). 1995;173:414-23
- Koulos JP (see Sun et al). 1995;173:1432-7
- Koutsky LA (see Critchlow et al). 1995;173:534-43
- Kramer PR Jr (see Shackelford et al). 1995;173:80-4
- Kreaden US (see Iams et al). 1995;173:141-5
- Kredentser JV, Embree JE, McCoshen JA. Prostaglandin F_{2a} output by amnion-chorion-decidua: relationship with labor and prostaglandin E₂ concentration at the amniotic surface. 1995;173:199-204
- Krishnamurthy S (see Kaluarachchi and Krishnamurthy). 1995; 173:230-2
- Krissi H (see Menczer et al). 1995;173:774-8
- Kroenke K (see Williams et al). 1995;173:654-9 (Symposium)
- Kublickas M (see Westgren et al). 1995;173:1416-22
- Kuehl TJ (see Coates et al). 1995;173:1664-70
- Kulovich MV (see Gluck et al). 1995;173:629-30 (Classic pages in obstetrics and gynecology)
- Kupfermanc MJ, Peaceman AM, Aderka D, Wallach D, Peyser MR, Lessing JB, Socol ML. Soluble tumor necrosis factor receptors in maternal plasma and second-trimester amniotic fluid. 1995;173:900-5
- Kurvinen K (see Hietanen et al). 1995;173:1477-82
- Kurzel RB, Evertson LR. Are more male infants affected by preterm premature rupture of the membranes? 1995;173: 1900 (Letter)
- Kyle PM, Buckley D, Kissane J, de Swiet M, Redman CWG. The angiotensin sensitivity test and low-dose aspirin are ineffective methods to predict and prevent hypertensive disorders in nulliparous pregnancy. 1995;173:865-72
- , de Swiet M, Redman CWG. Platelet response to vasopressin in preeclampsia. 1995;173:1897-8 (Letter reply)

L

- Laan LAEM (see Nagel et al). 1995;173:1758-64
- Lachelin GCL (see McGregor et al). 1995;173:1337-42
- Lagasse LD (see Karlan et al). 1995;173:97-104
- Lage JM (see Berkowitz et al). 1995;173:788-94
- Laifer SA (see Brancacio et al). 1995;173:1240-5
- Lammes FB (see Emanuel et al). 1995;173:675 (Letter reply)
- (see Emanuel et al). 1995;173:1352 (Letter reply)
- Lamoutte C (see Verdeja et al). 1995;173:1468-9
- Landesman S (see Minkoff et al). 1995;173:585-9
- Landon MB (see Gordon et al). 1995;173:1089-97
- Landzberg BR (see Mishra et al). 1995;173:243-4

- Lang T (see Marth et al). 1995;173:1835-42
- Lang U (see Stek et al). 1995;173:1592-8
- Langer A (see Belizán et al). 1995;173:894-9
- Langer O (see McFarland et al). 1995;173:1211-4
- (see Xenakis et al). 1995;173:1874-8
- Larsen LG (see Clausen and Larsen). 1995;173:670 (Letter reply)
- Larson JD, Rayburn WF, Crosby S, Thurnau GR. Multiple nuchal cord entanglements and intrapartum complications. 1995;173:1228-31
- , —, Turnbull GL, Schwartz WJ, Stanley JR, Christensen HD. Effects of intracervical prostaglandin E₂ on fetal heart rate and uterine activity patterns in the presence of oligohydramnios. 1995;173:1166-70
- Larsson L (see Dahle et al). 1995;173:175-80
- Latin American Network for Perinatal and Reproductive Research (see Belizán et al). 1995;173:894-9
- Laube DW (see Ling et al). 1995;173:946-50
- Laurent SL (see Moore et al). 1995;173:361-8
- Lauweryns JM (see D'Hooghe et al). 1995;173:125-34
- Lazev A (see Williams et al). 1995;173:654-9 (Symposium)
- Lea C (see Wenstrom et al). 1995;173:1292-6
- Léger CL (see Cachia et al). 1995;173:42-51
- Leibach FH (see Ramamoorthy et al). 1995;173:1782-7
- Lemons JA (see Fanaroff et al). 1995;173:1423-31
- Lerner L (see Menczer et al). 1995;173:774-8
- Lessing JB (see Kupferminc et al). 1995;173:900-5
- Leung A (see Kjos et al). 1995;173:1532-9
- Leviton LC, Baker S, Hassol A, Goldenberg RL. An exploration of opinion and practice patterns affecting low use of antenatal corticosteroids. 1995;173:312-6
- Lewis R, O'Brien JM, Ray DT, Sibai BM. The impact of initiating a human immunodeficiency virus screening program in an urban obstetric population. 1995;173:1329-33
- Li X-J (see Dibbs et al). 1995;173:134-40
- Liao P (see Sobel et al). 1995;173:801-8
- Liberona JL (see Riquelme et al). 1995;173:733-8
- Lighten AD, Overton TG, Sepulveda W, Warwick RM, Fisk NM, Bennett PR. Accuracy of prenatal determination of RhD type status by polymerase chain reaction with amniotic cells. 1995;173:1182-5
- Lilford RJ (see Gannon et al). 1995;173:1826-8
- Lin P, Falcone T, Tulandi T. Excision of ovarian dermoid cyst by laparoscopy and by laparotomy. 1995;173:769-71
- Lindberg B (see Wide-Svensson et al). 1995;173:872-8
- Lindeberg S (see Wide-Svensson et al). 1995;173:872-8
- Ling FW, Grosswald SJ, Laube DW, Carpentieri AM, Crenshaw C. The in-training examination in obstetrics and gynecology: an attempt to establish a remediation indicator. 1995;173:946-50
- (see Lipscomb et al). 1995;173:772-4
- Linnan M (see Joesoef et al). 1995;173:1527-31
- Linzer M (see Williams et al). 1995;173:654-9 (Symposium)
- Liping S (see Kanayama et al). 1995;173:192-9
- Lipscomb GH, McCord ML, Bain KW, Ling FW. The effect of topical 20% benzocaine on pain during loop electrosurgical excision of the cervix. 1995;173:772-4
- Little KD (see Clapp and Little). 1995;173:2-9 (Primary care)
- Lobo RA. Benefits and risks of estrogen replacement therapy. 1995;173:982-90 (Symposium)
- , Estrogen replacement: the evolving role of alternative delivery systems—introduction. 1995;173:981 (Symposium)
- Lockitch G (see Iams et al). 1995;173:141-5
- Long W (see Andrews et al). 1995;173:290-5
- (see White et al). 1995;173:286-90
- (see Wright et al). 1995;173:263-9
- López JA (see Salafia et al). 1995;173:1065-70
- López-Zeno JA (see Salafia et al). 1995;173:1058-64
- (see Salafia et al). 1995;173:1097-105
- Lovecchio JL (see Fried-Oginski et al). 1995;173:1633-5
- Lowe TW (see Peters et al). 1995;173:953-4
- Lowensohn R (see Iams et al). 1995;173:141-5
- Luciano AA (see Matonis and Luciano). 1995;173:971-3
- Ludmir J (see Ricciotti et al). 1995;173:1619-20
- Luke B, Mamelle N, Keith L, Munoz F, Minogue J, Papiernik E, Johnson TRB, Research Committee of the Association of Women's Health, Obstetric, and Neonatal Nurses. The association between occupational factors and preterm birth: a United States nurses' study. 1995;173:849-62
- Lunell N-O (see Wide-Svensson et al). 1995;173:872-8
- Lungu O (see Sun et al). 1995;173:1432-7
- Luthardt FW (see Cheng et al). 1995;173:1025-30
- Luthy DA (see Cheng et al). 1995;173:1025-30
- (see Nyberg et al). 1995;173:1030-5
- Lyall F, Young A, Greer IA. Nitric oxide concentrations are increased in the fetoplacental circulation in preeclampsia. 1995;173:714-8
- Lynch HT (see Auersperg et al). 1995;173:558-65
- Lynch SR (see Simpson and Lynch). 1995;173:316-21

M

- Maberry M (see Moya et al). 1995;173:1401-5
- MacGregor SN, Tamura R, Sabbagha R, Brenhofer JK, Kam-bich MP, Pergament E. Isolated hypercholeic fetal bowel: significance and implications for management. 1995;173:1254-8
- Mackay IR (see Beischer et al). 1995;173:1563-9
- MacKenzie IZ (see Chou and MacKenzie). 1995;173:354 (Letter reply)
- MacLusky NJ (see Vanin et al). 1995;173:1491-8
- Macy LB (see Sobel et al). 1995;173:801-8
- Madelenat P (see Darai et al). 1995;173:979 (Letter)
- Maehara K (see Kanayama et al). 1995;173:192-9
- Magann EF (see Washburne et al). 1995;173:226-8
- Maggioni A (see Colombo et al). 1995;173:1807-11
- Magos A, Davies A, Mohamed H, O'Connor H. Transvaginal endoscopic oophorectomy. 1995;173:977 (Letter reply)
- Mahoney MJ (see Bahado-Singh et al). 1995;173:1106-10
- Maidman JE (see Gandhi et al). 1995;173:1132-6
- Maines-Bandiera S (see Auersperg et al). 1995;173:558-65
- Majmudar B (see Horowitz et al). 1995;173:1710-4
- Malek A, Sager R, Zakher A, Schneider H. Transport of immunoglobulin G and its subclasses across the in vitro-perfused human placenta. 1995;173:760-7
- Malfetano JH (see Nazeer et al). 1995;173:1829-34
- Mamelle N (see Luke et al). 1995;173:849-62
- Manau D (see Carmona et al). 1995;173:55-9
- Mangioni C (see Colombo et al). 1995;173:1807-11
- Manning F (see Menticoglou et al). 1995;173:906-12
- Marcinkiewicz JL (see Sancho-Tello et al). 1995;173:1470-7
- Marcucci G (see Andrews et al). 1995;173:290-5
- (see White et al). 1995;173:286-90
- Marcus R (see Newhall-Perry et al). 1995;173:824-9
- Mari G (see Abuhamad et al). 1995;173:728-32
- Markenson GR, Foley K, Maslow AS, Kopelman JN. The effects of atrial natriuretic factor and angiotensin II on fetal-placental perfusion pressure in the ex vivo cotyledon model. 1995;173:1143-7

- Marlar RA (see Barbour et al). 1995;173:1869-73
- Marroum M-C (see Moore et al). 1995;173:361-8
- Marsàl K (see Wide-Swensson et al). 1995;173:872-8
- Marth C, Lang T, Widschwendter M, Müller-Holzner E, Daxenbichler G. Effects of Taxol on choriocarcinoma cells. 1995;173:1835-42
- Martin GI (see Phelan et al). 1995;173:1380-4
- Martin GM (see Kellner et al). 1995;173:1306-9
- Martin JN Jr (see Chauhan et al). 1995;173:1015-20
- Martin RW (see Perry et al). 1995;173:1273-7
- Martínez E (see Figueroa et al). 1995;173:1800-6
- Martínez-Román S (see Carmona et al). 1995;173:55-9
- Maslow AS (see Markenson et al). 1995;173:1143-7
- Mason BA (see Standley et al). 1995;173:1160-5
- Massmann GA (see Figueroa and Massmann). 1995;173:1539-45
- Matonis LM, Luciano AA. A case of splenosis masquerading as endometriosis. 1995;173:971-3
- Mayer AR (see Phelps et al). 1995;173:942-5
- Mayes LC (see Kain et al). 1995;173:885-90
- Mayes M (see Moise et al). 1995;173:747-53
- McArthur K (see Sermer et al). 1995;173:146-56
- McCausland AM. Adenomyosis must be considered in patients with menorrhagia and a normal-appearing cavity on hysteroscopy or ultrasonography. 1995;173:675 (Letter)
- McClatchey K (see Hietanen et al). 1995;173:1477-82
- McClish DK (see Bump et al). 1995;173:551-7
- (see Theofrastous et al). 1995;173:407-14
- McCord ML (see Lipscomb et al). 1995;173:772-4
- McCoshen JA (see Kredentser et al). 1995;173:199-204
- McFarland M, Hod M, Piper JM, Xenakis EM-J, Langer O. Are labor abnormalities more common in shoulder dystocia? 1995;173:1211-4
- McFee J (see McGregor et al). 1995;173:157-67
- McGee T (see Crowther et al). 1995;173:719-23
- McGillen P (see Silverman et al). 1995;173:1396-400
- McGregor J, French JI, Parker R, Draper D, Patterson E, Jones W, Thorsgard K, McFee J. Prevention of premature birth by screening and treatment for common genital tract infections: results of a prospective controlled evaluation. 1995;173:157-67
- , Jackson GM, Lachelin GCL, Goodwin TM, Artal R, Hastings C, Dullien V. Salivary estriol as risk assessment for preterm labor: a prospective trial. 1995;173:1337-42
- (see Draper et al). 1995;173:1506-12
- (see Iams et al). 1995;173:141-5
- McLaren RA (see Chauhan et al). 1995;173:1015-20
- McLean LK, Chehab FF, Goldberg JD. Detection of viral deoxyribonucleic acid in the amniotic fluid of low-risk pregnancies by polymerase chain reaction. 1995;173:1282-6
- McNanley T (see Mercer et al). 1995;173:1321-5
- McNellis D (see Meis et al). 1995;173:1231-5
- McPhillips JB (see Derby et al). 1995;173:544-50
- McVeigh JE (see Harper et al). 1995;173:863-4
- Medearis AL (see Kjos et al). 1995;173:1532-9
- Meeks GR, Nelson KC, Byars RW. Wound strength in abdominal incisions: a comparison of two continuous mass closure techniques in rats. 1995;173:1676-83
- (see Harris et al). 1995;173:1671-5
- Meis PJ, Goldenberg RL, Mercer B, Moawad A, Das A, McNellis D, Johnson F, Iams JD, Thom E, Andrews WW, National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network. The preterm prediction study: significance of vaginal infections. 1995;173:1231-5
- , Michielutte R, Peters TJ, Wells HB, Sands RE, Coles EC, Johns KA. Factors associated with preterm birth in Cardiff, Wales. I. Univariable and multivariable analysis. 1995;173:590-6
- , —, —, —, —, —, —. Factors associated with preterm birth in Cardiff, Wales. II. Indicated and spontaneous preterm birth. 1995;173:597-602
- Meizner I, Barnhard Y. Achondrogenesis type I diagnosed by transvaginal ultrasonography at 13 weeks' gestation. 1995;173:1620-2
- Mejides AA (see Adra et al). 1995;173:1263-6
- Melling GC (see Hill et al). 1995;173:90-6
- Menczer J, Krissi H, Chetrit A, Gaylor J, Lerner L, Ben-Baruch G, Modan B. The effect of diagnosis and treatment delay on prognostic factors and survival in endometrial carcinoma. 1995;173:774-8
- Menticoglou SM, Manning F, Harman C, Morrison I. Perinatal outcome in relation to second-stage duration. 1995;173:906-12
- Mercer BM, McNanley T, O'Brien JM, Randal L, Sibai BM. Early versus late amniotomy for labor induction: a randomized trial. 1995;173:1321-5
- , Ramsey RD, Sibai BM. Prenatal screening for group B *Streptococcus*. I. Impact of antepartum screening on antenatal prophylaxis and intrapartum care. 1995;173:837-41
- , —, —. Prenatal screening for group B *Streptococcus*. II. Impact of antepartum screening and prophylaxis on neonatal care. 1995;173:842-6
- , Taylor MC, Fricke JL, Baselski VS, Sibai BM. The accuracy and patient preference for self-collected group B *Streptococcus* cultures. 1995;173:1325-8
- (see Meis et al). 1995;173:1231-5
- (see O'Brien et al). 1995;173:1855-9
- (see Simpson et al). 1995;173:1742-8
- Meriläinen J (see Hemminki and Meriläinen). 1995;173:205-9
- Merkatz IR (see Atkinson et al). 1995;173:299-305
- Meschia G (see Barbera et al). 1995;173:1071-4
- (see Barbera et al). 1995;173:1765-9
- Metzger BE (see Rizzo et al). 1995;173:1753-8
- Meyer RE, Thompson SJ, Addy CL, Garrison CZ, Best RG. Maternal serum placental alkaline phosphatase level and risk for preterm delivery. 1995;173:181-6
- Michalopoulos G (see Rauk et al). 1995;173:571-7
- Michel F (see Cachia et al). 1995;173:42-51
- Michelin DP (see De Lia et al). 1995;173:1714-8
- Michielutte R (see Meis et al). 1995;173:590-6
- (see Meis et al). 1995;173:597-602
- Mikhail MS, Anyaegbunam A, Romney SL. Severe preeclampsia and antioxidant nutrients. 1995;173:673-4 (Letter reply)
- Millar L (see Goodwin et al). 1995;173:913-7
- Milne K (see Natale et al). 1995;173:351-2 (Letter reply)
- (see Natale et al). 1995;173:352-3 (Letter reply)
- Minakami H, Honma Y, Izumi A, Sayama M, Sato I. Emergency cervical cerclage after the first delivery in a twin pregnancy with dichorionic placenta. 1995;173:345-6 (Letter)
- Minior VK (see Salafia et al). 1995;173:1049-57
- (see Salafia et al). 1995;173:1058-64
- (see Salafia et al). 1995;173:1065-70
- (see Salafia et al). 1995;173:1097-105
- Minkoff H, Burns DN, Landesman S, Youchah J, Goedert JJ, Nugent RP, Muenz LR, Willoughby AD. The relationship of

- the duration of ruptured membranes to vertical transmission of human immunodeficiency virus. 1995;173:585-9
- Minne HW (see Dören et al). 1995;173:1446-51
- Minogue J (see Luke et al). 1995;173:849-62
- Miodovnik M (see Holcberg et al). 1995;173:528-33
- Mishra A, Landzberg BR, Parente JT. Uterine rupture in association with alkaloidal ("crack") cocaine abuse. 1995;173:243-4
- Mitchell BR (see Gunkel and Mitchell). 1995;173:281-5
- Mitsuhashi Y (see Hoshiai and Mitsuhashi). 1995;173:350 (Letter reply)
- Moawad A (see Meis et al). 1995;173:1231-5
- Modan B (see Menczer et al). 1995;173:774-8
- Mohamed H (see Magos et al). 1995;173:977 (Letter reply)
- Moise KJ Jr, Rodkey LS, Saade GR, Duré M, Dorman K, Mayes M, Graham A. An animal model for hemolytic disease of the fetus and newborn. II. Fetal effects in New Zealand rabbits. 1995;173:747-53
- , —, —, Gei A, Duré M, Graham A, Creech C. An animal model for hemolytic disease of the fetus and newborn. I. Alloimmunization techniques. 1995;173:51-5
- (see Montgomery et al). 1995;173:1075-8
- Mondon F (see Cavaillé et al). 1995;173:1793-9
- Monroe SE (see Newhall-Perry et al). 1995;173:824-9
- Montgomery LD, Belfort MA, Adam K. Massive fetomaternal hemorrhage treated with serial combined intravascular and intraperitoneal fetal transfusions. 1995;173:234-5
- , —, Saade GR, Moise KJ Jr, Vedernikov YP. Meconium inhibits the contraction of umbilical vessels induced by the thromboxane A_2 analog U46619. 1995;173:1075-8
- Moore BC, Higgins RV, Laurent SL, Marroum M-C, Bellitt P. Predictive factors from cold knife conization for residual cervical intraepithelial neoplasia in subsequent hysterectomy. 1995;173:361-8
- Moore DH (see Valea et al). 1995;173:808-13
- Morales AJ (see Rossiter et al). 1995;173:1599-606
- Moretti ME, Ito S, Koren G. Disposition of maternal ketoconazole in breast milk. 1995;173:1625-6
- Morgan MA (see Baron et al). 1995;173:167-74
- (see Wellik et al). 1995;173:1878-84
- Mori N (see Ohbuchi et al). 1995;173:1483-90
- Morris M (see Mueller-Heubach et al). 1995;173:375-81
- Morris R (see Brown et al). 1995;173:218-23
- Morrison I (see Menticoglou et al). 1995;173:906-12
- Morrison JC (see Chauhan et al). 1995;173:1015-20
- (see Harris et al). 1995;173:1671-5
- (see Perry et al). 1995;173:1273-7
- (see Roberts and Morrison). 1995;173:1638-9 (Letter reply)
- (see Washburne et al). 1995;173:226-8
- Moulden M (see Dawes et al). 1995;173:1353-4 (Letter)
- Moya FR, Thomas VL, Romaguera J, Mysore MR, Maberry M, Bernard A, Freund M. Fetal lung maturation in congenital diaphragmatic hernia. 1995;173:1401-5
- Mueenuddin M (see Kellner et al). 1995;173:1306-9
- Mueller-Heubach E, Morris M, Rose JC. Fetal oxytocin and its extended forms at term with and without labor. 1995;173:375-81
- Muenz LR (see Minkoff et al). 1995;173:585-9
- Mullen TA (see Silver et al). 1995;173:702-7
- Muller F, Dommergues M, Aubry M-C, Simon-Bouy B, Gautier E, Oury J-F, Narcy F. Hyperechogenic fetal bowel: an ultrasonographic marker for adverse fetal and neonatal outcome. 1995;173:508-13
- Müller-Holzner E (see Marth et al). 1995;173:1835-42
- Munoz F (see Luke et al). 1995;173:849-62
- Munson L, Upadhyaya NB, Van Meter S. Platelet-derived growth factor promotes endometrial epithelial cell proliferation. 1995;173:1820-5
- Murakami T (see Fukaya et al). 1995;173:119-25
- Murotsuki J, Challis JRG, Johnston L, Gagnon R. Increased fetal plasma prostaglandin E_2 concentrations during fetal placental embolization in pregnant sheep. 1995;173:30-5
- Murphy EA (see Rossiter et al). 1995;173:1599-606
- Muscolino GM (see Sharpe-Timms et al). 1995;173:1569-78
- Myatt L (see Ghabour et al). 1995;173:687-94
- (see Holcberg et al). 1995;173:528-33
- (see Wiczorek et al). 1995;173:708-13
- Myers TJ, Arena B, Granai CO. Pelvic endometriosis mimicking advanced ovarian cancer: presentation with pleural effusion, ascites, and elevated serum CA 125 level. 1995;173:966-7
- Mysore MR (see Moya et al). 1995;173:1401-5
- N
- Nachtigall LE. Emerging delivery systems for estrogen replacement: aspects of transdermal and oral delivery. 1995;173:993-7 (Symposium)
- Naef RW III (see Perry et al). 1995;173:1273-7
- Nagai K (see Ohbuchi et al). 1995;173:1483-90
- Nagel HTC, Vandenbussche FPHA, Oepkes D, Jennekens-Schinkel A, Laan LAEM, Gravenhorst JB. Follow-up of children born with an umbilical arterial blood pH <7. 1995;173:1758-64
- Nageotte M (see Weeks et al). 1995;173:1636-7 (Letter reply)
- Nagey DA. Contractions are not always labor. 1995;173:975 (Letter)
- Nakanishi T (see Horibe et al). 1995;173:937-42
- Nanda VS. Common dermatoses. 1995;173:488-95 (Primary care)
- Narcy F (see Muller et al). 1995;173:508-13
- Natale R, Milne K, Campbell K, Potts P, Webster K, Halinda E. Induction of labor versus expectant management: Does it matter? 1995;173:352-3 (Letter reply)
- , —, —, —, —. Managing premature ruptured membranes at term. 1995;173:351-2 (Letter reply)
- National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network (see Meis et al). 1995;173:1231-5
- National Institutes of Health. Effect of corticosteroids for fetal maturation on perinatal outcomes, February 28–March 2, 1994. 1995;173:246-52 (Conference statement)
- Natori M (see Tanaka and Natori). 1995;173:345 (Letter reply)
- Naylor CD (see Sermer et al). 1995;173:146-56
- Nazeer T, Ballouk F, Malfetano JH, Figge H, Ambros RA. Multivariate survival analysis of clinicopathologic features in surgical stage I endometrioid carcinoma including analysis of HER-2/neu expression. 1995;173:1829-34
- Nelson KC (see Meeks et al). 1995;173:1676-83
- Nelson KC (see Atkinson et al). 1995;173:299-305
- Nemeroff CB (see Stowe and Nemeroff). 1995;173:639-45 (Symposium)
- Neuer M (see Kellner et al). 1995;173:1306-9
- Neveux LM (see Palomaki et al). 1995;173:1895-6 (Letter)
- Newhall-Perry K, Holloway L, Osburn L, Monroe SE, Heinrichs L, Henzl M, Marcus R. Effects of a gonadotropin-releasing hormone agonist on the calcium-parathyroid axis and bone turnover in women with endometriosis. 1995;173:824-9
- Newman RB (see Eller et al). 1995;173:523-7

- (see Scardo et al). 1995;173:1249-53
— (see Scardo et al). 1995;173:1376-80
NICHD Neonatal Research Network (see Shankaran et al). 1995;173:305-12
— (see Wright et al). 1995;173:269-74
Nichols GE (see Andersen et al). 1995;173:457-64
Nicolaidis K (see Hecher et al). 1995;173:10-5
Nieman LM (see Sharara and Nieman). 1995;173:814-9
Niloff JM (see Flynn and Niloff). 1995;173:1727-30
Nochimson DJ (see Vintzileos et al). 1995;173:1021-4
Nordström L (see Westgren et al). 1995;173:1416-22
Norojono W (see Joesoef et al). 1995;173:1527-31
North L (see Goodwin et al). 1995;173:913-7
North RA (see Rowan and North). 1995;173:241-2
Nugent RP (see Minkoff et al). 1995;173:585-9
Nyberg DA, Luthy DA, Cheng EY, Sheley RC, Resta RG, Williams MA. Role of prenatal ultrasonography in women with positive screen for Down syndrome on the basis of maternal serum markers. 1995;173:1030-5
Nyirjesy P, Seeney SM, Grody MHT, Jordan CA, Buckley HR. Chronic fungal vaginitis: the value of cultures. 1995;173:820-3
- O
- O'Brien JE (see Evans et al). 1995;173:1896-7 (Letter reply)
O'Brien JM, Mercer BM, Cleary NT, Sibai BM. Efficacy of outpatient induction with low-dose intravaginal prostaglandin E₂: a randomized, double-blind, placebo-controlled trial. 1995;173:1855-9
— Brien JM (see Chari et al). 1995;173:1207-10
— Brien JM (see Lewis et al). 1995;173:1329-33
— Brien JM (see Mercer et al). 1995;173:1321-5
O'Brien WF (see Fuentes et al). 1995;173:1246-9
O'Connell PD (see Silver et al). 1995;173:702-7
O'Connor H (see Magos et al). 1995;173:977 (Letter reply)
Odoi A (see Verdeja et al). 1995;173:1468-9
Oepkes D (see Nagel et al). 1995;173:1758-64
Ogata ES (see Rizzo et al). 1995;173:1753-8
Ogundipe OA (see Spong et al). 1995;173:671 (Letter)
Oh W (see Fanaroff et al). 1995;173:1423-31
O'Hanlan KA, Westphal LM. First report of a vaginal foreign body perforating into the retroperitoneum. 1995;173:962-4
Ohbuchi H, Nagai K, Yamaguchi M, Ikenoue T, Mori N, Kitamura K, Araki S, Toshimori K. Endothelin-1 and big endothelin-1 increase in human endometrium during menstruation. 1995;173:1483-90
Ohlsson A (see Hannah et al). 1995;173:352 (Letter)
Øian P (see Aune et al). 1995;173:1816-20
Okamoto T (see Horibe et al). 1995;173:937-42
Oliver LM (see Dobie and Oliver). 1995;173:350-1 (Letter)
Omar HA (see Figueroa et al). 1995;173:1800-6
Omsjøl I (see Aune et al). 1995;173:1816-20
Orr JW Jr, Orr PJ, Bolen DD, Holimon JL. Radical hysterectomy: Does the type of incision matter? 1995;173:399-406
Orr PJ (see Orr et al). 1995;173:399-406
Osburn L (see Newhall-Perry et al). 1995;173:824-9
Ostergard DR (see Sand et al). 1995;173:72-9
Østerud B (see Aune et al). 1995;173:1816-20
Oury J-F (see Muller et al). 1995;173:508-13
Overton TG (see Lighten et al). 1995;173:1182-5
Owen J (see Atkinson et al). 1995;173:1219-22
— (see Rouse et al). 1995;173:1357-63 (Clin. opinion)
— (see Wenstrom et al). 1995;173:1287-92
— (see Wenstrom et al). 1995;173:1297-300

- Özmen Ş, Seçkin N, Turhan NÖ, Dilmen G, Dilmen U. Fetal methemoglobinemia: a cause of nonimmune hydrops fetalis. 1995;173:232-3

P

- Pakes J (see Kain et al). 1995;173:885-90
Palomaki GE, Haddow JE. Can the risk for Down syndrome be reliably modified by second-trimester ultrasonography? 1995;173:1639-40 (Letter)
—, Neveux LM, Haddow JE. Are DADs (discriminant aneuploidy detection) as good as MOMs (multiples of the median)? 1995;173:1895-6 (Letter)
— (see Simpson et al). 1995;173:1742-8
Papiernik E (see Luke et al). 1995;173:849-62
Papile LA (see Fanaroff et al). 1995;173:1423-31
Paraiso M (see Baggish et al). 1995;173:1842-8
Parente JT (see Mishra et al). 1995;173:243-4
Parker CR Jr (see Hauth et al). 1995;173:578-84
Parker R (see McGregor et al). 1995;173:157-67
Parsons LH, Zaccaro D, Wells B, Stovall TG. Methods of and attitudes toward screening obstetrics and gynecology patients for domestic violence. 1995;173:381-7
Pasley WW. Sacrospinous suspension: a local practitioner's experience. 1995;173:440-8
Patterson E (see McGregor et al). 1995;173:157-67
Paul RH (see Kjos et al). 1995;173:1532-9
Paulson GW. Headaches in women, including women who are pregnant. 1995;173:1734-41 (Primary care)
Peaceman AM, Rehnberg KA. The effect of aspirin and indomethacin on prostacyclin and thromboxane production by placental tissue incubated with immunoglobulin G fractions from patients with lupus anticoagulant. 1995;173:1391-6
— (see Kupferminc et al). 1995;173:900-5
Pearlstein TB. Hormones and depression: What are the facts about premenstrual syndrome, menopause, and hormone replacement therapy? 1995;173:646-53 (Symposium)
Pearson M (see Ezech and Pearson). 1995;173:353-4 (Letter)
Peled-Kamar M (see Hagay et al). 1995;173:1036-41
Penney LL (see Sharpe-Timms et al). 1995;173:1569-78
Pergament E (see MacGregor et al). 1995;173:1254-8
Perrotta PL (see Kliman et al). 1995;173:1084-8
Perry KG Jr, Morrison JC, Rust OA, Sullivan CA, Martin RW, Naef RW III. Incidence of adverse cardiopulmonary effects with low-dose continuous terbutaline infusion. 1995;173:1273-7
Petermann S, Ernest JM. Intrapartum hepatitis B screening. 1995;173:369-74
Peters AJM (see Abrams et al). 1995;173:1372-6
Peters MT, Lowe TW, Carpenter A, Kole S. Prenatal diagnosis of congenital cytomegalovirus infection with abnormal triple-screen results and hyperechoic fetal bowel. 1995;173:953-4
Peters TJ (see Meis et al). 1995;173:590-6
— (see Meis et al). 1995;173:597-602
Petros PEP, Ulmsten U. Urethral and bladder neck closure mechanisms. 1995;173:346-7 (Letter)
Peyser MR (see Kupferminc et al). 1995;173:900-5
Pezzullo JC (see Salafia et al). 1995;173:1049-57
— (see Salafia et al). 1995;173:1058-64
— (see Salafia et al). 1995;173:1097-105
Phelan JP, Ahn MO, Korst LM, Martin GI. Nucleated red blood cells: A marker for fetal asphyxia? 1995;173:1380-4
Phelps JY, Higby K, Smyth MH, Ward JA, Arredondo F, Mayer AR. Accuracy and intraobserver variability of simulated cervical dilatation measurements. 1995;173:942-5

- Phillippe M. Mechanism underlying phasic contractions of pregnant rat myometrium simulated by aluminum fluoride. 1995;173:348-9 (Letter reply)
- Pien FD, Jackson MT. Tuboovarian abscess caused by *Edward-siella tarda*. 1995;173:964-5
- Pierangeli SS (see Silver et al). 1995;173:1410-5
- Pine S (see Ray et al). 1995;173:224-5 (Classic pages in obstetrics and gynecology)
- Pingeton DM (see Young et al). 1995;173:1719-26
- Piper JM (see McFarland et al). 1995;173:1211-4
— (see Xenakis et al). 1995;173:1874-8
- Piscitelli JT, Bastian LA, Wilkes A, Simel DL. Cytologic screening after hysterectomy for benign disease. 1995;173:424-32
- Pitman T (see Weeks et al). 1995;173:1215-9
- Planner RS (see Brand et al). 1995;173:959-61
- Platek DN, Henderson CE, Goldberg GL. The management of a persistent adnexal mass in pregnancy. 1995;173:1236-40
- Plessala KJ (see Varner et al). 1995;173:1684-9
- Pollock JS (see Ghabour et al). 1995;173:687-94
- Polo O, Ekholm E. Nocturnal hyperventilation in pregnancy—reversal with nasal continuous positive airway pressure. 1995;173:238-9
- Ponting NR (see Schleifer et al). 1995;173:1152-6
- Popek EJ (see Salafia et al). 1995;173:1049-57
- Porreco R (see Draper et al). 1995;173:1506-12
- Porter KB (see Fuentes et al). 1995;173:1246-9
- Potts P (see Natale et al). 1995;173:351-2 (Letter reply)
— (see Natale et al). 1995;173:352-3 (Letter reply)
- Pouilles J-M (see Trémollières et al). 1995;173:85-9
- Powell SL, Holt VL, Hickok DE, Easterling T, Connell FA. Recent changes in delivery site of low-birth-weight infants in Washington: impact on birth weight-specific mortality. 1995;173:1585-92
- Powers C (see Badawy et al). 1995;173:1623-4
- Prescott P (see Devoe et al). 1995;173:1128-31
- Price DA (see Stagiannis et al). 1995;173:1546-50
- Puder KS, Humes RA, Gold RL, Bawle EV, Goyert GL. The genetic implication for preceding generations of the prenatal diagnosis of interrupted aortic arch in association with unsuspected DiGeorge anomaly. 1995;173:239-41
— (see Berry et al). 1995;173:1315-20
- Puistola U (see Hakala et al). 1995;173:112-9
- Puri CP (see Katkam et al). 1995;173:779-87
- Pyeritz RE (see Rossiter et al). 1995;173:1599-606
- Q
- Quintero RA, Johnson MP, Evans MI. Unwarranted prenatal intervention. 1995;173:668-9 (Letter reply)
- Qureshi F (see Johnson et al). 1995;173:59-65
- R
- Rady PL (see Cadet et al). 1995;173:25-9
- Raeymaekers BM (see D'Hooghe et al). 1995;173:125-34
- Raghu G (see Boggess et al). 1995;173:1007-14
- Ragin A (see Silver et al). 1995;173:702-7
- Ramaekers FCS (see van der Linden et al). 1995;173:566-70
- Ramamoorthy JD, Ramamoorthy S, Leibach FH, Ganapathy V. Human placental monoamine transporters as targets for amphetamines. 1995;173:1782-7
- Ramamoorthy S (see Ramamoorthy et al). 1995;173:1782-7
- Ramin KD, Ramin SM, Richey SD, Cunningham FG. Acute pancreatitis in pregnancy. 1995;173:187-91
- Ramin SM (see Ramin et al). 1995;173:187-91
- Ramirez MM, Turrentine MA. Gastrointestinal hemorrhage during pregnancy in a patient with a history of vertical-banded gastropasty. 1995;173:1630-1
- Ramirez P, Haberman S, Baxi L. Significance of prenatal diagnosis of umbilical cord cyst in a fetus with trisomy 18. 1995;173:955-7
- Ramsey RD (see Mercer et al). 1995;173:837-41
— (see Mercer et al). 1995;173:842-6
- Randal L (see Mercer et al). 1995;173:1321-5
- Rangoni G (see Colombo et al). 1995;173:1807-11
- Ranzini AC, Wapner RJ, Davis GH. Ultrasonographically guided intrauterine contraceptive device removal before chorionic villus sampling. 1995;173:603-5
- Räsänen J, Jouppila P. Fetal cardiac function and ductus arteriosus during indomethacin and sulindac therapy for threatened preterm labor: a randomized study. 1995;173:20-5
- Rauk PN, Surti U, Roberts JM, Michalopoulos G. Mitogenic effect of basic fibroblast growth factor and estradiol on cultured human myometrial and leiomyoma cells. 1995;173:571-7
- Ray DT (see Lewis et al). 1995;173:1329-33
- Ray M, Freeman R, Pine S, Hesselgesser R. Clinical experience with the oxytocin challenge test. 1995;173:224-5 (Classic pages in obstetrics and gynecology)
- Rayburn WF (see Larson et al). 1995;173:1166-70
— (see Larson et al). 1995;173:1228-31
- Redman CWG (see Dawes et al). 1995;173:1353-4 (Letter)
— (see Kyle et al). 1995;173:865-72
— (see Kyle et al). 1995;173:1897-8 (Letter reply)
- Reece EA (see Goldstein and Reece). 1995;173:1343-8
— (see Hagay et al). 1995;173:1036-41
- Rehnberg KA (see Peaceman and Rehnberg). 1995;173:1391-6
- Reish O, Berry SA, King RA. Spontaneous hair hyperpigmentation in response to vitamin intake in pregnancy—a clue for homocystinuria. 1995;173:1640-1 (Letter)
- Repke JT (see Rossiter et al). 1995;173:1599-606
- Research Committee of the Association of Women's Health, Obstetric, and Neonatal Nurses (see Luke et al). 1995;173:849-62
- Reshetnikova OS, Burton GJ, Teleshova OV. Placental histomorphometry and morphometric diffusing capacity of the villous membrane in pregnancies complicated by maternal iron-deficiency anemia. 1995;173:724-7
- Resnick LM (see Bardicef et al). 1995;173:879-80
- Resta RG (see Nyberg et al). 1995;173:1030-5
- Reuther G (see Dören et al). 1995;173:1446-51
- Reynolds TM. MOMs (multiples of the median) may know best: there are insufficient data to suggest that DADs (discriminant aneuploidy detection) are superior. 1995;173:1895 (Letter)
- Ribot CA (see Trémollières et al). 1995;173:85-9
- Ricciotti HA, Calayag PT, Abbott J, Ludmir J. Obstetric outcome after failed termination of pregnancy—a report of two cases. 1995;173:1619-20
- Rice EJ (see Kasik and Rice). 1995;173:613-7
- Rice LW (see Berkowitz et al). 1995;173:788-94
- Richards DS (see Schleifer et al). 1995;173:1152-6
- Richardson BS (see Gagnon et al). 1995;173:1354 (Letter reply)
- Richardson DA (see Sand et al). 1995;173:72-9
- Richart RM (see Sun et al). 1995;173:1432-7
- Richey SD (see Ramin et al). 1995;173:187-91

- Richter H (see Varner et al). 1995;173:1684-9
- Riquelme G, Stutzin A, Barros LF, Liberona JL. A chloride channel from human placenta reconstituted into giant liposomes. 1995;173:733-8
- Risteli J (see Hakala et al). 1995;173:112-9
- Risteli L (see Hakala et al). 1995;173:112-9
- Ritchie JWK (see Sermer et al). 1995;173:146-56
- Rizzo G, Arduini D, Capponi A, Romanini C. Cardiac and venous blood flow in fetuses of insulin-dependent diabetic mothers: evidence of abnormal hemodynamics in early gestation. 1995;173:1775-81
- Rizzo TA, Dooley SL, Metzger BE, Cho NH, Ogata ES, Silverman BL. Prenatal and perinatal influences on long-term psychomotor development in offspring of diabetic mothers. 1995;173:1753-8
- Roach H (see Chauhan et al). 1995;173:1015-20
- Robboy SJ (see Barrett et al). 1995;173:414-23
- Roberts DJH (see Gannon et al). 1995;173:1826-8
- Roberts JM, Hubel CA, Taylor RN. Endothelial dysfunction yes, cytotoxicity no! 1995;173:978-9 (Letter)
— (see Rauk et al). 1995;173:571-7
- Roberts WE, Morrison JC. Neurobiology of uterine irritability in preterm labor. 1995;173:1638-9 (Letter reply)
— (see Chauhan et al). 1995;173:1015-20
- Robertson PA, Foran CM, Croughan-Minihane MS, Kilpatrick SJ. Head entrapment and neonatal outcome by mode of delivery in breech deliveries from twenty-four to twenty-seven weeks of gestation. 1995;173:1171-6
- Robinette BL (see Greig et al). 1995;173:1223-7
- Robinson J (see Crowther et al). 1995;173:719-23
- Rodis JF (see Smulian et al). 1995;173:1195-201
- Rodkey LS (see Moise et al). 1995;173:51-5
— (see Moise et al). 1995;173:747-53
- Rojas A (see Fuentes et al). 1995;173:1246-9
- Rokey R, Belfort MA, Saade GR. Quantitative echocardiographic assessment of left ventricular function in critically ill obstetric patients: a comparative study. 1995;173:1148-52
- Romaguera J (see Moya et al). 1995;173:1401-5
- Romanini C (see Rizzo et al). 1995;173:1775-81
- Romero R (see Andrews et al). 1995;173:606-12
— (see Berry et al). 1995;173:1315-20
— (see Guinn et al). 1995;173:1310-5
- Romney SL (see Mikhail et al). 1995;173:673-4 (Letter reply)
- Roperti KA (see Brancazio et al). 1995;173:1240-5
- Rosa C (see Abrams et al). 1995;173:1372-6
- Rose BR, Thompson CH, Simpson JM, Jarrett CS, Elliott PM, Tattersall MHN, Dalrymple C, Cossart YE. Human papillomavirus deoxyribonucleic acid as a prognostic indicator in early-stage cervical cancer: a possible role for type 18. 1995;173:1461-8
- Rose JC (see Jaekle et al). 1995;173:694-701
— (see Mueller-Heubach et al). 1995;173:375-81
- Rosenbaum SH (see Kain et al). 1995;173:885-90
- Rosenblatt PL (see Young et al). 1995;173:1719-26
- Rosenkrantz TS (see Salafia et al). 1995;173:1049-57
- Ross EK (see Boyd et al). 1995;173:1889-92
- Ross M (see Spong et al). 1995;173:671 (Letter)
— (see Wapner and Ross). 1995;173:975-6 (Letter reply)
- Rossiter JP, Repke JT, Morales AJ, Murphy EA, Pyritz RE. A prospective longitudinal evaluation of pregnancy in the Marfan syndrome. 1995;173:1599-606
- Rothschild AJ. Advances in the management of depression: implications for the obstetrician/gynecologist. 1995;173:659-66 (Symposium)

- Rouse DJ, Owen J, Goldenberg RL, Cliver SP. Determinants of the optimal time in gestation to initiate antenatal fetal testing: a decision-analytic approach. 1995;173:1357-63 (Clin. opinion)
- Rowan JA, North RA. Necrotizing fasciitis in the puerperium. 1995;173:241-2
- Rowe J (see Gallery et al). 1995;173:918-23
— (see Gallery et al). 1995;173:1557-62
- Rowley MJ (see Beischer et al). 1995;173:1563-9
- Ruangsi R-a (see Vutyavanich et al). 1995;173:881-4
- Rueff J. De conceptu et generatione hominis. 1995;173:1349-50 (Classic pages in obstetrics and gynecology)
- Rust OA (see Perry et al). 1995;173:1273-7
- Ryall R (see Crowther et al). 1995;173:719-23
- Rydhsroem H. The relationship of birth weight and birth weight discordance to cerebral palsy or mental retardation later in life for twins weighing less than 2500 grams. 1995;173:680-6

S

- Saacks CB, Thorp JM Jr, Hendricks CH. Cohort study of twinning in an academic health center: changes in management and outcome over forty years. 1995;173:432-9
- Saade GR (see Moise et al). 1995;173:51-5
— (see Moise et al). 1995;173:747-53
— (see Montgomery et al). 1995;173:1075-8
— (see Rokey et al). 1995;173:1148-52
- Sabbagha R (see MacGregor et al). 1995;173:1254-8
- Sadovsky Y (see Dibbs et al). 1995;173:134-40
- Sager R (see Malek et al). 1995;173:760-7
- Salafia CM, López JA, Sherer DM, Whittington SS, Miniur VK, Vintzileos AM. Histologic evidence of old intrauterine bleeding is more frequent in prematurity. 1995;173:1065-70
- , Miniur VK, López-Zeno JA, Whittington SS, Pezzullo JC, Vintzileos AM. Relationship between placental histologic features and umbilical cord blood gases in preterm gestations. 1995;173:1058-64
- , —, Pezzullo JC, Popek EJ, Rosenkrantz TS, Vintzileos AM. Intrauterine growth restriction in infants of less than thirty-two weeks' gestation: associated placental pathologic features. 1995;173:1049-57
- , Pezzullo JC, López-Zeno JA, Simmens S, Miniur VK, Vintzileos AM. Placental pathologic features of preterm preeclampsia. 1995;173:1097-105
— (see Silver et al). 1995;173:1410-5
- Sanchez-Ramos L, Farah LA, Kaunitz AM, Adair CD, Del Valle GO, Fuqua P. Preinduction cervical ripening with commercially available prostaglandin E₂ gel: a randomized, double-blind comparison with a hospital-compounded preparation. 1995;173:1079-84
- Sancho-Tello M, Marcinkiewicz JL, Justice WM, Kimler BF, Terranova PF, Hunter VJ. Reduction of tumor necrosis factor- α bioactivity by a human ovarian epithelial cancer cell line in vitro. 1995;173:1470-7
- Sand PK, Richardson DA, Staskin DR, Swift SE, Appell RA, Whitmore KE, Ostergard DR. Pelvic floor electrical stimulation in the treatment of genuine stress incontinence: a multicenter, placebo-controlled trial. 1995;173:72-9
- Sands RE (see Meis et al). 1995;173:590-6
— (see Meis et al). 1995;173:597-602
- Sant GR (see Aronson et al). 1995;173:1702-10
- Sardo M (see Bar-Hava et al). 1995;173:519-22
- Sarramon M-F (see Grandjean et al). 1995;173:16-9
- Sato I (see Minakami et al). 1995;173:345-6 (Letter)

- Saure A. Randomized comparison of a new estradiol-releasing vaginal ring versus estriol vaginal pessaries. 1995;173:670 (Letter)
- Saviello G (see Fuentes et al). 1995;173:1246-9
- Sayama M (see Minakami et al). 1995;173:345-6 (Letter)
- Scalambrino S (see Colombo et al). 1995;173:1807-11
- Scardo JA, Ellings JM, Newman RB. Prospective determination of chorionicity, amnionicity, and zygosity in twin gestations. 1995;173:1376-80
- , Hogg BB, Newman RB. Favorable hemodynamic effects of magnesium sulfate in preeclampsia. 1995;173:1249-53 (see Eller et al). 1995;173:523-7
- Schaer GN, Koehli OR, Haller U. Single-use versus reusable laparoscopic surgical instruments: a comparative cost analysis. 1995;173:1812-5
- Schatten C (see Ahner et al). 1995;173:1513-7
- Schemmel MT (see Hurd et al). 1995;173:1731-3
- Schiff E, Friedman SA, Sibai BM, Kao L, Schifter S. Plasma and placental calcitonin gene-related peptide in pregnancies complicated by severe preeclampsia. 1995;173:1405-9
- Schifter S (see Schiff et al). 1995;173:1405-9
- Schillinger E (see Katkam et al). 1995;173:779-87
- Schlaerth AC (see Spirtos et al). 1995;173:105-11
- Schlaerth JB (see Spirtos et al). 1995;173:105-11
- Schleifer RA, Bradley LA, Richards DS, Ponting NR. Pregnancy outcome for women with very low levels of maternal serum unconjugated estriol on second-trimester screening. 1995;173:1152-6
- Schnatterly PT (see Thiagarajah et al). 1995;173:388-92
- Schneider H (see Malek et al). 1995;173:760-7
- Schneider HPG (see Dören et al). 1995;173:1446-51
- Schnorr JA Jr (see Thiagarajah et al). 1995;173:388-92
- Schottenfeld R (see Kain et al). 1995;173:885-90
- Schurz B (see Asseryanis et al). 1995;173:236-7
- Schwartz WJ (see Larson et al). 1995;173:1166-70
- Sciscione AC (see Khouzami et al). 1995;173:1202-6
- Scorza WE (see Bork et al). 1995;173:1192-5
- Scott JR (see Silver et al). 1995;173:479-82 (Clin. opinion)
- Scurry JP (see Brand et al). 1995;173:959-61
- Seaner RM (see Ferguson et al). 1995;173:448-56
- Seçkin N (see Özmen et al). 1995;173:232-3
- Seebacher J (see Wechsler et al). 1995;173:1627-9
- Seeney SM (see Nyirjesy et al). 1995;173:820-3
- Segre GV (see Bruns et al). 1995;173:739-46
- Sepulveda W, Stagiannis KD, Flack NJ, Fisk NM. Accuracy of prenatal diagnosis of renal agenesis with color flow imaging in severe second-trimester oligohydramnios. 1995;173:1788-92
- (see Bower et al). 1995;173:502-7
- (see Flack et al). 1995;173:1186-91
- (see Lighten et al). 1995;173:1182-5
- (see Stagiannis et al). 1995;173:1546-50
- Sermer M, Naylor CD, Gare DJ, Kenschle AB, Ritchie JWK, Farine D, Cohen HR, McArthur K, Holzapfel S, Biringner A, Chen E, Toronto Tri-Hospital Gestational Diabetes Investigators. Impact of increasing carbohydrate intolerance on maternal-fetal outcomes in 3637 women without gestational diabetes. 1995;173:146-56
- Shackelford DP, Hoffinan MK, Kramer PR Jr, Davies MF, Kaminski PF. Evaluation of preoperative cardiac risk index values in patients undergoing vaginal surgery. 1995;173:80-4
- Shaffer W (see Abuhamad et al). 1995;173:728-32
- Shakir KMM (see Turton and Shakir). 1995;173:1629-30
- Shankaran S, Bauer CR, Bain R, Wright LL, Zachary J, NICHD Neonatal Research Network. Relationship between antenatal steroid administration and grades III and IV intracranial hemorrhage in low birth weight infants. 1995;173:305-12 (see Fanaroff et al). 1995;173:1423-31 (see Wright et al). 1995;173:269-74
- Shapiro LR (see Hsu et al). 1995;173:977-8 (Letter)
- Sharara FI, Nieman LK. Growth hormone receptor messenger ribonucleic acid expression in leiomyoma and surrounding myometrium. 1995;173:814-9
- Sharpe-Timms KL, Zimmer RL, Trammell SE, Muscolino GM, Penney LL. Immunolocalization of progesterone-induced uterine protein-1 in human endometrium during the menstrual cycle and in the placenta throughout gestation. 1995;173:1569-78
- Sheedy MT (see Beischer et al). 1995;173:1563-9
- Sheikh AU (see Jackle et al). 1995;173:694-701
- Sheley RC (see Nyberg et al). 1995;173:1030-5
- Sherer DM (see Abulafia and Sherer). 1995;173:228-30 (see Salafia et al). 1995;173:1065-70
- Sherline DM. The current paradigm shift in American medicine. 1995;173:672-3 (Letter)
- Sherman SJ (see Boyd et al). 1995;173:1889-92
- Shields LE, Bryant EM, Easterling TR, Andrews RG. Fetal liver cell transplantation for the creation of lymphohematopoietic chimerism in fetal baboons. 1995;173:1157-60
- Shifrin H (see de la Cruz et al). 1995;173:1354-5 (Letter)
- Shimojo N (see Westgren et al). 1995;173:1416-22
- Shull BL (see Coates et al). 1995;173:1664-70
- Shumway JB (see Khouzami et al). 1995;173:1202-6
- Sibai BM (see Barton et al). 1995;173:1865-8
- (see Chari et al). 1995;173:1207-10
- (see Lewis et al). 1995;173:1329-33
- (see Mercer et al). 1995;173:837-41
- (see Mercer et al). 1995;173:842-6
- (see Mercer et al). 1995;173:1321-5
- (see Mercer et al). 1995;173:1325-8
- (see O'Brien et al). 1995;173:1855-9
- (see Schiff et al). 1995;173:1405-9
- (see Simpson et al). 1995;173:1742-8
- Siler-Khodr T (see Higby et al). 1995;173:1111-4
- Silver RK, Mullen TA, Caplan MS, O'Connell PD, Ragin A. Inducible platelet adherence to human umbilical vein endothelium by anticardiolipin antibody-positive sera. 1995;173:702-7
- Silver RM, Branch DW, Scott JR. Maternal thrombocytopenia in pregnancy: time for a reassessment. 1995;173:479-82 (Clin. opinion)
- , Pierangeli SS, Gharavi AE, Harris EN, Edwin SS, Salafia CM, Branch DW. Induction of high levels of anticardiolipin antibodies in mice by immunization with β_2 -glycoprotein I does not cause fetal death. 1995;173:1410-5
- Silverman BL (see Rizzo et al). 1995;173:1753-8
- Silverman NS, Snyder M, Hodinka RL, McGillen P, Knee G. Detection of hepatitis C virus antibodies and specific hepatitis C virus ribonucleic acid sequences in cord bloods from a heterogeneous prenatal population. 1995;173:1396-400
- Simel DL (see Piscitelli et al). 1995;173:424-32
- Simmens S (see Salafia et al). 1995;173:1097-105
- Simon-Bouy B (see Muller et al). 1995;173:508-13
- Simpson JL, Palomaki GE, Mercer B, Haddow JE, Andersen R, Sibai B, Elias S. Associations between adverse perinatal outcome and serially obtained second- and third-trimester maternal serum α -fetoprotein measurements. 1995;173:1742-8
- (see de la Cruz et al). 1995;173:1354-5 (Letter)

- Simpson JM (see Rose et al). 1995;173:1461-8
Simpson KN, Lynch SR. Cost savings from the use of antenatal steroids to prevent respiratory distress syndrome and related conditions in premature infants. 1995;173:316-21
Sinclair JC. Meta-analysis of randomized controlled trials of antenatal corticosteroid for the prevention of respiratory distress syndrome: discussion. 1995;173:335-44
Singh M (see Cheung et al). 1995;173:753-9
Sinha S. Ureteral anastomosis with the Unilink system. 1995;173:674 (Letter)
Skajaa K (see Wide-Svensson et al). 1995;173:872-8
Slocum J (see Carr et al). 1995;173:1267-72
Smilari T (see Fried-Oginski et al). 1995;173:1633-5
Smith B (see Brown et al). 1995;173:218-23
Smith C (see Johnson et al). 1995;173:59-65
Smith JM (see Barbour et al). 1995;173:1869-73
Smulian JC, Campbell WA, Rodis JF, Feeney LD, Fabbri EL, Vintzileos AM. Gender-specific second-trimester biometry. 1995;173:1195-201
Smyth MH (see Phelps et al). 1995;173:942-5
Snijders R (see Hecher et al). 1995;173:10-5
Snipes W (see Archer et al). 1995;173:471-8
Snyder M (see Silverman et al). 1995;173:1396-400
Sobel MI, Winkel CA, Macy LB, Liao P, Bjornsson TD. The regulation of plasminogen activators and plasminogen activator inhibitor type 1 in endothelial cells by sex hormones. 1995;173:801-8
Socol ML (see Kupferminc et al). 1995;173:900-5
Soisson AP. Ureteral anastomosis with the Unilink system. 1995;173:674-5 (Letter reply)
Sokol RJ (see Dombrowski et al). 1995;173:847-8
— (see Evans et al). 1995;173:1896-7 (Letter reply)
Soper DE, Bump RC, Hurt WG. Wound infection after abdominal hysterectomy: effect of the depth of subcutaneous tissue. 1995;173:465-71
Sorenson JR (see Freed et al). 1995;173:1607-13
Sorokin Y (see Bardicet et al). 1995;173:879-80
Southwell D (see Stagiannis et al). 1995;173:1546-50
Spellacy WN (see Gluck et al). 1995;173:629-30 (Classic pages in obstetrics and gynecology)
Spinetti A (see Gambacciani et al). 1995;173:890-3
Spinnato JA (see How et al). 1995;173:1518-22
Spinnato JA II (see Weeks et al). 1995;173:1215-9
Spirtos NM, Schlaerth JB, Spirtos TW, Schlaerth AC, Indman PD, Kimball RE. Laparoscopic bilateral pelvic and paraaortic lymph node sampling: an evolving technique. 1995;173:105-11
Spirtos TW (see Spirtos et al). 1995;173:105-11
Spitzer RL (see Williams et al). 1995;173:654-9 (Symposium)
Spong CY, Ogundipe OA, Ross MG. Amnioinfusion and the intrauterine prevention of meconium aspiration. 1995;173:671 (Letter)
Stagiannis KD, Sepulveda W, Southwell D, Price DA, Fisk NM. Ultrasonographic measurement of the dividing membrane in twin pregnancy during the second and third trimesters: a reproducibility study. 1995;173:1546-50
— (see Sepulveda et al). 1995;173:1788-92
Standley CA, Mason BA, Cotton DB. Differential regulation of seizure activity in the hippocampus of male and female rats. 1995;173:1160-5
Stanley ER (see Hakala et al). 1995;173:112-9
Stanley JR (see Larson et al). 1995;173:1166-70
Stanziano GJ (see Barton et al). 1995;173:1865-8
Staskin DR (see Sand et al). 1995;173:72-9
Steinberg EP (see Dorsey et al). 1995;173:1452-60
Stek AM, Baker RS, Fisher BK, Lang U, Clark KE. Fetal responses to maternal and fetal methamphetamine administration in sheep. 1995;173:1592-8
Sternquist M (see Henriksson and Sternquist). 1995;173:670-1 (Letter reply)
Stevens CE (see Critchlow et al). 1995;173:534-43
Stevenson D (see Fanaroff et al). 1995;173:1423-31
— (see Wright et al). 1995;173:269-74
Stierer R (see Brancazio et al). 1995;173:1240-5
Stoll BJ (see Fanaroff et al). 1995;173:1423-31
Stovall TG (see Parsons et al). 1995;173:381-7
Stowe ZN, Nemeroff CB. Women at risk for postpartum-onset major depression. 1995;173:639-45 (Symposium)
Stramm SL (see Eller et al). 1995;173:523-7
Stroud CB (see Thiagarajah et al). 1995;173:388-92
Sturk A (see van der Post et al). 1995;173:1897 (Letter)
Stutzin A (see Riquelme et al). 1995;173:733-8
Suiter CR (see Higby et al). 1995;173:1111-4
Sullivan CA (see Perry et al). 1995;173:1273-7
Sumampouw H (see Joesoef et al). 1995;173:1527-31
Sun X-W, Ferenczy A, Johnson D, Koulos JP, Lungu O, Richart RM, Wright TC Jr. Evaluation of the Hybrid Capture human papillomavirus deoxyribonucleic acid detection test. 1995;173:1432-7
Surti U (see Rauk et al). 1995;173:571-7
Suzuki T (see Horibe et al). 1995;173:937-42
Svensson PJ (see Hellgren et al). 1995;173:210-3
Swift SE (see Sand et al). 1995;173:72-9
Syrjänen K (see Hietanen et al). 1995;173:1477-82
Syrjänen S (see Hietanen et al). 1995;173:1477-82
- T
- Talbert DG (see Bower et al). 1995;173:502-7
Tamura M (see Fukaya et al). 1995;173:119-25
Tamura R (see MacGregor et al). 1995;173:1254-8
Tanaka M, Natori M. Vascular clamping model not new. 1995;173:345 (Letter reply)
Tanyel FC (see Kizilcan et al). 1995;173:36-41
Tattersall MHN (see Rose et al). 1995;173:1461-8
Taylor MC (see Mercer et al). 1995;173:1325-8
Taylor PT (see Andersen et al). 1995;173:457-64
Taylor RN (see Roberts et al). 1995;173:978-9 (Letter)
Tefft L (see Carr et al). 1995;173:1267-72
Tejani N (see Figueroa et al). 1995;173:1800-6
Teleshova OV (see Reshetnikova et al). 1995;173:724-7
Tennenbaum SY. Unwarranted prenatal intervention. 1995;173:668 (Letter)
Teot LA (see Greig et al). 1995;173:1223-7
Terada Y (see Fukaya et al). 1995;173:119-25
Terao T (see Kanayama et al). 1995;173:192-9
Terranova PF (see Sancho-Tello et al). 1995;173:1470-7
Teti GC (see Gambacciani et al). 1995;173:890-3
Theofrastous JP, Bump RC, Elser DM, Wyman JF, McClisch DK, Continence Program for Women Research Group. Correlation of urodynamic measures of urethral resistance with clinical measures of incontinence severity in women with pure genuine stress incontinence. 1995;173:407-14
— (see Bump et al). 1995;173:551-7
Thiagarajah S, Stroud CB, Vavelidis F, Schnorr JA Jr, Schnatterly PT, Ferguson JE II. Elevated maternal serum α -feto-protein levels: What is the risk of fetal aneuploidy? 1995;173:388-92
Thom E (see Guinn et al). 1995;173:1310-5
— (see Meis et al). 1995;173:1231-5
Thomas AJ (see Catalano et al). 1995;173:1176-81

- Thomas VL (see Moya et al). 1995;173:1401-5
 Thompson CH (see Rose et al). 1995;173:1461-8
 Thompson SJ (see Meyer et al). 1995;173:181-6
 Thompson W. Estrogen replacement therapy in practice: trends and issues. 1995;173:990-3 (Symposium)
 — (see Harper et al). 1995;173:863-4
 Thomson KR (see Cincotta et al). 1995;173:967-9
 Thorp JA, Hedrick J, Yeast JD. Maternal oxygen administration and fetal well-being. 1995;173:974 (Letter reply)
 Thorp JM Jr (see Saacks et al). 1995;173:432-9
 Thorsgard K (see McGregor et al). 1995;173:157-67
 Thurnau GR (see Larson et al). 1995;173:1228-31
 Thylan S. Japanese endometriosis progression: Universally applicable? 1995;173:349-50 (Letter)
 Tomás C (see Hakala et al). 1995;173:112-9
 Tomlinson MW, Dombrowski MP, Bobrowski RA, Bottoms SF, Cotton DB. Changes in health care delivery: a threat to academic obstetrics. 1995;173:1614-6
 — (see Dombrowski et al). 1995;173:847-8
 Tomoda Y (see Horibe et al). 1995;173:937-42
 Toronto Tri-Hospital Gestational Diabetes Investigators (see Sermer et al). 1995;173:146-56
 Tortajada M (see Gilbert et al). 1995;173:1849-54
 Toshimori K (see Ohbuchi et al). 1995;173:1483-90
 Trammell SE (see Sharpe-Timms et al). 1995;173:1569-78
 Treadwell MC (see Hume et al). 1995;173:1334-6
 Trémollières FA, Pouilles J-M, Ribot CA. A prospective two-year study of progestin given alone in postmenopausal women: effect on lipid and metabolic parameters. 1995;173:85-9
 Tulandi T (see Lin et al). 1995;173:769-71
 Turhan NO (see Özmen et al). 1995;173:232-3
 Turnbull GL (see Larson et al). 1995;173:1166-70
 Turrentine MA (see Ramirez and Turrentine). 1995;173:1630-1
 Turton DB, Shakir KMM. Galactorrhoea caused by esophagitis. 1995;173:1629-30
 Tying SK (see Cadet et al). 1995;173:25-9
 Tyson JE (see Fanaroff et al). 1995;173:1423-31
- U
- Uerpaiojkit B (see Bahado-Singh et al). 1995;173:1106-10
 Ulmsten U (see Petros and Ulmsten). 1995;173:346-7 (Letter)
 Umbach DM (see Wilcox et al). 1995;173:835-6
 Upadhyaya NB (see Munson et al). 1995;173:1820-5
 Utian WJ. Do menopause and hormonal replacement therapy influence body cell mass and body fat mass? 1995;173:669 (Letter)
 Utomo B (see Joesoef et al). 1995;173:1527-31
- V
- Valea FA, Haskill S, Moore DH, Fowler WC Jr. Immunohistochemical analysis of α_1 -integrins in cervical cancer. 1995;173:808-13
 Valsecchi L, Fausto A, Grazioli V. Severe preeclampsia and antioxidant nutrients. 1995;173:673 (Letter)
 Vandenbussche FPHA (see Nagel et al). 1995;173:1758-64
 Van de Perre P. Postnatal transmission of human immunodeficiency virus type 1: the breast-feeding dilemma. 1995;173:483-7 (Clin. opinion)
 van der Linden EPM (see van der Linden et al). 1995;173:566-70
 van der Linden PJQ, Dunselman GAJ, de Goeij AFPM, van der Linden EPM, Evers JH, Ramaekers FCS. Epithelial cells in peritoneal fluid—Of endometrial origin? 1995;173:566-70
 van der Merwe JV. Clarification of source. 1995;173:1900 (Letter reply)
 van der Post J, Konijnenberg A, Sturk A. Platelet response to vasopressin in preeclampsia. 1995;173:1897 (Letter)
 van der Tweel I (see van Oppen et al). 1995;173:923-8
 VanDorsten JP (see Eller and VanDorsten). 1995;173:393-8
 van Geijn HP (see Dekker et al). 1995;173:1042-8
 Vanin CM, MacLusky NJ, Chachra D, Kasra M, Grynaps MD, Casper RF. Lumbar vertebral density and mechanical properties in aged ovariectomized rats treated with estrogen and norethindrone or norgestimate. 1995;173:1491-8
 Van Meter S (see Munson et al). 1995;173:1820-5
 van Oppen AC, van der Tweel I, Duvekot JJ, Bruinse HW. Use of cardiac index in pregnancy: Is it justified? 1995;173:923-8
 Varner RE, Plessala KJ, Richter H. Effects of sacrocolposuspension on the lower urinary tract. 1995;173:1684-9
 Varvarigos I (see Vintzileos et al). 1995;173:1021-4
 Vauthier-Brouzes D (see Wechsler et al). 1995;173:1627-9
 Vavelidis F (see Thiagarajah et al). 1995;173:388-92
 Vedernikov YP (see Montgomery et al). 1995;173:1075-8
 Veille J-C (see Burrus et al). 1995;173:1258-62
 Verdeja AM, Elkins TE, Odoi A, Gasser R, Lamoutte C. Transvaginal sacrospinous colpopexy: anatomic landmarks to be aware of to minimize complications. 1995;173:1468-9
 Verdel MJ (see Emanuel et al). 1995;173:675 (Letter reply)
 — (see Emanuel et al). 1995;173:1352 (Letter reply)
 — (see Emanuel et al). 1995;173:1353 (Letter reply)
 Vernet M-H (see Cachia et al). 1995;173:42-51
 Vernon DI (see Gannon et al). 1995;173:1826-8
 Verter J (see Fanaroff et al). 1995;173:1423-31
 — (see Wright et al). 1995;173:263-9
 — (see Wright et al). 1995;173:269-74
 Victor MR (see Kjos et al). 1995;173:1532-9
 Victoria C (see Belizán et al). 1995;173:894-9
 Villar J (see Belizán et al). 1995;173:894-9
 Viniegra-Sibal A (see Archer et al). 1995;173:471-8
 Vintzileos AM, Egan JFX. Can the risk for Down syndrome be reliably modified by second-trimester ultrasonography? 1995;173:1640 (Letter reply)
 —, Nochimson DJ, Antsaklis A, Varvarigos I, Guzman ER, Knuppel RA. Comparison of intrapartum electronic fetal heart rate monitoring versus intermittent auscultation in detecting fetal acidemia at birth. 1995;173:1021-4
 — (see Salafia et al). 1995;173:1049-57
 — (see Salafia et al). 1995;173:1058-64
 — (see Salafia et al). 1995;173:1065-70
 — (see Salafia et al). 1995;173:1097-105
 — (see Smulian et al). 1995;173:1195-201
 Vittinghoff E (see Creinin et al). 1995;173:1578-84
 Vlastos G (see Darai et al). 1995;173:979 (Letter)
 Vogel RL (see How et al). 1995;173:1518-22
 von Blomberg BME (see Dekker et al). 1995;173:1042-8
 Vutyavanich T, Wongtra-ngan S, Ruangsri R-a. Pyridoxine for nausea and vomiting of pregnancy: a randomized, double-blind, placebo-controlled trial. 1995;173:881-4
- W
- Wallach D (see Kupferminc et al). 1995;173:900-5
 Wamsteker K (see Emanuel et al). 1995;173:675 (Letter reply)
 — (see Emanuel et al). 1995;173:1352 (Letter reply)

- (see Emanuel et al). 1995;173:1353 (Letter reply)
- Wang L (see Hurd et al). 1995;173:1731-3
- Wapner RJ, Ross M. Contractions are not always labor. 1995; 173:975-6 (Letter reply)
- (see Ranzini et al). 1995;173:603-5
- Ward JA (see Phelps et al). 1995;173:942-5
- Warwick RM (see Lighten et al). 1995;173:1182-5
- Washburn L (see Jackle et al). 1995;173:694-701
- Washburne JF, Magann EF, Chauhan SP, Fratzkin JD, Morrison JC. Massive congenital intracranial teratoma with skull rupture at delivery. 1995;173:226-8
- Watanabe T (see Fukaya et al). 1995;173:119-25
- Wathen NC, Delves HT, Campbell DJ, Chard T. The coelomic cavity—a reservoir for metals. 1995;173:1884-8
- Webster K (see Natale et al). 1995;173:351-2 (Letter reply)
- (see Natale et al). 1995;173:352-3 (Letter reply)
- Wechsler B, G  n  reau T, Biouesse V, Vauthier-Brouzes D, Seebacher J, Dormont D, Godeau P. Pregnancy complicated by cerebral venous thrombosis in Behcet's disease. 1995;173: 1627-9
- Weckwerth SR (see Collins et al). 1995;173:768
- Weeks J, Asrat T, Nageotte M. Reports on the clinical use of fetal biophysical testing: Shouldn't they take into consideration the important results from the studies on validity and efficacy? 1995;173:1636-7 (Letter reply)
- , Pitman T, Spinnato JA II. Fetal macrosomia: Does antenatal prediction affect delivery route and birth outcome? 1995;173:1215-9
- Weglein RC (see Goodwin et al). 1995;173:913-7
- Wein P (see Beischer et al). 1995;173:1563-9
- Weiner Z (see Kellner et al). 1995;173:1306-9
- Weiss RR (see Kellner et al). 1995;173:1306-9
- Weiss Y (see Hagay et al). 1995;173:1036-41
- Wellik SR, de Veciana M, Morgan MA, Berkowitz KM, Arquilla ER. Naturally occurring insulin autoantibodies in neonates of normal pregnancies and their relationship to insulinemia and birth weight. 1995;173:1878-84
- Wells B (see Parsons et al). 1995;173:381-7
- Wells HB (see Meis et al). 1995;173:590-6
- (see Meis et al). 1995;173:597-602
- Wenstrom KD, Desai R, Owen J, DuBard MB, Boots L. Comparison of multiple-marker screening with amniocentesis for the detection of fetal aneuploidy in women 35 years old. 1995;173:1287-92
- , Hauth JC, Goldenberg RL, DuBard MB, Lea C. The effect of low-dose aspirin on pregnancies complicated by elevated human chorionic gonadotropin levels. 1995;173:1292-6
- , Owen J, Boots L, Ethier M. The influence of maternal weight on human chorionic gonadotropin in the multiple-marker screening test for fetal Down syndrome. 1995;173: 1297-300
- Wesley MN (see Barrett et al). 1995;173:414-23
- Westgren M, Divon M, Horal M, Ingemarsson I, Kublickas M, Shimomojo N, Nordstr  m L. Routine measurements of umbilical artery lactate levels in the prediction of perinatal outcome. 1995;173:1416-22
- Westphal LM (see O'Hanlan and Westphal). 1995;173:962-4
- Whalen TR (see Gimpelson and Whalen). 1995;173:1637 (Letter)
- White A, Marcucci G, Andrews E, Edwards K, Long W, American Exosurf Neonatal Study Group I, Canadian Exosurf Neonatal Study Group. Antenatal steroids and neonatal outcomes in controlled clinical trials of surfactant replacement. 1995;173:286-90
- (see Andrews et al). 1995;173:290-5
- Whitman GF (see Hossain et al). 1995;173:830-4
- Whitmore KE (see Sand et al). 1995;173:72-9
- Whittington SS (see Salafia et al). 1995;173:1058-64
- (see Salafia et al). 1995;173:1065-70
- Whitworth JA (see Brown et al). 1995;173:218-23
- Wide-Swensson DH, Ingemarsson I, Lunell N-O, Forman A, Skajaa K, Lindberg B, Lindeberg S, Mars  l K, Andersson K-E. Calcium channel blockade (isradipine) in treatment of hypertension in pregnancy: a randomized placebo-controlled study. 1995;173:872-8
- Widschwendter M (see Marth et al). 1995;173:1835-42
- Wieczorek KM, Brewer AS, Myatt L. Shear stress may stimulate release and action of nitric oxide in the human fetal-placental vasculature. 1995;173:708-13
- Wikland M (see Karlsson et al). 1995;173:1637-8 (Letter reply)
- Wiknjosastro G (see Joeseof et al). 1995;173:1527-31
- Wilcox AJ, Umbach DM, Hornsby PP, Herbst AL. Age at menarche among diethylstilbestrol granddaughters. 1995; 173:835-6
- Wilkes A (see Piscitelli et al). 1995;173:424-32
- Willan A (see Hannah et al). 1995;173:352 (Letter)
- Williams JBW, Spitzer RL, Linzer M, Kroenke K, Hahn SR, deGruy FV, Lazev A. Gender differences in depression in primary care. 1995;173:654-9 (Symposium)
- Williams LE (see Coates et al). 1995;173:1664-70
- Williams MA (see Nyberg et al). 1995;173:1030-5
- Willoughby AD (see Minkoff et al). 1995;173:585-9
- Winkel CA (see Sobel et al). 1995;173:801-8
- Wiser WL (see Harris et al). 1995;173:1671-5
- Wohlferd MM (see Chueh et al). 1995;173:1277-82
- Wojtowycz AR (see Badawy et al). 1995;173:1623-4
- Wolf GC, Horger EO III. Indications for examination of spontaneous abortion specimens: a reassessment. 1995;173: 1364-8 (Clin. opinion)
- Wolfe HM (see Hume et al). 1995;173:1334-6
- Wolin MS (see Figueroa et al). 1995;173:1800-6
- W  lner-Hanssen P (see Critchlow et al). 1995;173:534-43
- Wongtra-ngan S (see Vutyavanich et al). 1995;173:881-4
- Wright LL. Effect of corticosteroids for fetal maturation on perinatal outcomes: introduction. 1995;173:253
- , Horbar JD, Gunkel H, Verter J, Younes N, Andrews EB, Long W. Evidence from multicenter networks on the current use and effectiveness of antenatal corticosteroids in low birth weight infants. 1995;173:263-9
- , Verter J, Younes N, Stevenson D, Fanaroff AA, Shankaran S, Ehrenkranz RA, Donovan EF, NICHD Neonatal Research Network. Antenatal corticosteroid administration and neonatal outcome in very low birth weight infants: the NICHD Neonatal Research Network. 1995;173:269-74
- (see Fanaroff et al). 1995;173:1423-31
- (see Shankaran et al). 1995;173:305-12
- Wright TC Jr (see Sun et al). 1995;173:1432-7
- Wyman JF (see Theofrastous et al). 1995;173:407-14

X

- Xenakis EM-J, Langer O, Piper JM, Conway D, Berkus MD. Low-dose versus high-dose oxytocin augmentation of labor—a randomized trial. 1995;173:1874-8
- (see McFarland et al). 1995;173:1211-4

Y

- Yajima A (see Fukaya et al). 1995;173:119-25
- Yamaguchi M (see Ohbuchi et al). 1995;173:1483-90

Yancey CA (*see* Harris et al). 1995;173:1671-5
Yandell RB (*see* Cadet et al). 1995;173:25-9
Yeast JD (*see* Thorp et al). 1995;173:974 (Letter reply)
Yi CH (*see* Edwards et al). 1995;173:244-5
Yonkers KA. Women and depression: Who is at risk?—introduction. 1995;173:631 (Symposium)
—, Chantilis SJ. Recognition of depression in obstetric/gynecology practices. 1995;173:632-8 (Symposium)
Youchah J (*see* Minkoff et al). 1995;173:585-9
Younes N (*see* Fanaroff et al). 1995;173:1423-31
— (*see* Wright et al). 1995;173:263-9
— (*see* Wright et al). 1995;173:269-74
Young A (*see* Lyall et al). 1995;173:714-8
Young HE (*see* Black et al). 1995;173:514-9
Young SB, Rosenblatt PL, Pingeton DM, Howard AE, Baker SP. The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation. 1995;173:1719-26
Yuen PM. Transvaginal endoscopic oophorectomy. 1995;173:976-7 (Letter)

Z

Zaccaro D (*see* Parsons et al). 1995;173:381-7
Zachary J (*see* Shankaran et al). 1995;173:305-12
Zakher A (*see* Malek et al). 1995;173:760-7
Zanini A (*see* Colombo et al). 1995;173:1807-11
Zeillinger R (*see* Ahner et al). 1995;173:1513-7
Zerbe GO (*see* Barbera et al). 1995;173:1071-4
— (*see* Barbera et al). 1995;173:1765-9
Zhang XY (*see* Gandhi et al). 1995;173:1132-6
Zhang Y (*see* Colton et al). 1995;173:1499-505
Zimmer RL (*see* Sharpe-Timms et al). 1995;173:1569-78
Zimmerman PD (*see* Gordon et al). 1995;173:1089-97
Zimmet P (*see* Beischer et al). 1995;173:1563-9
Zusman I (*see* Hagay et al). 1995;173:1036-41

Subject index*

A

Abdomen, surgery

Wound strength in abdominal incisions: a comparison of two continuous mass closure techniques in rats (Meeks et al). 1995;173:1676-83

Abdominal hysterectomy; see Hysterectomy

Ablation; see Catheter ablation

Abnormalities

The accuracy of prenatal ultrasonography in detecting congenital anomalies (Boyle) (Letter); (Jeanty) (Reply). 1995;173:667-8

Fetal lung maturation in congenital diaphragmatic hernia (Moya et al). 1995;173:1401-5

Fetal pyelectasis: Is it always "physiologic"? (Adra et al). 1995;173:1263-6

Is polyhydramnios in an ultrasonographically normal fetus an indication for genetic evaluation? (Barnhard et al). 1995;173:1523-7

Nuchal cords: timing of prenatal diagnosis and duration (Collins et al). 1995;173:768

Significance of prenatal diagnosis of umbilical cord cyst in a fetus with trisomy 18 (Ramirez et al). 1995;173:955-7

Single umbilical artery: Does it matter which artery is missing? (Abuhamad et al). 1995;173:728-32

Abortion

Immunohistochemical studies of human uteroplacental tissues from first-trimester spontaneous abortion (Hill et al). 1995;173:90-6

Indications for examination of spontaneous abortion specimens: a reassessment (Wolf and Horger). 1995;173:1364-8 (Clin. opinion)

Intractable bleeding managed with Foley catheter tamponade after dilation and evacuation (Kauff et al). 1995;173:957-8

Laminaria versus Dilapan osmotic cervical dilators for second-trimester abortion (Creinin) (Letter); (Hern) (Reply). 1995;173:354-5

Obstetric outcome after failed termination of pregnancy—a report of two cases (Ricciotti et al). 1995;173:1619-20

The origin of α -fetoprotein in first-trimester anembryonic pregnancies (Jauniaux et al). 1995;173:1749-53

A randomized trial comparing misoprostol three and seven days after methotrexate for early abortion (Creinin et al). 1995;173:1578-84

Women cannot discriminate between different paracervical block techniques applied to opposite sides of the cervix (Grossman). 1995;173:935-6

Abruptio placentae

Post-cesarean section splenic rupture (Kaluvarachchi and Krishnamurthy). 1995;173:230-2

Abscess

Tuboovarian abscess caused by *Edwardsiella tarda* (Pien and Jackson). 1995;173:964-5

Academic medical centers

Changes in health care delivery: a threat to academic obstetrics (Tomlinson et al). 1995;173:1614-6

Cohort study of twinning in an academic health center:

changes in management and outcome over forty years (Saacks et al). 1995;173:432-9

Accutacker II monitor; see Blood pressure monitors

Achondrogenesis type I; see Bone diseases

Acid-base equilibrium

Routine measurements of umbilical artery lactate levels in the prediction of perinatal outcome (Westgren et al). 1995;173:1416-22

Acid-base imbalance

Comparison of intrapartum electronic fetal heart rate monitoring versus intermittent auscultation in detecting fetal acidemia at birth (Vintzileos et al). 1995;173:1021-4

Acidosis

"Physiologic" intracellular acidosis in pregnancy (Bardicet et al). 1995;173:879-80

Acneiform eruptions

Common dermatoses (Nanda). 1995;173:488-95 (Primary care)

Acoustic stimulation

Distance from an intrauterine hydrophone as a factor affecting intrauterine sound pressure levels produced by the vibroacoustic stimulation test (Eller et al). 1995;173:523-7

Fetal acoustic stimulation, an adjunct to external cephalic version: a blinded, randomized crossover study (Johnson and Elliott). 1995;173:1369-72

Acquired immunodeficiency syndrome

Acquired immunodeficiency syndrome-related Kaposi's sarcoma: two cervical cases (Darai et al). 1995;173:979 (Letter)

Adenocarcinoma

Macrophage colony-stimulating factor 1, a clinically useful tumor marker in endometrial adenocarcinoma: comparison with CA 125 and the aminoterminal propeptide of type III procollagen (Hakala et al). 1995;173:112-9

Adenomyosis; see Endometriosis

Administration, cutaneous

Clinical experience with a seven-day estradiol transdermal system for estrogen replacement therapy (Gordon). 1995;173:998-1004 (Symposium)

Emerging delivery systems for estrogen replacement: aspects of transdermal and oral delivery (Nachtigall). 1995;173:993-7 (Symposium)

Administration, intravaginal

Efficacy of outpatient induction with low-dose intravaginal prostaglandin E₂: a randomized, double-blind, placebo-controlled trial (O'Brien et al). 1995;173:1855-9

Intravaginal clindamycin treatment for bacterial vaginosis: effects on preterm delivery and low birth weight (Joesoef et al). 1995;173:1527-31

Labor induction with intravaginal misoprostol versus intracervical prostaglandin E₂ gel (Prepidil gel): randomized comparison (Chuck and Huffaker). 1995;173:1137-42

Administration, oral

Emerging delivery systems for estrogen replacement: aspects of transdermal and oral delivery (Nachtigall). 1995;173:993-7 (Symposium)

Oral terbutaline in the outpatient management of preterm labor (How et al). 1995;173:1518-22

Administration, topical

Photosensitization of the endometrium with topical 5-aminolevulinic acid (Gannon et al). 1995;173:1826-8

*July, 1-356; August, 357-676; September, part 1, 677-980; part 2, 981-1006; October, 1007-1356; November, 1357-1648; December, 1649-1974.

Adnexal diseases

The management of a persistent adnexal mass in pregnancy (Platek et al). 1995;173:1236-40

Adolescence

Monitored outpatient management of mild gestational hypertension remote from term in teenage pregnancies (Barton et al). 1995;173:1865-8

Adrenal cortex hormones

Antenatal corticosteroid administration and neonatal outcome in very low birth weight infants: the NICHD Neonatal Research Network (Wright et al). 1995;173:269-74
Antenatal corticosteroid therapy: a meta-analysis of the randomized trials, 1972 to 1994 (Crowley). 1995;173:322-35

Antenatal corticosteroid treatment and neonatal outcomes for infants 501 to 1500 gm in the Vermont-Oxford Trials Network (Horbar and Investigators of the Vermont-Oxford Trials Network). 1995;173:275-81

Antenatal steroids and neonatal outcomes in controlled clinical trials of surfactant replacement (White et al). 1995;173:286-90

Associations between use of antenatal corticosteroids and neonatal outcomes within the Exosurf Neonatal Treatment Investigational New Drug program (Andrews et al). 1995;173:290-5

Cost savings from the use of antenatal steroids to prevent respiratory distress syndrome and related conditions in premature infants (Simpson and Lynch). 1995;173:316-21

Effect of corticosteroids for fetal maturation on perinatal outcomes, February 28-March 2, 1994 (National Institutes of Health). 1995;173:246-52 (Conference statement)

Effect of corticosteroids for fetal maturation on perinatal outcomes: introduction (Wright). 1995;173:253

Evidence from multicenter networks on the current use and effectiveness of antenatal corticosteroids in low birth weight infants (Wright et al). 1995;173:263-9

An exploration of opinion and practice patterns affecting low use of antenatal corticosteroids (Leviton et al). 1995;173:312-6

Maternal corticosteroid and tocolytic treatment and morbidity and mortality in very low birth weight infants (Atkinson et al). 1995;173:299-305

Meta-analysis of randomized controlled trials of antenatal corticosteroid for the prevention of respiratory distress syndrome: discussion (Sinclair). 1995;173:335-44

Observational evidence for the efficacy of antenatal steroids from randomized studies of surfactant replacement (Gunkel and Mitchell). 1995;173:281-5

Practice variation in the use of corticosteroids: a comparison of eight data sets (Bronstein and Goldenberg). 1995;173:296-8

Pregnancy complicated by cerebral venous thrombosis in Behçet's disease (Wechsler et al). 1995;173:1627-9

Relationship between antenatal steroid administration and grades III and IV intracranial hemorrhage in low birth weight infants (Shankaran et al). 1995;173:305-12

Scientific basis and therapeutic regimens for use of antenatal glucocorticoids (Ballard and Ballard). 1995;173:254-62

Adrenergic beta receptor blockers

A prospective longitudinal evaluation of pregnancy in the Marfan syndrome (Rossiter et al). 1995;173:1599-606

Age factors

Age at menarche among diethylstilbestrol granddaughters (Wilcox et al). 1995;173:835-6

Determinants of cervical ectopia and of cervicitis: age, oral contraception, specific cervical infection, smoking, and douching (Critchlow et al). 1995;173:534-43

The squirrel monkey as an animal model of pelvic relaxation: an evaluation of a large breeding colony (Coates et al). 1995;173:1664-70

Aged

Lumbar vertebral density and mechanical properties in aged ovariectomized rats treated with estrogen and norethindrone or norgestimate (Vanin et al). 1995;173:1491-8

Modified Le Fort partial colpocleisis with Kelly urethral plication and posterior colpoperineoplasty in the medically compromised elderly: a comparison with vaginal hysterectomy, anterior colporrhaphy, and posterior colpoperineoplasty (Denehy et al). 1995;173:1697-702

Airway resistance

Nocturnal hyperventilation in pregnancy—reversal with nasal continuous positive airway pressure (Polo and Ekholm). 1995;173:238-9

Albumins

A comparison between two screening methods for detection of microproteinuria (Higby et al). 1995;173:1111-4

Alcohol, ethyl

Effects of prenatal ethanol exposure on the hippocampal neurochemistry of albino rats at 90 days of postnatal age (Black et al). 1995;173:514-9

Alkaline phosphatase

Maternal serum placental alkaline phosphatase level and risk for preterm delivery (Meyer et al). 1995;173:181-6

Alkaloids

Uterine rupture in association with alkaloidal ("crack") cocaine abuse (Mishra et al). 1995;173:243-4

Alkalosis, respiratory

"Physiologic" intracellular acidosis in pregnancy (Bardicef et al). 1995;173:879-80

Allograft; see Transplantation, homologous**Alloimmunization; see Rh isoimmunization****Alpha fetoproteins**

Associations between adverse perinatal outcome and serially obtained second- and third-trimester maternal serum α -fetoprotein measurements (Simpson et al). 1995;173:1742-8

Comparison of multiple-marker screening with amniocentesis for the detection of fetal aneuploidy in women 35 years old (Wenstrom et al). 1995;173:1287-92

Elevated maternal serum α -fetoprotein levels: What is the risk of fetal aneuploidy? (Thiagarajah et al). 1995;173:388-92

The influence of maternal weight on human chorionic gonadotropin in the multiple-marker screening test for fetal Down syndrome (Wenstrom et al). 1995;173:1297-300

Maternal serum screening should not replace amniocentesis (Hsu et al). 1995;173:977-8 (Letter)

The origin of α -fetoprotein in first-trimester anembryonic pregnancies (Jauniaux et al). 1995;173:1749-53

Role of prenatal ultrasonography in women with positive screen for Down syndrome on the basis of maternal serum markers (Nyberg et al). 1995;173:1030-5

Triple marker (α -fetoprotein, unconjugated estriol, human chorionic gonadotropin) versus α -fetoprotein plus free- β subunit in second-trimester maternal serum screening for fetal Down syndrome: a prospective comparison study (Kellner et al). 1995;173:1306-9

Uterine artery Doppler velocimetry in the detection of adverse obstetric outcomes in women with unexplained elevated maternal serum α -fetoprotein levels (Konchak et al). 1995;173:1115-9

Alpha₁-integrins; see Integrins

Aluminum

Mechanism underlying phasic contractions of pregnant rat myometrium simulated by aluminum fluoride (Garfield) (Letter); (Phillippe) (Reply). 1995;173:348-9

Ambulatory care

Efficacy of outpatient induction with low-dose intravaginal prostaglandin E₂: a randomized, double-blind, placebo-controlled trial (O'Brien et al). 1995;173:1855-9

Minilaparotomy for the ambulatory management of ovarian cysts (Flynn and Niloff). 1995;173:1727-30

Monitored outpatient management of mild gestational hypertension remote from term in teenage pregnancies (Barton et al). 1995;173:1865-8

Oral terbutaline in the outpatient management of preterm labor (How et al). 1995;173:1518-22

The American Board of Obstetrics and Gynecology

Approved fellowship training programs in obstetrics and gynecology subspecialties: Gynecologic Oncology, Reproductive Endocrinology/Infertility, Maternal-Fetal Medicine. 1995;173:35A-40A

New certifications: subspecialty of Gynecologic Oncology. 1995;173:1646

New certifications: subspecialty of Maternal-Fetal Medicine. 1995;173:1646

New certifications: subspecialty of Reproductive Endocrinology. 1995;173:1645

AMERICAN JOURNAL OF OBSTETRICS AND GYNECOLOGY

New section: primary care. 1995;173:1 (Editorial)

Aminolevulinic acid

Photosensitization of the endometrium with topical 5-aminolevulinic acid (Gannon et al). 1995;173:1826-8

Amniocentesis

Accuracy of prenatal determination of RhD type status by polymerase chain reaction with amniotic cells (Lighten et al). 1995;173:1182-5

Comparison of multiple-marker screening with amniocentesis for the detection of fetal aneuploidy in women 35 years old (Wenstrom et al). 1995;173:1287-92

Diagnosis of the respiratory distress syndrome by amniocentesis (Gluck et al). 1995;173:629-30 (Classic pages in obstetrics and gynecology)

Maternal serum screening should not replace amniocentesis (Hsu et al). 1995;173:977-8 (Letter)

Amnion

Accuracy of prenatal determination of RhD type status by polymerase chain reaction with amniotic cells (Lighten et al). 1995;173:1182-5

Elevated protease activities in human amnion and chorion correlate with preterm premature rupture of membranes (Draper et al). 1995;173:1506-12

Expression of parathyroid hormone-related peptide and its receptor messenger ribonucleic acid in human amnion and chorion-decidua: implications for secretion and function (Bruns et al). 1995;173:739-46

Expression of two mucin antigens in cultured human ovarian surface epithelium: influence of a family history of ovarian cancer (Auersperg et al). 1995;173:558-65

Prospective determination of chorionicity, amnionicity, and zygosity in twin gestations (Scardo et al). 1995;173:1376-80

Prostaglandin F_{2α} output by amnion-chorion-decidua: relationship with labor and prostaglandin E₂ concentration at the amniotic surface (Kredentser et al). 1995;173:199-204

Amniotic fluid

Acute maternal hydration in third-trimester oligohydramnios: effects on amniotic fluid volume, uteroplacental

perfusion, and fetal blood flow and urine output (Flack et al). 1995;173:1186-91

Amnioinfusion and the intrauterine prevention of meconium aspiration (Spong et al) (Letter); (Dye et al) (Reply). 1995;173:671-2

Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational age in women delivered after spontaneous labor versus indicated delivery (Andrews et al). 1995;173:606-12

Amniotic fluid interleukin-10 concentrations increase through pregnancy and are elevated in patients with preterm labor associated with intrauterine infection (Greig et al). 1995;173:1223-7

Antepartum surveillance in diabetic pregnancies: predictors of fetal distress in labor (Kjos et al). 1995;173:1532-9

The coelomic cavity—a reservoir for metals (Wathen et al). 1995;173:1884-8

Detection of viral deoxyribonucleic acid in the amniotic fluid of low-risk pregnancies by polymerase chain reaction (McLean et al). 1995;173:1282-6

The effect of low amniotic pressure without oligohydramnios on fetal lung development in a rabbit model (Kizilcan et al). 1995;173:36-41

The impact of amniotic fluid volume assessed intrapartum on perinatal outcome (Baron et al). 1995;173:167-74

Is the 15-in situ clone protocol necessary to detect amniotic fluid mosaicism? (Cheng et al). 1995;173:1025-30

Levels of hepatocyte growth factor in maternal serum and amniotic fluid (Horibe et al). 1995;173:937-42

The origin of α-fetoprotein in first-trimester anembryonic pregnancies (Jauniaux et al). 1995;173:1749-53

Soluble tumor necrosis factor receptors in maternal plasma and second-trimester amniotic fluid (Kupferminc et al). 1995;173:900-5

Uterine artery blood flow response to correction of amniotic fluid volume (Bower et al). 1995;173:502-7

Amniotomy; see Labor, induced

Amphetamines

Human placental monoamine transporters as targets for amphetamines (Ramamoorthy et al). 1995;173:1782-7

Anastomosis, surgical

Ureteral anastomosis with the Unilink system (Sinha) (Letter); (Soisson) (Reply). 1995;173:674-5

Androgens

A prospective two-year study of progestin given alone in postmenopausal women: effect on lipid and metabolic parameters (Trémollières et al). 1995;173:85-9

Anembryonic pregnancy; see Abortion

Anemia

Placental histomorphometry and morphometric diffusing capacity of the villous membrane in pregnancies complicated by maternal iron-deficiency anemia (Reshetnikova et al). 1995;173:724-7

Anesthesia

The effect of topical 20% benzocaine on pain during loop electrosurgical excision of the cervix (Lipscomb et al). 1995;173:772-4

Women cannot discriminate between different paracervical block techniques applied to opposite sides of the cervix (Grossman). 1995;173:935-6

Aneuploidy

Are DADs (discriminant aneuploidy detection) as good as MOMs (multiples of the median)? (Palomaki et al) (Letter); (Evans et al) (Reply). 1995;173:1895-7

Comparison of multiple-marker screening with amniocentesis for the detection of fetal aneuploidy in women 35 years old (Wenstrom et al). 1995;173:1287-92

Aneuploidy—cont'd

Elevated maternal serum α -fetoprotein levels: What is the risk of fetal aneuploidy? (Thiagarajah et al). 1995;173:388-92

MOMs (multiples of the median) may know best: There are insufficient data to suggest that DADs (discriminant aneuploidy detection) are superior (Reynolds) (Letter); (Evans et al) (Reply). 1995;173:1895-7

Angiotensin

The angiotensin sensitivity test and low-dose aspirin are ineffective methods to predict and prevent hypertensive disorders in nulliparous pregnancy (Kyle et al). 1995;173:865-72

Angiotensin II

The effects of atrial natriuretic factor and angiotensin II on fetal-placental perfusion pressure in the ex vivo cotyledon model (Markenson et al). 1995;173:1143-7

Anomalies; see Abnormalities**Anomalies, chromosome; see Chromosome abnormalities****Anoxemia**

Increased fetal plasma prostaglandin E_2 concentrations during fetal placental embolization in pregnant sheep (Murotsuki et al). 1995;173:30-5

Antenatal testing; see Fetal monitoring**Antepartum surveillance; see Fetal monitoring****Anthropometry**

Anthropometric estimation of neonatal body composition (Catalano et al). 1995;173:1176-81

Anti-inflammatory agents

Necrotizing fasciitis in the puerperium (Rowan and North). 1995;173:241-2

Antibodies

An animal model for hemolytic disease of the fetus and newborn. I. Alloimmunization techniques (Moise et al). 1995;173:51-5

An animal model for hemolytic disease of the fetus and newborn. II. Fetal effects in New Zealand rabbits (Moise et al). 1995;173:747-53

Detection of hepatitis C virus antibodies and specific hepatitis C virus ribonucleic acid sequences in cord bloods from a heterogeneous prenatal population (Silverman et al). 1995;173:1396-400

Prevalence of antibodies to glutamic acid decarboxylase in women who have had gestational diabetes (Beischer et al). 1995;173:1563-9

Antibodies, anticardiolipin

Inducible platelet adherence to human umbilical vein endothelium by anticardiolipin antibody-positive sera (Silver et al). 1995;173:702-7

Induction of high levels of anticardiolipin antibodies in mice by immunization with β_2 -glycoprotein I does not cause fetal death (Silver et al). 1995;173:1410-5

Antigens

Expression of two mucin antigens in cultured human ovarian surface epithelium: influence of a family history of ovarian cancer (Auersperg et al). 1995;173:558-65

Molecular genotyping of fetal platelet antigens with uncultured amniocytes (Khouzami et al). 1995;173:1202-6

Antigens, tumor-associated, carbohydrate

Macrophage colony-stimulating factor 1, a clinically useful tumor marker in endometrial adenocarcinoma: comparison with CA 125 and the aminoterminal propeptide of type III procollagen (Hakala et al). 1995;173:112-9

Pelvic endometriosis mimicking advanced ovarian cancer:

presentation with pleural effusion, ascites, and elevated serum CA 125 level (Myers et al). 1995;173:966-7

Antineoplastic agents

Effects of Taxol on choriocarcinoma cells (Marth et al). 1995;173:1835-42

Antioxidants

Severe preeclampsia and antioxidant nutrients (Valsecchi et al) (Letter); (Mikhail et al) (Reply). 1995;173:673-4

Antiphospholipid syndrome

Inducible platelet adherence to human umbilical vein endothelium by anticardiolipin antibody-positive sera (Silver et al). 1995;173:702-7

Antiprogesterone; see Progesterone**Antiprogestins; see Progestational hormones****Aorta**

Laparoscopic bilateral pelvic and paraaortic lymph node sampling: an evolving technique (Spirito et al). 1995;173:105-11

A prospective longitudinal evaluation of pregnancy in the Marfan syndrome (Rossiter et al). 1995;173:1599-606

Aorta, thoracic

The genetic implication for preceding generations of the prenatal diagnosis of interrupted aortic arch in association with unsuspected DiGeorge anomaly (Puder et al). 1995;173:239-41

Argipressin

Hemodynamic and hormonal responses to atrial distension in the ovine fetus (Jaekle et al). 1995;173:694-701

Artificial larynx; see Larynx, artificial**Ascites**

Pelvic endometriosis mimicking advanced ovarian cancer: presentation with pleural effusion, ascites, and elevated serum CA 125 level (Myers et al). 1995;173:966-7

Ascitic fluid

Epithelial cells in peritoneal fluid—Of endometrial origin? (van der Linden et al). 1995;173:566-70

Ascorbic acid

Severe preeclampsia and antioxidant nutrients (Valsecchi et al) (Letter); (Mikhail et al) (Reply). 1995;173:673-4

Asphyxia

Follow-up of children born with an umbilical arterial blood pH < 7 (Nagel et al). 1995;173:1758-64

Nucleated red blood cells: A marker for fetal asphyxia? (Phelan et al). 1995;173:1380-4

Aspirin

The angiotensin sensitivity test and low-dose aspirin are ineffective methods to predict and prevent hypertensive disorders in nulliparous pregnancy (Kyle et al). 1995;173:865-72

The effect of aspirin and indomethacin on prostacyclin and thromboxane production by placental tissue incubated with immunoglobulin G fractions from patients with lupus anticoagulant (Peaceman and Rehnberg). 1995;173:1391-6

The effect of low-dose aspirin on pregnancies complicated by elevated human chorionic gonadotropin levels (Wenstrom et al). 1995;173:1292-6

Maternal serum thromboxane B_2 reduction versus pregnancy outcome in a low-dose aspirin trial (Hauth et al). 1995;173:578-84

Atherosclerosis

Hormone replacement therapy reduces the reactivity of monocytes and platelets in whole blood—A beneficial effect on atherogenesis and thrombus formation? (Aune et al). 1995;173:1816-20

Atosiban

The pharmacokinetics of the oxytocin antagonist atosiban in pregnant women with preterm uterine contractions (Goodwin et al). 1995;173:913-7

Atrial natriuretic factor

The effects of atrial natriuretic factor and angiotensin II on fetal-placental perfusion pressure in the ex vivo cotyledon model (Markenson et al). 1995;173:1143-7

Hemodynamic and hormonal responses to atrial distension in the ovine fetus (Jackle et al). 1995;173:694-701

Atrium; *see* Heart atrium

Augmentation of labor; *see* Labor complications

Auscultation, heart; *see* Heart auscultation

Autoantibodies

Naturally occurring insulin autoantibodies in neonates of normal pregnancies and their relationship to insulinemia and birth weight (Wellik et al). 1995;173:1878-84

B

Bacterial vaginosis; *see* Vaginosis, bacterial

Ballantyne syndrome

Ballantyne syndrome caused by a large placental chorioangioma (Dorman and Cardwell). 1995;173:1632-3

Balloon dilatation

Intractable bleeding managed with Foley catheter tamponade after dilation and evacuation (Kauff et al). 1995;173:957-8

Bartholin's gland

Malignant myxoid sarcoma of the Bartholin gland in pregnancy (Fried-Oginski et al). 1995;173:1633-5

Basilar artery

Thrombolytic therapy for basilar artery thrombosis in the puerperium (Cincotta et al). 1995;173:967-9

Battered woman; *see* Violence

Behavior

Impact of health education during pregnancy on behavior and utilization of health resources (Belizán et al). 1995;173:894-9

Behçet's syndrome

Pregnancy complicated by cerebral venous thrombosis in Behçet's disease (Wechsler et al). 1995;173:1627-9

Benzocaine

The effect of topical 20% benzocaine on pain during loop electrosurgical excision of the cervix (Lipscomb et al). 1995;173:772-4

Beta₂-glycoprotein; *see* Glycoproteins

Beverages

Jelly beans as an alternative to a cola beverage containing fifty grams of glucose (Boyd et al). 1995;173:1889-92

Biogenic monoamines

Human placental monoamine transporters as targets for amphetamines (Ramamoorthy et al). 1995;173:1782-7

Biometry

Gender-specific second-trimester biometry (Smulian et al). 1995;173:1195-201

Biopsy, needle

Cytologic diagnosis of ovarian tumors: factors influencing accuracy in previously undiagnosed cases (Andersen et al). 1995;173:457-64

The efficacy of the placental biopsy (Kliman et al). 1995;173:1084-8

Birth; *see* Labor

Birth outcome; *see* Pregnancy outcome

Birth rate

Changes in health care delivery: a threat to academic obstetrics (Tomlinson et al). 1995;173:1614-6

Birth weight

The effect of low-dose aspirin on pregnancies complicated by elevated human chorionic gonadotropin levels (Wenstrom et al). 1995;173:1292-6

Naturally occurring insulin autoantibodies in neonates of normal pregnancies and their relationship to insulinemia and birth weight (Wellik et al). 1995;173:1878-84

Recent changes in delivery site of low-birth-weight infants in Washington: impact on birth weight-specific mortality (Powell et al). 1995;173:1585-92

The relationship of birth weight and birth weight discordance to cerebral palsy or mental retardation later in life for twins weighing less than 2500 grams (Rydhstroem). 1995;173:680-6

Very-low-birth-weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, May 1991 through December 1992 (Faranoff et al). 1995;173:1423-31

Blacks

Endometrial cancer: stage at diagnosis and associated factors in black and white patients (Barrett et al). 1995;173:414-23

Bladder diseases

Sacrocolpexy and the anterior compartment: support and function (Brubaker). 1995;173:1690-6

Bladder neck obstruction

Urethral and bladder neck closure mechanisms (Petros and Ulmsten) (Letter); (DeLancey) (Reply). 1995;173:346-8

Bleeding; *see* Hemorrhage

Bleeding time

The effect of magnesium sulfate on bleeding time in pregnancy (Fuentes et al). 1995;173:1246-9

Blood

Follow-up of children born with an umbilical arterial blood pH < 7 (Nagel et al). 1995;173:1758-64

Hormone replacement therapy reduces the reactivity of monocytes and platelets in whole blood—A beneficial effect on atherogenesis and thrombus formation? (Aune et al). 1995;173:1816-20

Precision of office-based blood glucose meters in screening for gestational diabetes (Carr et al). 1995;173:1267-72

Prenatal diagnosis by use of fetal cells isolated from maternal blood (de la Cruz et al). 1995;173:1354-5 (Letter)

Blood circulation

Nitric oxide concentrations are increased in the fetoplacental circulation in preeclampsia (Lyll et al). 1995;173:714-8

Blood coagulation

The effect of estrogen replacement therapy with or without progestogen on the fibrinolytic system and coagulation inhibitors in postmenopausal status (Gilbert et al). 1995;173:1849-54

Blood flow velocity

Acute maternal hydration in third-trimester oligohydramnios: effects on amniotic fluid volume, uteroplacental perfusion, and fetal blood flow and urine output (Flack et al). 1995;173:1186-91

Cardiac and venous blood flow in fetuses of insulin-dependent diabetic mothers: evidence of abnormal hemodynamics in early gestation (Rizzo et al). 1995;173:1775-81

Fetal venous, intracardiac, and arterial blood flow measurements in intrauterine growth retardation: relationship with fetal blood gases (Hecher et al). 1995;173:10-5

Blood flow velocity—cont'd

Is oligohydramnios in postterm pregnancy associated with redistribution of fetal blood flow? (Bar-Hava et al). 1995; 173:519-22

Uterine artery blood flow response to correction of amniotic fluid volume (Bower et al). 1995;173:502-7

Blood gas analysis

Fetal venous, intracardiac, and arterial blood flow measurements in intrauterine growth retardation: relationship with fetal blood gases (Hecher et al). 1995;173:10-5

Relationship between placental histologic features and umbilical cord blood gases in preterm gestations (Salafia et al). 1995;173:1058-64

Blood grouping and crossmatching

Accuracy of prenatal determination of RhD type status by polymerase chain reaction with amniotic cells (Lighten et al). 1995;173:1182-5

Blood loss, surgical

The control of blood loss at cesarean section with intramyometrial prostaglandin $F_{2\alpha}$ analog versus intravenous synthetic oxytocin (Ezeh and Pearson) (Letter); (Chou and MacKenzie) (Reply). 1995;173:353-4

Blood platelets

Hormone replacement therapy reduces the reactivity of monocytes and platelets in whole blood—A beneficial effect on atherogenesis and thrombus formation? (Aune et al). 1995;173:1816-20

Inducible platelet adherence to human umbilical vein endothelium by anticardiolipin antibody-positive sera (Silver et al). 1995;173:702-7

Molecular genotyping of fetal platelet antigens with uncultured amniocytes (Khoulami et al). 1995;173:1202-6

Platelet response to vasopressin in preeclampsia (van der Post et al) (Letter); (Kyle et al) (Reply). 1995;173:1897-8

Blood pressure monitors

Ambulatory blood pressure in pregnancy: comparison of the Spacelabs 90207 and Accutacker II monitors with intraarterial recordings (Brown et al). 1995;173:218-23

Blood transfusion, intrauterine

Massive fetomaternal hemorrhage treated with serial combined intravascular and intraperitoneal fetal transfusions (Montgomery et al). 1995;173:234-5

Blood vessels

Absence of relaxation to lactate in human placental vessels of pregnancies with severe preeclampsia (Figueroa et al). 1995;173:1800-6

A comparison of the relative risk of vessel injury with conical versus pyramidal laparoscopic trocars in a rabbit model (Hurd et al). 1995;173:1731-3

Contractile proteins in human fetoplacental vessels (Cavaillé et al). 1995;173:1793-9

The interaction of nitric oxide and superoxide in the human fetal-placental vasculature (Holcberg et al). 1995;173:528-33

Patterns of luteinizing and follicle-stimulating hormone pulsatility in menopausal women: correlation with plasma testosterone level and vasomotor instability episodes (Fossum et al). 1995;173:795-800

Body composition

Anthropometric estimation of neonatal body composition (Catalano et al). 1995;173:1176-81

Body mass index

Do menopause and hormonal replacement therapy influence body cell mass and body fat mass? (Utian) (Letter); (Aloia) (Reply). 1995;173:669

Body surface area

Use of cardiac index in pregnancy: Is it justified? (van Oppen et al). 1995;173:923-8

Body weight

The influence of maternal weight on human chorionic gonadotropin in the multiple-marker screening test for fetal Down syndrome (Wenstrom et al). 1995;173:1297-300

Bone density

Effects of a gonadotropin-releasing hormone agonist on the calcium-parathyroid axis and bone turnover in women with endometriosis (Newhall-Perry et al). 1995;173:824-9

Lumbar vertebral density and mechanical properties in aged ovariectomized rats treated with estrogen and norethindrone or norgestimate (Vanin et al). 1995;173:1491-8

Ultrasonographic bone characteristics during normal pregnancy: longitudinal and cross-sectional evaluation (Gambacciani et al). 1995;173:890-3

Bone diseases

Achondrogenesis type I diagnosed by transvaginal ultrasonography at 13 weeks' gestation (Meizner and Barnhard). 1995;173:1620-2

Supernumerary ovary with an endometrioma and osseous metaplasia: a case report (Badawy et al). 1995;173:1623-4

Books

Books received. 1995;173:1642-4, 1901-3

Boric acids

Chronic fungal vaginitis: the value of cultures (Nyirjesy et al). 1995;173:820-3

Brain neoplasms

Massive congenital intracranial teratoma with skull rupture at delivery (Washburne et al). 1995;173:226-8

Breast feeding

Breast-feeding education of obstetrics-gynecology residents and practitioners (Freed et al). 1995;173:1607-13

Disposition of maternal ketoconazole in breast milk (Moretti et al). 1995;173:1625-6

Postnatal transmission of human immunodeficiency virus type 1: the breast-feeding dilemma (Van de Perre). 1995; 173:483-7 (Clin. opinion)

Breast milk; see Milk, human**Breech presentation**

Delivery of the nonvertex second twin: breech extraction versus external cephalic version (Chauhan et al). 1995; 173:1015-20

Head entrapment and neonatal outcome by mode of delivery in breech deliveries from twenty-four to twenty-seven weeks of gestation (Robertson et al). 1995;173:1171-6

Route of delivery for the breech presentation: a conundrum (Eller and VanDorsten). 1995;173:393-8

Breeding

The squirrel monkey as an animal model of pelvic relaxation: an evaluation of a large breeding colony (Coates et al). 1995;173:1664-70

C**C-reactive protein**

Fetal fibronectin, interleukin-6, and C-reactive protein are useful in establishing prognostic subcategories of idiopathic preterm labor (Burrus et al). 1995;173:1258-62

CA 125; see Antigens, tumor-associated, carbohydrate**Calcitonin gene-related peptide**

Plasma and placental calcitonin gene-related peptide in pregnancies complicated by severe preeclampsia (Schiff et al). 1995;173:1405-9

Calcium

- Effects of a gonadotropin-releasing hormone agonist on the calcium-parathyroid axis and bone turnover in women with endometriosis (Newhall-Perry et al). 1995;173:824-9
- Platelet response to vasopressin in preeclampsia (van der Post et al) (Letter); (Kyle et al) (Reply). 1995;173:1897-8
- Ultrasonographic bone characteristics during normal pregnancy: longitudinal and cross-sectional evaluation (Gambacciani et al). 1995;173:890-3
- Urinary trypsin inhibitor prevents uterine muscle contraction by inhibition of Ca^{++} influx (Kanayama et al). 1995; 173:192-9

Calcium channel blockers

- Calcium channel blockade (isradipine) in treatment of hypertension in pregnancy: a randomized placebo-controlled study (Wide-Svensson et al). 1995;173:872-8

Candidiasis

- Chronic fungal vaginitis: the value of cultures (Nyirjesy et al). 1995;173:820-3

Candy

- Jelly beans as an alternative to a cola beverage containing fifty grams of glucose (Boyd et al). 1995;173:1889-92

Capnocytophaga

- Chorioamnionitis caused by *Capnocytophaga*: case report (Edwards et al). 1995;173:244-5

Carbohydrates

- Impact of increasing carbohydrate intolerance on maternal-fetal outcomes in 3637 women without gestational diabetes (Sermer et al). 1995;173:146-56

Carcinoma

- The effect of diagnosis and treatment delay on prognostic factors and survival in endometrial carcinoma (Menczer et al). 1995;173:774-8
- Multivariate survival analysis of clinicopathologic features in surgical stage I endometrioid carcinoma including analysis of HER-2/*neu* expression (Nazeer et al). 1995;173: 1829-34
- Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells (Hietanen et al). 1995;173: 1477-82

Cardiac blood, fetal; see Fetal blood

Cardiac diseases; see Heart diseases

Cardiac function; see Heart function tests

Cardiac hypertrophy; see Heart hypertrophy

Cardiac output

- Use of cardiac index in pregnancy: Is it justified? (van Oppen et al). 1995;173:923-8

Cardiovascular diseases

- Benefits and risks of estrogen replacement therapy (Lobo). 1995;173:982-90 (Symposium)
- Hormone replacement therapy reduces the reactivity of monocytes and platelets in whole blood—A beneficial effect on atherogenesis and thrombus formation? (Aune et al). 1995;173:1816-20
- Incidence of adverse cardiopulmonary effects with low-dose continuous terbutaline infusion (Perry et al). 1995;173: 1273-7

Carotenoids

- Severe preeclampsia and antioxidant nutrients (Valsecchi et al) (Letter); (Mikhail et al) (Reply). 1995;173:673-4

Castration, female; see Ovariectomy

Catheter ablation

- A computer-controlled, continuously circulating, hot irrigating system for endometrial ablation (Baggish et al). 1995; 173:1842-8

Catheters, indwelling

- Valsalva leak point pressures in women with genuine stress incontinence: reproducibility, effect of catheter caliber, and correlations with other measures of urethral resistance (Bump et al). 1995;173:551-7

Cell line

- Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells (Hietanen et al). 1995;173: 1477-82
- Reduction of tumor necrosis factor- α bioactivity by a human ovarian epithelial cancer cell line in vitro (Sancho-Tello et al). 1995;173:1470-7

Cell separation

- Prenatal diagnosis by use of fetal cells isolated from maternal blood (de la Cruz et al). 1995;173:1354-5 (Letter)

Cells

- Accuracy of prenatal determination of RhD type status by polymerase chain reaction with amniotic cells (Lighten et al). 1995;173:1182-5
- Cytologic screening after hysterectomy for benign disease (Piscitelli et al). 1995;173:424-32
- Effects of Taxol on choriocarcinoma cells (Marth et al). 1995;173:1835-42
- Fetal liver cell transplantation for the creation of lymphohematopoietic chimerism in fetal baboons (Shields et al). 1995;173:1157-60
- Is the 15-in situ clone protocol necessary to detect amniotic fluid mosaicism? (Cheng et al). 1995;173:1025-30

Cells, cultured

- Expression of two mucin antigens in cultured human ovarian surface epithelium: influence of a family history of ovarian cancer (Auersperg et al). 1995;173:558-65
- Interleukin-1 β and interleukin-4 increase parathyroid hormone-related protein secretion by human umbilical vein endothelial cells in culture (Ferguson et al). 1995;173: 448-56
- Mitogenic effect of basic fibroblast growth factor and estradiol on cultured human myometrial and leiomyoma cells (Rauk et al). 1995;173:571-7
- Platelet-derived growth factor promotes endometrial epithelial cell proliferation (Munson et al). 1995;173:1820-5

Cells, isolated; see Cell separation

Cephalic version; see Version, fetal

Cerclage; see Cervix incompetence

Cerebellum

- Cerebellar growth in normal and growth-restricted fetuses of multiple gestations (Goldstein and Reece). 1995;173: 1343-8

Cerebral hemorrhage

- Relationship between antenatal steroid administration and grades III and IV intracranial hemorrhage in low birth weight infants (Shankaran et al). 1995;173:305-12

Cerebral palsy

- The relationship of birth weight and birth weight discordance to cerebral palsy or mental retardation later in life for twins weighing less than 2500 grams (Rydstroem). 1995;173:680-6

Cerebral venous thrombosis; see Thrombophlebitis

Cerebrovascular disorders

- Thrombolytic therapy for basilar artery thrombosis in the puerperium (Cincotta et al). 1995;173:967-9

Cervical dilation; see Labor stage, first

Cervical ectopia; see Ectropion

Cervical infection; see Infection

Cervical ripening; see Labor stage, first

Cervicitis

Determinants of cervical ectopia and of cervicitis: age, oral contraception, specific cervical infection, smoking, and douching (Critchlow et al). 1995;173:534-43

Cervix

Accuracy and intraobserver variability of simulated cervical dilatation measurements (Phelps et al). 1995;173:942-5
Changes in rat cervical collagen during gestation and after antiprogesterone treatment as measured in vivo with light-induced autofluorescence (Glassman et al). 1995;173:1550-6

The effect of topical 20% benzocaine on pain during loop electrosurgical excision of the cervix (Lipscomb et al). 1995;173:772-4

Women cannot discriminate between different paracervical block techniques applied to opposite sides of the cervix (Grossman). 1995;173:935-6

Cervix incompetence

Emergency cervical cerclage after the first delivery in a twin pregnancy with dichorionic placenta (Minakami et al). 1995;173:345-6 (Letter)

Cervix neoplasms

Acquired immunodeficiency syndrome-related Kaposi's sarcoma: two cervical cases (Darai et al). 1995;173:979 (Letter)

Evaluation of the Hybrid Capture human papillomavirus deoxyribonucleic acid detection test (Sun et al). 1995;173:1432-7

Human papillomavirus deoxyribonucleic acid as a prognostic indicator in early-stage cervical cancer: a possible role for type 18 (Rose et al). 1995;173:1461-8

Immunohistochemical analysis of α_1 -integrins in cervical cancer (Valea et al). 1995;173:808-13

Predictive factors from cold knife conization for residual cervical intraepithelial neoplasia in subsequent hysterectomy (Moore et al). 1995;173:361-8

Cesarean section

The control of blood loss at cesarean section with intramyometrial prostaglandin $F_{2\alpha}$ analog versus intravenous synthetic oxytocin (Ezeh and Pearson) (Letter); (Chou and MacKenzie) (Reply). 1995;173:353-4

Head entrapment and neonatal outcome by mode of delivery in breech deliveries from twenty-four to twenty-seven weeks of gestation (Robertson et al). 1995;173:1171-6

Managing premature ruptured membranes at term (Dobie and Oliver) (Letter); (Natale et al) (Reply). 1995;173:350-2

Massive congenital intracranial teratoma with skull rupture at delivery (Washburne et al). 1995;173:226-8

Maternal thrombocytopenia in pregnancy: time for a reassessment (Silver et al). 1995;173:479-82 (Clin. opinion)

Post-cesarean section splenic rupture (Kaluvarachchi and Krishnamurthy). 1995;173:230-2

Channels, ion; see Ion channels**Cherney incision; see Suture techniques****Child development**

Follow-up of children born with an umbilical arterial blood pH < 7 (Nagel et al). 1995;173:1758-64

Chimerism

Fetal liver cell transplantation for the creation of lymphohematopoietic chimerism in fetal baboons (Shields et al). 1995;173:1157-60

Chlorides

A chloride channel from human placenta reconstituted into giant liposomes (Riquelme et al). 1995;173:733-8

Chorioamnionitis

Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational age in women delivered after spontaneous labor versus indicated delivery (Andrews et al). 1995;173:606-12

Chorioamnionitis caused by *Campylobacter*: case report (Edwards et al). 1995;173:244-5

Inhibition of neutrophil oxidative burst and phagocytosis by meconium (Clark and Duff). 1995;173:1301-5

Chorioangioma

Ballantyne syndrome caused by a large placental chorioangioma (Dorman and Cardwell). 1995;173:1632-3

Choriocarcinoma

Effects of Taxol on choriocarcinoma cells (Marth et al). 1995;173:1835-42

Chorion

Elevated protease activities in human amnion and chorion correlate with preterm premature rupture of membranes (Draper et al). 1995;173:1506-12

Expression of parathyroid hormone-related peptide and its receptor messenger ribonucleic acid in human amnion and chorion-decidua: implications for secretion and function (Bruns et al). 1995;173:739-46

Prospective determination of chorionicity, amnionity, and zygosity in twin gestations (Scardo et al). 1995;173:1376-80

Prostaglandin $F_{2\alpha}$ output by amnion-chorion-decidua: relationship with labor and prostaglandin E_2 concentration at the amniotic surface (Kredentser et al). 1995;173:199-204

Chorionic villi

Insulin and glucose modulate glucose transporter messenger ribonucleic acid expression and glucose uptake in trophoblasts isolated from first-trimester chorionic villi (Gordon et al). 1995;173:1089-97

Chorionic villi sampling

Comparison of transcervical and transabdominal chorionic villus sampling loss rates in nine thousand cases from a single center (Chueh et al). 1995;173:1277-82

Ultrasonographically guided intrauterine contraceptive device removal before chorionic villus sampling (Ranzini et al). 1995;173:603-5

Chromium

Endothelial dysfunction yes, cytotoxicity no! (Roberts et al) (Letter); (Endresen) (Reply). 1995;173:978-9

Chromosome abnormalities

Elevated maternal serum α -fetoprotein levels: What is the risk of fetal aneuploidy? (Thiagarajah et al). 1995;173:388-92

The genetic implication for preceding generations of the prenatal diagnosis of interrupted aortic arch in association with unsuspected DiGeorge anomaly (Puder et al). 1995;173:239-41

Hyperchogenic fetal bowel: an ultrasonographic marker for adverse fetal and neonatal outcome (Muller et al). 1995;173:508-13

The influence of maternal weight on human chorionic gonadotropin in the multiple-marker screening test for fetal Down syndrome (Wenstrom et al). 1995;173:1297-300

Prenatal cytogenetic abnormalities: correlations of structural rearrangements and ultrasonographically detected fetal anomalies (Hume et al). 1995;173:1334-6

Prenatal diagnosis of diverse chromosome abnormalities in a population of patients identified by triple-marker testing as screen positive for Down syndrome (Benn et al). 1995;173:496-501

- Role of prenatal ultrasonography in women with positive screen for Down syndrome on the basis of maternal serum markers (Nyberg et al). 1995;173:1030-5
- Clamps, surgical; see Surgical instruments**
- Classic pages in obstetrics and gynecology**
Classic pages in obstetrics and gynecology. 1995;173:224-5, 629-30, 951-2, 1349-50, 1617-8, 1893-4
- Clindamycin**
Intravaginal clindamycin treatment for bacterial vaginosis: effects on preterm delivery and low birth weight (Joesoef et al). 1995;173:1527-31
- Clinical opinion**
Clinical opinion. 1995;173:479-87, 1357-68
- Clone cells**
Is the 15-in situ clone protocol necessary to detect amniotic fluid mosaicism? (Cheng et al). 1995;173:1025-30
- Closure techniques, surgical; see Suture techniques**
- Coagulation; see Blood coagulation**
- Cocaine**
Human placental monoamine transporters as targets for amphetamines (Ramamoorthy et al). 1995;173:1782-7
Thrombocytopenia in pregnant women who use cocaine (Kain et al). 1995;173:885-90
Uterine rupture in association with alkaloidal ("crack") cocaine abuse (Mishra et al). 1995;173:243-4
- Coelomic cavity**
The coelomic cavity—a reservoir for metals (Wathen et al). 1995;173:1884-8
- Cola beverage; see Beverages**
- Cold knife conization; see Surgery, operative**
- Collagen**
Changes in rat cervical collagen during gestation and after antiprogesterone treatment as measured in vivo with light-induced autofluorescence (Glassman et al). 1995;173:1550-6
- Color flow imaging, prenatal; see Ultrasonography, prenatal**
- Colpoperineoplasty; see Vagina, surgery**
- Colpopexy**
Transvaginal sacrospinous colpopexy: anatomic landmarks to be aware of to minimize complications (Verdeja et al). 1995;173:1468-9
- Colporrhaphy; see Vagina, surgery**
- Communication**
Clarification of source (Brucker) (Letter); (van der Merwe) (Reply). 1995;173:1899-900
- Compliance, patient; see Patient compliance**
- Computer-generated admission forms; see Medical records systems, computerized**
- Computerized analysis, fetal; see Fetal monitoring**
- Computers**
A computer-controlled, continuously circulating, hot irrigating system for endometrial ablation (Baggish et al). 1995;173:1842-8
Computer-generated admission forms have greater accuracy (Dombrowski et al). 1995;173:847-8
Computerized analysis of antepartum fetal heart rate (Dawes et al) (Letter); (Gagnon et al) (Reply). 1995;173:1353-4
- Consultants**
Consultants for the American Journal of Obstetrics and Gynecology, September 1, 1994–August 31, 1995. 1995;173:1649-60
- Contraception**
Onapristone (ZK 98.299): a potential antiprogesterone for endometrial contraception (Katkam et al). 1995;173:779-87
- Contraceptives, oral**
Case-control study of risk factors for partial molar pregnancy (Berkowitz et al). 1995;173:788-94
Determinants of cervical ectopia and of cervicitis: age, oral contraception, specific cervical infection, smoking, and douching (Critchlow et al). 1995;173:534-43
Resistance to activated protein C as a basis for venous thromboembolism associated with pregnancy and oral contraceptives (Hellgren et al). 1995;173:210-3
- Contraceptives, postcoital**
The emergency contraceptive pill: a survey of knowledge and attitudes among students at Princeton University (Harper and Ellertson). 1995;173:1438-45
- Contractile proteins**
Contractile proteins in human fetoplacental vessels (Cavaillé et al). 1995;173:1793-9
- Contraction, uterine; see Uterine contraction**
- Control population; see Research design**
- Copper**
Prevention of diabetes-associated embryopathy by overexpression of the free radical scavenger copper zinc superoxide dismutase in transgenic mouse embryos (Hagay et al). 1995;173:1036-41
- Cord blood; see Fetal blood**
- Corrections**
Fetal growth retardation in infants of multiparous and nulliparous women with preeclampsia (Eskenza et al) (1993;169:1112-8). 1995;173:950
Very-low-birth-weight outcomes of the National Institute of Child Health and Human Development Neonatal Network, November 1989 to October 1990 (Hack et al) (1995;172:457-64). 1995;173:961
- Correspondence**
Letters. 1995;173:345-55, 667-75, 974-9, 1351-5, 1636-41, 1895-900
- Corticosteroids; see Adrenal cortex hormones**
- Cost-benefit analysis**
Are DADs (discriminant aneuploidy detection) as good as MOMs (multiples of the median)? (Palomaki et al) (Letter); (Evans et al) (Reply). 1995;173:1895-7
Indications for examination of spontaneous abortion specimens: a reassessment (Wolf and Horger). 1995;173:1364-8 (Clin. opinion)
Minilaparotomy for the ambulatory management of ovarian cysts (Flynn and Niloff). 1995;173:1727-30
MOMs (multiples of the median) may know best: there are insufficient data to suggest that DADs (discriminant aneuploidy detection) are superior (Reynolds) (Letter); (Evans et al) (Reply). 1995;173:1895-7
Single-use versus reusable laparoscopic surgical instruments: a comparative cost analysis (Schaefer et al). 1995;173:1812-5
- Crack cocaine**
Uterine rupture in association with alkaloidal ("crack") cocaine abuse (Mishra et al). 1995;173:243-4
- Critical illness**
Quantitative echocardiographic assessment of left ventricular function in critically ill obstetric patients: a comparative study (Rokeby et al). 1995;173:1148-52
- Cultured cells; see Cells, cultured**
- Current development**
Current development. 1995;173:618-28
- Cystectomy**
Minilaparotomy for the ambulatory management of ovarian cysts (Flynn and Niloff). 1995;173:1727-30

Cystic fibrosis

Hyperechogenic fetal bowel: an ultrasonographic marker for adverse fetal and neonatal outcome (Muller et al). 1995; 173:508-13

Cystoscopy

Unwarranted prenatal intervention (Tennenbaum) (Letter); (Quintero et al) (Reply). 1995;173:668-9

Cytogenetics

Prenatal cytogenetic abnormalities: correlations of structural rearrangements and ultrasonographically detected fetal anomalies (Hume et al). 1995;173:1334-6

Cytokines

Macrophage colony-stimulating factor 1, a clinically useful tumor marker in endometrial adenocarcinoma: comparison with CA 125 and the aminoterminal propeptide of type III procollagen (Hakala et al). 1995;173:112-9

Secretion of prostaglandins and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies: comparison with human umbilical vein endothelial cells (Gallery et al). 1995;173:1557-62

Cytologic diagnosis; see Diagnosis**Cytological techniques**

Cytologic screening after hysterectomy for benign disease (Piscitelli et al). 1995;173:424-32

Cytomegaloviruses

Hyperechogenic fetal bowel: an ultrasonographic marker for adverse fetal and neonatal outcome (Muller et al). 1995; 173:508-13

Prenatal diagnosis of congenital cytomegalovirus infection with abnormal triple-screen results and hyperechoic fetal bowel (Peters et al). 1995;173:953-4

Cytotoxins

Endothelial dysfunction yes, cytotoxicity no! (Roberts et al) (Letter); (Endresen) (Reply). 1995;173:978-9

D**DADs screening method; see Genetic screening****Decidua**

Effect of serum on secretion of prostacyclin and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies (Gallery et al). 1995;173:918-23

Expression of parathyroid hormone-related peptide and its receptor messenger ribonucleic acid in human amnion and chorion-decidua: implications for secretion and function (Bruns et al). 1995;173:739-46

Prostaglandin $F_{2\alpha}$ output by amnion-chorion-decidua: relationship with labor and prostaglandin E_2 concentration at the amniotic surface (Kredentser et al). 1995;173:199-204

Secretion of prostaglandins and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies: comparison with human umbilical vein endothelial cells (Gallery et al). 1995;173:1557-62

Delivery

Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational age in women delivered after spontaneous labor versus indicated delivery (Andrews et al). 1995;173:606-12

Delivery of the nonvertex second twin: breech extraction versus external cephalic version (Chauhan et al). 1995; 173:1015-20

Emergency cervical cerclage after the first delivery in a twin pregnancy with dichorionic placenta (Minakami et al). 1995;173:345-6 (Letter)

Fetal macrosomia: Does antenatal prediction affect delivery route and birth outcome? (Weeks et al). 1995;173:1215-9

Head entrapment and neonatal outcome by mode of delivery in breech deliveries from twenty-four to twenty-seven weeks of gestation (Robertson et al). 1995;173:1171-6

Immediate maternal and neonatal effects of low-forceps delivery according to the new criteria of The American College of Obstetricians and Gynecologists compared with spontaneous vaginal delivery in term pregnancies (Carmona et al). 1995;173:55-9

Induction of labor versus expectant management: Does it matter? (Hannah et al) (Letter); (Natale et al) (Reply). 1995;173:352-3

Massive congenital intracranial teratoma with skull rupture at delivery (Washburne et al). 1995;173:226-8

Perinatal outcome in relation to second-stage duration (Menticoglou et al). 1995;173:906-12

Recent changes in delivery site of low-birth-weight infants in Washington: impact on birth weight-specific mortality (Powell et al). 1995;173:1585-92

Route of delivery for the breech presentation: a conundrum (Eller and VanDorsten). 1995;173:393-8

Delivery of health care

Changes in health care delivery: a threat to academic obstetrics (Tomlinson et al). 1995;173:1614-6

Deoxyribonucleic acid; see DNA**Depression**

Advances in the management of depression: implications for the obstetrician/gynecologist (Rothschild). 1995;173: 659-66 (Symposium)

Gender differences in depression in primary care (Williams et al). 1995;173:654-9 (Symposium)

Hormones and depression: What are the facts about premenstrual syndrome, menopause, and hormone replacement therapy? (Pearlstein). 1995;173:646-53 (Symposium)

Recognition of depression in obstetric/gynecology practices (Yonkers and Chantilis). 1995;173:632-8 (Symposium)

Women and depression: Who is at risk?—introduction (Yonkers). 1995;173:631 (Symposium)

Women at risk for postpartum-onset major depression (Stowe and Nemeroff). 1995;173:639-45 (Symposium)

Dermatoses; see Skin diseases**Dermoid cyst**

Excision of ovarian dermoid cyst by laparoscopy and by laparotomy (Lin et al). 1995;173:769-71

Dexamethasone

Successful in utero therapy of fetal heart block (Copel et al). 1995;173:1384-90

Diabetes, gestational

Impact of increasing carbohydrate intolerance on maternal-fetal outcomes in 3637 women without gestational diabetes (Sermer et al). 1995;173:146-56

Jelly beans as an alternative to a cola beverage containing fifty grams of glucose (Boyd et al). 1995;173:1889-92

Precision of office-based blood glucose meters in screening for gestational diabetes (Carr et al). 1995;173:1267-72

Prevalence of antibodies to glutamic acid decarboxylase in women who have had gestational diabetes (Beischer et al). 1995;173:1563-9

Diabetes mellitus

Prevention of diabetes-associated embryopathy by overexpression of the free radical scavenger copper zinc superoxide dismutase in transgenic mouse embryos (Hagay et al). 1995;173:1036-41

Diabetic pregnancy; see Pregnancy in diabetes**Diagnosis**

- The effect of diagnosis and treatment delay on prognostic factors and survival in endometrial carcinoma (Menczer et al). 1995;173:774-8
- Endometrial cancer: stage at diagnosis and associated factors in black and white patients (Barrett et al). 1995;173:414-23
- Diagnosis, prenatal; see Prenatal diagnosis**
- Diagnostic tests, routine**
- Evaluation of the Hybrid Capture human papillomavirus deoxyribonucleic acid detection test (Sun et al). 1995;173:1432-7
- Diaphragmatic hernia; see Hernia, diaphragmatic**
- Dichorionic placenta; see Placenta**
- Diet**
- Case-control study of risk factors for partial molar pregnancy (Berkowitz et al). 1995;173:788-94
- Diethylstilbestrol**
- Age at menarche among diethylstilbestrol granddaughters (Wilcox et al). 1995;173:835-6
- DiGeorge syndrome**
- The genetic implication for preceding generations of the prenatal diagnosis of interrupted aortic arch in association with unsuspected DiGeorge anomaly (Puder et al). 1995;173:239-41
- Dilatation**
- Accuracy and intraobserver variability of simulated cervical dilatation measurements (Phelps et al). 1995;173:942-5
- Dilation and evacuation; see Abortion**
- Dinoprost**
- The control of blood loss at cesarean section with intramyometrial prostaglandin $F_{2\alpha}$ analog versus intravenous synthetic oxytocin (Ezeh and Pearson) (Letter); (Chou and MacKenzie) (Reply). 1995;173:353-4
- Prostaglandin $F_{2\alpha}$ output by amnion-chorion-decidua: relationship with labor and prostaglandin E_2 concentration at the amniotic surface (Kredentser et al). 1995;173:199-204
- Dinoprostone**
- Effects of intracervical prostaglandin E_2 on fetal heart rate and uterine activity patterns in the presence of oligohydramnios (Larson et al). 1995;173:1166-70
- Efficacy of outpatient induction with low-dose intravaginal prostaglandin E_2 : a randomized, double-blind, placebo-controlled trial (O'Brien et al). 1995;173:1855-9
- Fetal fibronectin as a selection criterion for induction of term labor (Ahner et al). 1995;173:1513-7
- Increased fetal plasma prostaglandin E_2 concentrations during fetal placental embolization in pregnant sheep (Murotsuki et al). 1995;173:30-5
- Labor induction with intravaginal misoprostol versus intracervical prostaglandin E_2 gel (Prepidil gel): randomized comparison (Chuck and Huffaker). 1995;173:1137-42
- Preinduction cervical ripening with commercially available prostaglandin E_2 gel: a randomized, double-blind comparison with a hospital-compounded preparation (Sanchez-Ramos et al). 1995;173:1079-84
- Prostaglandin $F_{2\alpha}$ output by amnion-chorion-decidua: relationship with labor and prostaglandin E_2 concentration at the amniotic surface (Kredentser et al). 1995;173:199-204
- Randomized comparison of the effects of endocervical and vaginal prostaglandin E_2 gel in women with various degrees of cervical ripeness (Keirse et al). 1995;173:1859-64
- DNA**
- Detection of viral deoxyribonucleic acid in the amniotic fluid of low-risk pregnancies by polymerase chain reaction (McLean et al). 1995;173:1282-6
- Evaluation of the Hybrid Capture human papillomavirus deoxyribonucleic acid detection test (Sun et al). 1995;173:1432-7
- Human papillomavirus deoxyribonucleic acid as a prognostic indicator in early-stage cervical cancer: a possible role for type 18 (Rose et al). 1995;173:1461-8
- Domestic violence; see Violence**
- Donor, ovum; see Tissue donors**
- Doppler velocimetry; see Flowmeters**
- Dose-response relationship, drug**
- Low-dose versus high-dose oxytocin augmentation of labor—a randomized trial (Xenakis et al). 1995;173:1874-8
- Thyrotropin-releasing hormone: Does two hundred micrograms provide effective stimulation to the preterm fetal pituitary gland compared with four hundred micrograms? (Crowther et al). 1995;173:719-23
- Douching; see Irrigation**
- Down syndrome**
- Can the risk for Down syndrome be reliably modified by second-trimester ultrasonography? (Palomaki and Haddow) (Letter); (Vintzileos and Egan) (Reply). 1995;173:1639-40
- Estimation of Down syndrome risk in a donor egg pregnancy (Goldberg et al). 1995;173:974-5 (Letter)
- Femur/foot length ratio for detection of Down syndrome: results of a multicenter prospective study (Grandjean et al). 1995;173:16-9
- Hyperechogenic fetal bowel: an ultrasonographic marker for adverse fetal and neonatal outcome (Muller et al). 1995;173:508-13
- The influence of maternal weight on human chorionic gonadotropin in the multiple-marker screening test for fetal Down syndrome (Wenstrom et al). 1995;173:1297-300
- Maternal serum screening should not replace amniocentesis (Hsu et al). 1995;173:977-8 (Letter)
- Normal nuchal thickness in the midtrimester indicates reduced risk of Down syndrome in pregnancies with abnormal triple-screen results (Bahado-Singh et al). 1995;173:1106-10
- Prenatal diagnosis of diverse chromosome abnormalities in a population of patients identified by triple-marker testing as screen positive for Down syndrome (Benn et al). 1995;173:496-501
- Role of prenatal ultrasonography in women with positive screen for Down syndrome on the basis of maternal serum markers (Nyberg et al). 1995;173:1030-5
- Triple marker (α -fetoprotein, unconjugated estriol, human chorionic gonadotropin) versus α -fetoprotein plus free- β subunit in second-trimester maternal serum screening for fetal Down syndrome: a prospective comparison study (Kellner et al). 1995;173:1306-9
- Ductus arteriosus**
- Fetal cardiac function and ductus arteriosus during indomethacin and sulindac therapy for threatened preterm labor: a randomized study (Räsänen and Jouppila). 1995;173:20-5
- Dystocia**
- Are labor abnormalities more common in shoulder dystocia? (McFarland et al). 1995;173:1211-4
- Fetal macrosomia: Does antenatal prediction affect delivery route and birth outcome? (Weeks et al). 1995;173:1215-9
- E
- Early gestation; see Pregnancy trimester, first**
- Echocardiography**

Echocardiography—cont'd

A new method for on-screen ultrasonographic determination of fetal cardiac axis (Bork et al). 1995;173:1192-5

Quantitative echocardiographic assessment of left ventricular function in critically ill obstetric patients: a comparative study (Rokey et al). 1995;173:1148-52

Ectopic pregnancy; see Pregnancy, ectopic**Ectropion**

Determinants of cervical ectopia and of cervicitis: age, oral contraception, specific cervical infection, smoking, and douching (Critchlow et al). 1995;173:534-43

Editors

New section: primary care. 1995;173:1 (Editorial)

Education

Breast-feeding education of obstetrics-gynecology residents and practitioners (Freed et al). 1995;173:1607-13

Changes in health care delivery: a threat to academic obstetrics (Tomlinson et al). 1995;173:1614-6

The in-training examination in obstetrics and gynecology: an attempt to establish a remediation indicator (Ling et al). 1995;173:946-50

Paying debts that cannot be repaid (Addison). 1995;173:1661-3 (Pres. address)

Edwardsiella tarda

Tuboovarian abscess caused by *Edwardsiella tarda* (Pien and Jackson). 1995;173:964-5

Elderly; see Aged**Electric conductivity**

Anthropometric estimation of neonatal body composition (Catalano et al). 1995;173:1176-81

Electric stimulation

Pelvic floor electrical stimulation in the treatment of genuine stress incontinence: a multicenter, placebo-controlled trial (Sand et al). 1995;173:72-9

Electronic monitoring, fetal; see Fetal monitoring**Electrosurgery**

The effect of topical 20% benzocaine on pain during loop electrosurgical excision of the cervix (Lipscomb et al). 1995;173:772-4

Embryo

Intrauterine ultrasonographic assessments of embryonic development (Fujiwaki et al). 1995;173:1770-4

The origin of α -fetoprotein in first-trimester anembryonic pregnancies (Jauniaux et al). 1995;173:1749-53

Prevention of diabetes-associated embryopathy by overexpression of the free radical scavenger copper zinc superoxide dismutase in transgenic mouse embryos (Hagay et al). 1995;173:1036-41

Embryonic development; see Fetal development**Embryopathies; see Fetal diseases****Emergency contraceptive pill; see Contraceptives, postcoital****Endometrial neoplasms**

The effect of diagnosis and treatment delay on prognostic factors and survival in endometrial carcinoma (Menczer et al). 1995;173:774-8

Endometrial cancer: stage at diagnosis and associated factors in black and white patients (Barrett et al). 1995;173:414-23

Macrophage colony-stimulating factor 1, a clinically useful tumor marker in endometrial adenocarcinoma: comparison with CA 125 and the aminoterminal propeptide of type III procollagen (Hakala et al). 1995;173:112-9

Multivariate survival analysis of clinicopathologic features in surgical stage I endometrioid carcinoma including analy-

sis of HER-2/*neu* expression (Nazeer et al). 1995;173:1829-34

Supernumerary ovary with an endometrioma and osseous metaplasia: a case report (Badawy et al). 1995;173:1623-4

Endometriosis

Adenomyosis must be considered in patients with menorrhagia and a normal-appearing cavity on hysteroscopy or ultrasonography (McCausland) (Letter); (Emanuel et al) (Reply). 1995;173:675

A case of splenosis masquerading as endometriosis (Matonis and Luciano). 1995;173:971-3

Effects of a gonadotropin-releasing hormone agonist on the calcium-parathyroid axis and bone turnover in women with endometriosis (Newhall-Perry et al). 1995;173:824-9

Epithelial cells in peritoneal fluid—Of endometrial origin? (van der Linden et al). 1995;173:566-70

Intrapelvic injection of menstrual endometrium causes endometriosis in baboons (*Papio cynocephalus* and *Papio anubis*) (D'Hooghe et al). 1995;173:125-34

Japanese endometriosis progression: Universally applicable? (Thylan) (Letter); (Hoshiai and Mitsunashi) (Reply). 1995;173:349-50

Pelvic endometriosis mimicking advanced ovarian cancer: presentation with pleural effusion, ascites, and elevated serum CA 125 level (Myers et al). 1995;173:966-7

Endometrium

A computer-controlled, continuously circulating, hot irrigating system for endometrial ablation (Baggish et al). 1995;173:1842-8

Endothelin-1 and big endothelin-1 increase in human endometrium during menstruation (Ohbuchi et al). 1995;173:1483-90

Epithelial cells in peritoneal fluid—Of endometrial origin? (van der Linden et al). 1995;173:566-70

Hysteroscopy as gold standard for evaluation of abnormal uterine bleeding (Gimpelson and Whalen) (Letter); (Karls-son et al) (Reply). 1995;173:1637-8

Immunolocalization of progesterone-induced uterine protein-1 in human endometrium during the menstrual cycle and in the placenta throughout gestation (Sharpe-Timms et al). 1995;173:1569-78

Intrapelvic injection of menstrual endometrium causes endometriosis in baboons (*Papio cynocephalus* and *Papio anubis*) (D'Hooghe et al). 1995;173:125-34

Onapristone (ZK 98.299): a potential antiprogesterone for endometrial contraception (Katkam et al). 1995;173:779-87

Photosensitization of the endometrium with topical 5-aminolevulinic acid (Cannon et al). 1995;173:1826-8

Platelet-derived growth factor promotes endometrial epithelial cell proliferation (Munson et al). 1995;173:1820-5

Ultrasonographic evaluation of patients with abnormal bleeding (Goldstein) (Letter); (Emanuel et al) (Reply). 1995;173:1351-2

Endoscopy

Transvaginal endoscopic oophorectomy (Yuen) (Letter); (Magos et al) (Reply). 1995;173:976-7

Unwarranted prenatal intervention (Fennenbaum) (Letter); (Quintero et al) (Reply). 1995;173:668-9

Endothelial cells in culture; see Cells, cultured**Endothelins**

Effect of serum on secretion of prostacyclin and endothelin-1 by decidual endothelial cells from normal and pre-eclamptic pregnancies (Gallery et al). 1995;173:918-23

Endothelin-1 and big endothelin-1 increase in human en-

- dometrium during menstruation (Ohbuchi et al). 1995; 173:1483-90
- Secretion of prostaglandins and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies: comparison with human umbilical vein endothelial cells (Gallery et al). 1995;173:1557-62
- Endothelium**
- Effect of serum on secretion of prostacyclin and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies (Gallery et al). 1995;173:918-23
- Endothelial dysfunction yes, cytotoxicity no! (Roberts et al) (Letter); (Endresen) (Reply). 1995;173:978-9
- Inducible platelet adherence to human umbilical vein endothelium by anticardiolipin antibody-positive sera (Silver et al). 1995;173:702-7
- Nitric oxide concentrations are increased in the fetoplacental circulation in preeclampsia (Lyll et al). 1995;173:714-8
- The regulation of plasminogen activators and plasminogen activator inhibitor type 1 in endothelial cells by sex hormones (Sobel et al). 1995;173:801-8
- Secretion of prostaglandins and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies: comparison with human umbilical vein endothelial cells (Gallery et al). 1995;173:1557-62
- Endothelium, vascular**
- Vascular endothelial growth factor gene expression in ovine placenta and fetal membranes (Cheung et al). 1995;173:753-9
- Epilepsy**
- Sturge-Weber syndrome in pregnancy (Dolkart and Bhat). 1995;173:969-71
- Epithelium**
- Epithelial cells in peritoneal fluid—Of endometrial origin? (van der Linden et al). 1995;173:566-70
- Expression of two mucin antigens in cultured human ovarian surface epithelium: influence of a family history of ovarian cancer (Auersperg et al). 1995;173:558-65
- Platelet-derived growth factor promotes endometrial epithelial cell proliferation (Munson et al). 1995;173:1820-5
- Steroid hormone effects on the proliferation of human ovarian surface epithelium in vitro (Karlan et al). 1995; 173:97-104
- Epoprostenol**
- The effect of aspirin and indomethacin on prostacyclin and thromboxane production by placental tissue incubated with immunoglobulin G fractions from patients with lupus anticoagulant (Peaceman and Rehnberg). 1995;173: 1391-6
- Effect of serum on secretion of prostacyclin and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies (Gallery et al). 1995;173:918-23
- Erythroblastosis, fetal**
- An animal model for hemolytic disease of the fetus and newborn. I. Alloimmunization techniques (Moise et al). 1995;173:51-5
- An animal model for hemolytic disease of the fetus and newborn. II. Fetal effects in New Zealand rabbits (Moise et al). 1995;173:747-53
- Erythrocytes**
- An animal model for hemolytic disease of the fetus and newborn. I. Alloimmunization techniques (Moise et al). 1995;173:51-5
- An animal model for hemolytic disease of the fetus and newborn. II. Fetal effects in New Zealand rabbits (Moise et al). 1995;173:747-53
- Nucleated red blood cells: A marker for fetal asphyxia? (Phelan et al). 1995;173:1380-4
- Red blood cell vitamin E concentrations in fetuses are related to but lower than those in mothers during gestation (Cachia et al). 1995;173:42-51
- Esophagitis**
- Galactorrhea caused by esophagitis (Turton and Shakir). 1995;173:1629-30
- Estradiol**
- Clinical experience with a seven-day estradiol transdermal system for estrogen replacement therapy (Gordon). 1995; 173:998-1004 (Symposium)
- Initial and steady-state pharmacokinetics of a vaginally administered formulation of progesterone (Archer et al). 1995;173:471-8
- Mitogenic effect of basic fibroblast growth factor and estradiol on cultured human myometrial and leiomyoma cells (Rauk et al). 1995;173:571-7
- Randomized comparison of a new estradiol-releasing vaginal ring versus estriol vaginal pessaries (Saure) (Letter); (Henriksson and Sternquist) (Reply). 1995;173:670-1
- Estriol**
- Comparison of multiple-marker screening with amniocentesis for the detection of fetal aneuploidy in women 35 years old (Wenstrom et al). 1995;173:1287-92
- The influence of maternal weight on human chorionic gonadotropin in the multiple-marker screening test for fetal Down syndrome (Wenstrom et al). 1995;173:1297-300
- Maternal serum screening should not replace amniocentesis (Hsu et al). 1995;173:977-8 (Letter)
- Pregnancy outcome for women with very low levels of maternal serum unconjugated estriol on second-trimester screening (Schleifer et al). 1995;173:1152-6
- Randomized comparison of a new estradiol-releasing vaginal ring versus estriol vaginal pessaries (Saure) (Letter); (Henriksson and Sternquist) (Reply). 1995;173:670-1
- Role of prenatal ultrasonography in women with positive screen for Down syndrome on the basis of maternal serum markers (Nyberg et al). 1995;173:1030-5
- Salivary estriol as risk assessment for preterm labor: a prospective trial (McGregor et al). 1995;173:1337-42
- Triple marker (α -fetoprotein, unconjugated estriol, human chorionic gonadotropin) versus α -fetoprotein plus free- β subunit in second-trimester maternal serum screening for fetal Down syndrome: a prospective comparison study (Kellner et al). 1995;173:1306-9
- Estrogen replacement therapy**
- Benefits and risks of estrogen replacement therapy (Lobo). 1995;173:982-90 (Symposium)
- Clinical experience with a seven-day estradiol transdermal system for estrogen replacement therapy (Gordon). 1995; 173:998-1004 (Symposium)
- Do menopause and hormonal replacement therapy influence body cell mass and body fat mass? (Utian) (Letter); (Aloia) (Reply). 1995;173:669
- The effect of estrogen replacement therapy with or without progestogen on the fibrinolytic system and coagulation inhibitors in postmenopausal status (Gilbert et al). 1995; 173:1849-54
- Emerging delivery systems for estrogen replacement: aspects of transdermal and oral delivery (Nachtigall). 1995; 173:993-7 (Symposium)

Estrogen replacement therapy—cont'd

Estrogen replacement: the evolving role of alternative delivery systems—introduction (Lobo). 1995;173:981 (Symposium)

Estrogen replacement therapy in practice: trends and issues (Thompson). 1995;173:990-3 (Symposium)

Hormone replacement therapy reduces the reactivity of monocytes and platelets in whole blood—A beneficial effect on atherogenesis and thrombus formation? (Aune et al). 1995;173:1816-20

Hormones and depression: What are the facts about premenstrual syndrome, menopause, and hormone replacement therapy? (Pearlstein). 1995;173:646-53 (Symposium)

Lumbar vertebral density and mechanical properties in aged ovariectomized rats treated with estrogen and norethindrone or norgestimate (Vanin et al). 1995;173:1491-8

Prior and current health characteristics of postmenopausal estrogen replacement therapy users compared with nonusers (Derby et al). 1995;173:544-50

Superior compliance and efficacy of continuous combined oral estrogen-progestogen replacement therapy in postmenopausal women (Dören et al). 1995;173:1446-51

Estrogens

Estrogen increases nitric oxide synthase activity in the uterus of nonpregnant sheep (Figueroa and Massmann). 1995;173:1539-45

Estrogenic activity of RU 486 (mifepristone) in rat uterus and cultured uterine myocytes (Dibbs et al). 1995;173:134-40

Lumbar vertebral density and mechanical properties in aged ovariectomized rats treated with estrogen and norethindrone or norgestimate (Vanin et al). 1995;173:1491-8

Salivary estriol as risk assessment for preterm labor: a prospective trial (McGregor et al). 1995;173:1337-42

Superior compliance and efficacy of continuous combined oral estrogen-progestogen replacement therapy in postmenopausal women (Dören et al). 1995;173:1446-51

Ethanol; see Alcohol, ethyl**Ethics**

Whitridge Williams' obstetrics (Haig). 1995;173:1351 (Letter)

Exercise

The interaction between regular exercise and selected aspects of women's health (Clapp and Little). 1995;173:2-9 (Primary care)

Expert testimony

The expert witness (Iffy) (Letter); (Fisher) (Reply). 1995;173:1898-9

Expression of genes; see Gene expression**External cephalic version; see Version, fetal****Extremities**

Achondrogenesis type I diagnosed by transvaginal ultrasonography at 13 weeks' gestation (Meizner and Barnhard). 1995;173:1620-2

F**Family**

Expression of two mucin antigens in cultured human ovarian surface epithelium: influence of a family history of ovarian cancer (Auersperg et al). 1995;173:558-65

A piece of my mind (Goodrich). 1995;173:357-60 (Pres. address)

Fasciitis

Necrotizing fasciitis in the puerperium (Rowan and North). 1995;173:241-2

Fatigue

The association between occupational factors and preterm birth: a United States nurses' study (Luke et al). 1995;173:849-62

Fats

Do menopause and hormonal replacement therapy influence body cell mass and body fat mass? (Utian) (Letter); (Aloia) (Reply). 1995;173:669

Femur

Femur/foot length ratio for detection of Down syndrome: results of a multicenter prospective study (Grandjean et al). 1995;173:16-9

Fertility

Observations diverses sur la stérilité, perte de fruit, foecundité accouchements et maladies des femmes et enfants nouveaux naiz ... (Bourgeois). 1995;173:1893-4 (Classic pages in obstetrics and gynecology)

Onapristone (ZK 98.299): a potential antiprogesterin for endometrial contraception (Katkam et al). 1995;173:779-87

Fertilization in vitro

Estimation of Down syndrome risk in a donor egg pregnancy (Goldberg et al). 1995;173:974-5 (Letter)

Fetal acidemia; see Acid-base imbalance**Fetal alcohol syndrome**

Effects of prenatal ethanol exposure on the hippocampal neurochemistry of albino rats at 90 days of postnatal age (Black et al). 1995;173:514-9

Fetal blood

Absence of relaxation to lactate in human placental vessels of pregnancies with severe preeclampsia (Figueroa et al). 1995;173:1800-6

Acute maternal hydration in third-trimester oligohydramnios: effects on amniotic fluid volume, uteroplacental perfusion, and fetal blood flow and urine output (Flack et al). 1995;173:1186-91

An animal model for hemolytic disease of the fetus and newborn. I. Alloimmunization techniques (Moise et al). 1995;173:51-5

An animal model for hemolytic disease of the fetus and newborn. II. Fetal effects in New Zealand rabbits (Moise et al). 1995;173:747-53

Cardiac and venous blood flow in fetuses of insulin-dependent diabetic mothers: evidence of abnormal hemodynamics in early gestation (Rizzo et al). 1995;173:1775-81

Detection of hepatitis C virus antibodies and specific hepatitis C virus ribonucleic acid sequences in cord bloods from a heterogeneous prenatal population (Silverman et al). 1995;173:1396-400

Fetal oxytocin and its extended forms at term with and without labor (Mueller-Heubach et al). 1995;173:375-81

Fetal venous, intracardiac, and arterial blood flow measurements in intrauterine growth retardation: relationship with fetal blood gases (Hecher et al). 1995;173:10-5

Is oligohydramnios in postterm pregnancy associated with redistribution of fetal blood flow? (Bar-Hava et al). 1995;173:519-22

Maternal oxygen administration and fetal well-being (Adams and Douglas) (Letter); (Thorp et al) (Reply). 1995;173:974

Maternal thrombocytopenia in pregnancy: time for a reassessment (Silver et al). 1995;173:479-82 (Clin. opinion)

Molecular genotyping of fetal platelet antigens with uncultured amniocytes (Khouzami et al). 1995;173:1202-6

Nitric oxide concentrations are increased in the fetoplacental circulation in preeclampsia (Lyall et al). 1995;173:714-8

Thyrotropin-releasing hormone: Does two hundred micrograms provide effective stimulation to the preterm fetal pituitary gland compared with four hundred micrograms? (Crowther et al). 1995;173:719-23

Fetal blood, immunology

Premature parturition is characterized by in utero activation of the fetal immune system (Berry et al). 1995;173:1315-20

Fetal blood, physiology

Contractile proteins in human fetoplacental vessels (Cavaill  et al). 1995;173:1793-9

Nucleated red blood cells: A marker for fetal asphyxia? (Phelan et al). 1995;173:1380-4

Red blood cell vitamin E concentrations in fetuses are related to but lower than those in mothers during gestation (Cachia et al). 1995;173:42-51

Shear stress may stimulate release and action of nitric oxide in the human fetal-placental vasculature (Wieczorek et al). 1995;173:708-13

Fetal cardiac function; see Fetal heart

Fetal death

Comparison of transcervical and transabdominal chorionic villus sampling loss rates in nine thousand cases from a single center (Chueh et al). 1995;173:1277-82

Determinants of the optimal time in gestation to initiate antenatal fetal testing: a decision-analytic approach (Rouse et al). 1995;173:1357-63 (Clin. opinion)

The effect of aspirin and indomethacin on prostacyclin and thromboxane production by placental tissue incubated with immunoglobulin G fractions from patients with lupus anticoagulant (Peaceman and Rehnberg). 1995;173:1391-6

Induction of high levels of anticardiolipin antibodies in mice by immunization with β_2 -glycoprotein I does not cause fetal death (Silver et al). 1995;173:1410-5

Massive congenital intracranial teratoma with skull rupture at delivery (Washburne et al). 1995;173:226-8

Observations diverses sur la st rit , perte de fruit, foecondit  accouchements et maladies des femmes et enfants nouveaux na  ... (Bourgeois). 1995;173:1893-4 (Classic pages in obstetrics and gynecology)

The origin of α -fetoprotein in first-trimester anembryonic pregnancies (Jauniaux et al). 1995;173:1749-53

Prenatal diagnosis of congenital cytomegalovirus infection with abnormal triple-screen results and hyperechoic fetal bowel (Peters et al). 1995;173:953-4

Reports on the clinical use of fetal biophysical testing: Shouldn't they take into consideration the important results from the studies on validity and efficacy? (Bernardes and da Costa Pereira) (Letter); (Weeks et al) (Reply). 1995;173:1636-7

Fetal development

Antenatal corticosteroid administration and neonatal outcome in very low birth weight infants: the NICHD Neonatal Research Network (Wright et al). 1995;173:269-74

Antenatal corticosteroid therapy: a meta-analysis of the randomized trials, 1972 to 1994 (Crowley). 1995;173:322-35

Antenatal corticosteroid treatment and neonatal outcomes for infants 501 to 1500 gm in the Vermont-Oxford Trials Network (Horbar and Investigators of the Vermont-Oxford Trials Network). 1995;173:275-81

Antenatal steroids and neonatal outcomes in controlled clinical trials of surfactant replacement (White et al). 1995;173:286-90

Anthropometric estimation of neonatal body composition (Catalano et al). 1995;173:1176-81

Associations between use of antenatal corticosteroids and neonatal outcomes within the Exosurf Neonatal Treatment Investigational New Drug program (Andrews et al). 1995;173:290-5

Cerebellar growth in normal and growth-restricted fetuses of multiple gestations (Goldstein and Reece). 1995;173:1343-8

Cost savings from the use of antenatal steroids to prevent respiratory distress syndrome and related conditions in premature infants (Simpson and Lynch). 1995;173:316-21

Effect of corticosteroids for fetal maturation on perinatal outcomes, February 28-March 2, 1994 (National Institutes of Health). 1995;173:246-52 (Conference statement)

Effect of corticosteroids for fetal maturation on perinatal outcomes: introduction (Wright). 1995;173:253

Evidence from multicenter networks on the current use and effectiveness of antenatal corticosteroids in low birth weight infants (Wright et al). 1995;173:263-9

An exploration of opinion and practice patterns affecting low use of antenatal corticosteroids (Leviton et al). 1995;173:312-6

Intrauterine ultrasonographic assessments of embryonic development (Fujiwaki et al). 1995;173:1770-4

Maternal corticosteroid and tocolytic treatment and morbidity and mortality in very low birth weight infants (Atkinson et al). 1995;173:299-305

Meta-analysis of randomized controlled trials of antenatal corticosteroid for the prevention of respiratory distress syndrome: discussion (Sinclair). 1995;173:335-44

Observational evidence for the efficacy of antenatal steroids from randomized studies of surfactant replacement (Gunkel and Mitchell). 1995;173:281-5

Practice variation in the use of corticosteroids: a comparison of eight data sets (Bronstein and Goldenberg). 1995;173:296-8

Relationship between antenatal steroid administration and grades III and IV intracranial hemorrhage in low birth weight infants (Shankaran et al). 1995;173:305-12

Scientific basis and therapeutic regimens for use of antenatal glucocorticoids (Ballard and Ballard). 1995;173:254-62

Ultrasonographic assessment of fetal growth: comparison between human and ovine fetus (Barbera et al). 1995;173:1765-9

Fetal diseases

Comparison of intrapartum electronic fetal heart rate monitoring versus intermittent auscultation in detecting fetal acidemia at birth (Vintzileos et al). 1995;173:1021-4

Prenatal diagnosis of congenital cytomegalovirus infection with abnormal triple-screen results and hyperechoic fetal bowel (Peters et al). 1995;173:953-4

Prevention of diabetes-associated embryopathy by overexpression of the free radical scavenger copper zinc superoxide dismutase in transgenic mouse embryos (Hagay et al). 1995;173:1036-41

Successful in utero therapy of fetal heart block (Copel et al). 1995;173:1384-90

Fetal distress

Antepartum surveillance in diabetic pregnancies: predictors of fetal distress in labor (Kjos et al). 1995;173:1532-9

The impact of amniotic fluid volume assessed intrapartum on perinatal outcome (Baron et al). 1995;173:167-74

Routine measurements of umbilical artery lactate levels in the prediction of perinatal outcome (Westgren et al). 1995;173:1416-22

Fetal growth retardation

- Cerebellar growth in normal and growth-restricted fetuses of multiple gestations (Goldstein and Reece). 1995;173:1343-8
- Early ultrasonographic detection of fetal growth retardation in an ovine model of placental insufficiency (Barbera et al). 1995;173:1071-4
- Fetal venous, intracardiac, and arterial blood flow measurements in intrauterine growth retardation: relationship with fetal blood gases (Hecher et al). 1995;173:10-5
- Intrauterine growth restriction in infants of less than thirty-two weeks' gestation: associated placental pathologic features (Salafia et al). 1995;173:1049-57
- Vascular clamping model not new (Barr) (Letter); (Tanaka and Natori) (Reply). 1995;173:345

Fetal heart

- Cardiac and venous blood flow in fetuses of insulin-dependent diabetic mothers: evidence of abnormal hemodynamics in early gestation (Rizzo et al). 1995;173:1775-81
- Fetal cardiac function and ductus arteriosus during indomethacin and sulindac therapy for threatened preterm labor: a randomized study (Räsänen and Jouppila). 1995;173:20-5
- A new method for on-screen ultrasonographic determination of fetal cardiac axis (Bork et al). 1995;173:1192-5
- Successful in utero therapy of fetal heart block (Copel et al). 1995;173:1384-90

Fetal heart rate; see Heart rate, fetal**Fetal lung maturity; see Fetal organ maturity****Fetal macrosomia**

- Are labor abnormalities more common in shoulder dystocia? (McFarland et al). 1995;173:1211-4
- Fetal macrosomia: Does antenatal prediction affect delivery route and birth outcome? (Weeks et al). 1995;173:1215-9

Fetal membranes

- Prostaglandin $F_2\alpha$ output by amnion-chorion-decidua: relationship with labor and prostaglandin E_2 concentration at the amniotic surface (Kredentser et al). 1995;173:199-204
- The relationship of the duration of ruptured membranes to vertical transmission of human immunodeficiency virus (Minkoff et al). 1995;173:585-9
- Ultrasonographic measurement of the dividing membrane in twin pregnancy during the second and third trimesters: a reproducibility study (Stagiannis et al). 1995;173:1546-50
- Vascular endothelial growth factor gene expression in ovine placenta and fetal membranes (Cheung et al). 1995;173:753-9

Fetal membranes, premature rupture

- Are more male infants affected by preterm premature rupture of the membranes? (Kurzel and Evertson). 1995;173:1900 (Letter)
- Chorioamnionitis caused by *Campylobacter*: case report (Edwards et al). 1995;173:244-5
- Elevated protease activities in human amnion and chorion correlate with preterm premature rupture of membranes (Draper et al). 1995;173:1506-12
- Induction of labor versus expectant management: Does it matter? (Hannah et al) (Letter); (Natale et al) (Reply). 1995;173:352-3
- Managing premature ruptured membranes at term (Dobie and Oliver) (Letter); (Natale et al) (Reply). 1995;173:350-2
- Obstetric outcome after failed termination of pregnancy—a report of two cases (Ricciotti et al). 1995;173:1619-20

Prevention of premature birth by screening and treatment for common genital tract infections: results of a prospective controlled evaluation (McGregor et al). 1995;173:157-67

Risk factors for the development of preterm premature rupture of the membranes after arrest of preterm labor (Guinn et al). 1995;173:1310-5

The role of infection in premature rupture of the membranes (Knox and Hoerner). 1995;173:951-2 (Classic pages in obstetrics and gynecology)

Fetal monitoring

- Antepartum surveillance in diabetic pregnancies: predictors of fetal distress in labor (Kjos et al). 1995;173:1532-9
- Cardiac and venous blood flow in fetuses of insulin-dependent diabetic mothers: evidence of abnormal hemodynamics in early gestation (Rizzo et al). 1995;173:1775-81
- Comparison of intrapartum electronic fetal heart rate monitoring versus intermittent auscultation in detecting fetal acidemia at birth (Vintzileos et al). 1995;173:1021-4
- Computerized analysis of antepartum fetal heart rate (Dawes et al) (Letter); (Gagnon et al) (Reply). 1995;173:1353-4
- Contractions are not always labor (Nagey) (Letter); (Wapner and Ross) (Reply). 1995;173:975-6
- Daily antenatal testing in women with severe preeclampsia (Chari et al). 1995;173:1207-10
- Determinants of the optimal time in gestation to initiate antenatal fetal testing: a decision-analytic approach (Rouse et al). 1995;173:1357-63 (Clin. opinion)
- Distance from an intrauterine hydrophone as a factor affecting intrauterine sound pressure levels produced by the vibroacoustic stimulation test (Eller et al). 1995;173:523-7
- Fetal acoustic stimulation test: stimulus features of three artificial larynges recorded in sheep (Abrams et al). 1995;173:1372-6
- A metaanalysis of home uterine activity monitoring (Colton et al). 1995;173:1499-505
- A multicenter randomized controlled trial of home uterine monitoring: active versus sham device (Collaborative Home Uterine Monitoring Study [CHUMS] Group). 1995;173:1120-7
- Neural network prediction of nonstress test results: How often should we perform nonstress tests? (Devoc et al). 1995;173:1128-31
- Reports on the clinical use of fetal biophysical testing: Shouldn't they take into consideration the important results from the studies on validity and efficacy? (Bernardes and da Costa Pereira) (Letter); (Weeks et al) (Reply). 1995;173:1636-7

Fetal movement

- Effects of intracervical prostaglandin E_2 on fetal heart rate and uterine activity patterns in the presence of oligohydramnios (Larson et al). 1995;173:1166-70
- A metaanalysis of home uterine activity monitoring (Colton et al). 1995;173:1499-505
- A multicenter randomized controlled trial of home uterine monitoring: active versus sham device (Collaborative Home Uterine Monitoring Study [CHUMS] Group). 1995;173:1120-7

Fetal organ maturity

- The effect of low amniotic pressure without oligohydramnios on fetal lung development in a rabbit model (Kizilcan et al). 1995;173:36-41
- Fetal lung maturation in congenital diaphragmatic hernia (Moya et al). 1995;173:1401-5

Fetal-placental perfusion pressure; see Perfusion

Fetal-placental vasculature; see Umbilical arteries

Fetal transfusion; see Blood transfusion, intrauterine

Fetofetal transfusion

Uterine artery blood flow response to correction of amniotic fluid volume (Bower et al). 1995;173:502-7

Fetomaternal transfusion

Massive fetomaternal hemorrhage treated with serial combined intravascular and intraperitoneal fetal transfusions (Montgomery et al). 1995;173:234-5

Fetoplacental circulation; see Blood circulation

Fetoplacental vessels; see Blood vessels

Fetus

An animal model for hemolytic disease of the fetus and newborn. I. Alloimmunization techniques (Moise et al). 1995;173:51-5

An animal model for hemolytic disease of the fetus and newborn. II. Fetal effects in New Zealand rabbits (Moise et al). 1995;173:747-53

Cardiac and venous blood flow in fetuses of insulin-dependent diabetic mothers: evidence of abnormal hemodynamics in early gestation (Rizzo et al). 1995;173:1775-81

De formato foetu (Fabrizi). 1995;173:1617-8 (Classic pages in obstetrics and gynecology)

Is polyhydramnios in an ultrasonographically normal fetus an indication for genetic evaluation? (Barnhard et al). 1995;173:1523-7

Red blood cell vitamin E concentrations in fetuses are related to but lower than those in mothers during gestation (Cachia et al). 1995;173:42-51

Fetus, drug effects

Fetal responses to maternal and fetal methamphetamine administration in sheep (Stek et al). 1995;173:1592-8

Human placental monoamine transporters as targets for amphetamines (Ramamoorthy et al). 1995;173:1782-7

Fibrinolysis

The effect of estrogen replacement therapy with or without progestogen on the fibrinolytic system and coagulation inhibitors in postmenopausal status (Gilbert et al). 1995;173:1849-54

Fibroblast growth factor

Mitogenic effect of basic fibroblast growth factor and estradiol on cultured human myometrial and leiomyoma cells (Rauk et al). 1995;173:571-7

Fibronectins

Fetal fibronectin improves the accuracy of diagnosis of preterm labor (Iams et al). 1995;173:141-5

Fetal fibronectin, interleukin-6, and C-reactive protein are useful in establishing prognostic subcategories of idiopathic preterm labor (Burrus et al). 1995;173:1258-62

Fetal fibronectin as a selection criterion for induction of term labor (Ahner et al). 1995;173:1513-7

First trimester of pregnancy; see Pregnancy trimester, first

Flowmeters

Uterine artery Doppler velocimetry in the detection of adverse obstetric outcomes in women with unexplained elevated maternal serum α -fetoprotein levels (Konchak et al). 1995;173:1115-9

Fluconazole

Chronic fungal vaginitis: the value of cultures (Nyirjesy et al). 1995;173:820-3

Fluorescence

Changes in rat cervical collagen during gestation and after antiprogesterone treatment as measured in vivo with light-induced autofluorescence (Glassman et al). 1995;173:1550-6

Fluorides

Mechanism underlying phasic contractions of pregnant rat myometrium simulated by aluminum fluoride (Garfield) (Letter); (Phillippe) (Reply). 1995;173:348-9

Foley catheter tamponade; see Balloon dilatation

Follicle-stimulating hormone; see FSH

Foot

Femur/foot length ratio for detection of Down syndrome: results of a multicenter prospective study (Grandjean et al). 1995;173:16-9

Forceps; see Surgical instruments

Foreign bodies

First report of a vaginal foreign body perforating into the retroperitoneum (O'Hanlan and Westphal). 1995;173:962-4

Free radical scavengers

Prevention of diabetes-associated embryopathy by overexpression of the free radical scavenger copper zinc superoxide dismutase in transgenic mouse embryos (Hagay et al). 1995;173:1036-41

FSH

Patterns of luteinizing and follicle-stimulating hormone pulsatility in menopausal women: correlation with plasma testosterone level and vasomotor instability episodes (Fossum et al). 1995;173:795-800

Fungi

Chronic fungal vaginitis: the value of cultures (Nyirjesy et al). 1995;173:820-3

G

Galactorrhea

Galactorrhea caused by esophagitis (Turton and Shakir). 1995;173:1629-30

Gas poisoning

Fetal methemoglobinemia: a cause of nonimmune hydrops fetalis (Özmen et al). 1995;173:232-3

Gastrinoma

Successful pregnancy in association with Zollinger-Ellison syndrome (Harper et al). 1995;173:863-4

Gastrointestinal hemorrhage

Gastrointestinal hemorrhage during pregnancy in a patient with a history of vertical-banded gastropasty (Ramirez and Turrentine). 1995;173:1630-1

Gastropasty

Gastrointestinal hemorrhage during pregnancy in a patient with a history of vertical-banded gastropasty (Ramirez and Turrentine). 1995;173:1630-1

Gels

Labor induction with intravaginal misoprostol versus intracervical prostaglandin E₂ gel (Prepidil gel): randomized comparison (Chuck and Huffaker). 1995;173:1137-42

Preinduction cervical ripening with commercially available prostaglandin E₂ gel: a randomized, double-blind comparison with a hospital-compounded preparation (Sanchez-Ramos et al). 1995;173:1079-84

Randomized comparison of the effects of endocervical and vaginal prostaglandin E₂ gel in women with various degrees of cervical ripeness (Keirse et al). 1995;173:1859-64

Gender; see Sex

Gene deletion

The genetic implication for preceding generations of the prenatal diagnosis of interrupted aortic arch in association with unsuspected DiGeorge anomaly (Puder et al). 1995;173:239-41

Gene expression

Expression of two mucin antigens in cultured human ovarian surface epithelium: influence of a family history of ovarian cancer (Auersperg et al). 1995;173:558-65

An increase in expression of the lipocalin 24p3 is found in mouse uterus coincident with birth (Kasik and Rice). 1995;173:613-7

Insulin and glucose modulate glucose transporter messenger ribonucleic acid expression and glucose uptake in trophoblasts isolated from first-trimester chorionic villi (Gordon et al). 1995;173:1089-97

Kininogen present in rat reproductive tissues is apparently synthesized by the liver, not by the reproductive system (Hossain et al). 1995;173:830-4

Multivariate survival analysis of clinicopathologic features in surgical stage I endometrioid carcinoma including analysis of HER-2/*neu* expression (Nazeer et al). 1995;173:1829-34

Vascular endothelial growth factor gene expression in ovine placenta and fetal membranes (Cheung et al). 1995;173:753-9

Genes

An increase in expression of the lipocalin 24p3 is found in mouse uterus coincident with birth (Kasik and Rice). 1995;173:613-7

Genes, suppressor, tumor

Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells (Hietanen et al). 1995;173:1477-82

Genetic screening

Are DADs (discriminant aneuploidy detection) as good as MOMs (multiples of the median)? (Palomaki et al) (Letter); (Evans et al) (Reply). 1995;173:1895-7

MOMs (multiples of the median) may know best: There are insufficient data to suggest that DADs (discriminant aneuploidy detection) are superior (Reynolds) (Letter); (Evans et al) (Reply). 1995;173:1895-7

Genetics

Comparison of multiple-marker screening with amniocentesis for the detection of fetal aneuploidy in women 35 years old (Wenstrom et al). 1995;173:1287-92

The genetic implication for preceding generations of the prenatal diagnosis of interrupted aortic arch in association with unsuspected DiGeorge anomaly (Puder et al). 1995;173:239-41

Is polyhydramnios in an ultrasonographically normal fetus an indication for genetic evaluation? (Barnhard et al). 1995;173:1523-7

Genital diseases, female

Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational age in women delivered after spontaneous labor versus indicated delivery (Andrews et al). 1995;173:606-12

Prevention of premature birth by screening and treatment for common genital tract infections: results of a prospective controlled evaluation (McGregor et al). 1995;173:157-67

Genotype

Molecular genotyping of fetal platelet antigens with uncultured amniocytes (Khouzami et al). 1995;173:1202-6

Gestational age

Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational age in women delivered after spontaneous labor versus indicated delivery (Andrews et al). 1995;173:606-12

Changes in rat cervical collagen during gestation and after antiprogesterone treatment as measured in vivo with light-induced autofluorescence (Glassman et al). 1995;173:1550-6

Very-low-birth-weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, May 1991 through December 1992 (Fanaroff et al). 1995;173:1423-31

Gestational diabetes; see Diabetes, gestational**Gestational hypertension; see Hypertension****Glucocorticoids**

Scientific basis and therapeutic regimens for use of antenatal glucocorticoids (Ballard and Ballard). 1995;173:254-62

Glucose

Insulin and glucose modulate glucose transporter messenger ribonucleic acid expression and glucose uptake in trophoblasts isolated from first-trimester chorionic villi (Gordon et al). 1995;173:1089-97

Jelly beans as an alternative to a cola beverage containing fifty grams of glucose (Boyd et al). 1995;173:1889-92

Glucose tolerance test

Impact of increasing carbohydrate intolerance on maternal-fetal outcomes in 3637 women without gestational diabetes (Sermer et al). 1995;173:146-56

Jelly beans as an alternative to a cola beverage containing fifty grams of glucose (Boyd et al). 1995;173:1889-92

Precision of office-based blood glucose meters in screening for gestational diabetes (Carr et al). 1995;173:1267-72

Glutamate decarboxylase

Prevalence of antibodies to glutamic acid decarboxylase in women who have had gestational diabetes (Beischer et al). 1995;173:1563-9

Glycoproteins

Induction of high levels of anticardiolipin antibodies in mice by immunization with β_2 -glycoprotein I does not cause fetal death (Silver et al). 1995;173:1410-5

Gonadorelin

Effects of a gonadotropin-releasing hormone agonist on the calcium-parathyroid axis and bone turnover in women with endometriosis (Newhall-Perry et al). 1995;173:824-9

Gonadotropin-releasing hormone; see Gonadorelin**Gonadotropins**

Patterns of luteinizing and follicle-stimulating hormone pulsatility in menopausal women: correlation with plasma testosterone level and vasomotor instability episodes (Fossum et al). 1995;173:795-800

Gonadotropins, chorionic

Comparison of multiple-marker screening with amniocentesis for the detection of fetal aneuploidy in women 35 years old (Wenstrom et al). 1995;173:1287-92

The effect of low-dose aspirin on pregnancies complicated by elevated human chorionic gonadotropin levels (Wenstrom et al). 1995;173:1292-6

Effects of Taxol on choriocarcinoma cells (Marth et al). 1995;173:1835-42

The influence of maternal weight on human chorionic gonadotropin in the multiple-marker screening test for fetal Down syndrome (Wenstrom et al). 1995;173:1297-300

Maternal serum screening should not replace amniocentesis (Hsu et al). 1995;173:977-8 (Letter)

A new diagnostic method to detect ectopic pregnancy at a very early stage (Asseryanis et al). 1995;173:236-7

Role of prenatal ultrasonography in women with positive screen for Down syndrome on the basis of maternal serum markers (Nyberg et al). 1995;173:1030-5

Triple marker (α -fetoprotein, unconjugated estriol, human chorionic gonadotropin) versus α -fetoprotein plus free- β subunit in second-trimester maternal serum screening for fetal Down syndrome: a prospective comparison study (Kellner et al). 1995;173:1306-9

Granular cell tumor

Granular cell tumors of the vulva (Horowitz et al). 1995;173:1710-4

Group B *Streptococcus*; see *Streptococcus agalactiae*

Growth, fetal; see **Fetal development**

Growth hormone receptors; see **Receptors, somatotropin**

Growth-retarded fetuses; see **Fetal growth retardation**

Growth substances

Vascular endothelial growth factor gene expression in ovine placenta and fetal membranes (Cheung et al). 1995;173:753-9

Gynecology

Advances in the management of depression: implications for the obstetrician/gynecologist (Rothschild). 1995;173:659-66 (Symposium)

Breast-feeding education of obstetrics-gynecology residents and practitioners (Freed et al). 1995;173:1607-13

The in-training examination in obstetrics and gynecology: an attempt to establish a remediation indicator (Ling et al). 1995;173:946-50

Recognition of depression in obstetric/gynecology practices (Yonkers and Chantilis). 1995;173:632-8 (Symposium)

H

Hair hyperpigmentation

Spontaneous hair hyperpigmentation in response to vitamin intake in pregnancy—a clue for homocystinuria (Reish et al). 1995;173:1640-1 (Letter)

Head

Head entrapment and neonatal outcome by mode of delivery in breech deliveries from twenty-four to twenty-seven weeks of gestation (Robertson et al). 1995;173:1171-6

Headache

Headaches in women, including women who are pregnant (Paulson). 1995;173:1734-41 (Primary care)

Health

Long-term follow-up of mothers and their infants in a randomized trial on iron prophylaxis during pregnancy (Hemminki and Meriläinen). 1995;173:205-9

Prior and current health characteristics of postmenopausal estrogen replacement therapy users compared with non-users (Derby et al). 1995;173:544-50

Health care costs

The current paradigm shift in American medicine (Sherline). 1995;173:672-3 (Letter)

Health care delivery; see **Delivery of health care**

Health education

Impact of health education during pregnancy on behavior and utilization of health resources (Belizán et al). 1995;173:894-9

Health resources

The battered woman (Chez and Jones). 1995;173:677-9 (Primary care)

Impact of health education during pregnancy on behavior and utilization of health resources (Belizán et al). 1995;173:894-9

Heart atrium

Hemodynamic and hormonal responses to atrial distension in the ovine fetus (Jaekle et al). 1995;173:694-701

Heart auscultation

Comparison of intrapartum electronic fetal heart rate monitoring versus intermittent auscultation in detecting fetal acidemia at birth (Vintzileos et al). 1995;173:1021-4

Heart block

Successful in utero therapy of fetal heart block (Copel et al). 1995;173:1384-90

Heart defects, congenital

The genetic implication for preceding generations of the prenatal diagnosis of interrupted aortic arch in association with unsuspected DiGeorge anomaly (Puder et al). 1995;173:239-41

Successful in utero therapy of fetal heart block (Copel et al). 1995;173:1384-90

Heart diseases

Evaluation of preoperative cardiac risk index values in patients undergoing vaginal surgery (Shackelford et al). 1995;173:80-4

Heart function tests

Fetal cardiac function and ductus arteriosus during indomethacin and sulindac therapy for threatened preterm labor: a randomized study (Räsänen and Jouppila). 1995;173:20-5

Fetal cardiac hypertrophy and cardiac function in diabetic pregnancies (Gandhi et al). 1995;173:1132-6

Heart hypertrophy

Fetal cardiac hypertrophy and cardiac function in diabetic pregnancies (Gandhi et al). 1995;173:1132-6

Heart rate, fetal

Beat-to-beat variation (Dawes) (Letter); (Belfort) (Reply). 1995;173:349

Comparison of intrapartum electronic fetal heart rate monitoring versus intermittent auscultation in detecting fetal acidemia at birth (Vintzileos et al). 1995;173:1021-4

Computerized analysis of antepartum fetal heart rate (Dawes et al) (Letter); (Gagnon et al) (Reply). 1995;173:1353-4

Effects of intracervical prostaglandin E_2 on fetal heart rate and uterine activity patterns in the presence of oligohydramnios (Larson et al). 1995;173:1166-70

Multiple nuchal cord entanglements and intrapartum complications (Larson et al). 1995;173:1228-31

Neural network prediction of nonstress test results: How often should we perform nonstress tests? (Devoe et al). 1995;173:1128-31

Hemangioma

Sturge-Weber syndrome in pregnancy (Dolkart and Bhat). 1995;173:969-71

Hemodynamics

Cardiac and venous blood flow in fetuses of insulin-dependent diabetic mothers: evidence of abnormal hemodynamics in early gestation (Rizzo et al). 1995;173:1775-81

Favorable hemodynamic effects of magnesium sulfate in preeclampsia (Scardo et al). 1995;173:1249-53

Hemodynamic and hormonal responses to atrial distension in the ovine fetus (Jaekle et al). 1995;173:694-701

Hemolytic disease of newborn; see **Erythroblastosis, fetal**

Hemorrhage

Adenomyosis must be considered in patients with menorrhagia and a normal-appearing cavity on hysteroscopy or ultrasonography (McCausland) (Letter); (Emanuel et al) (Reply). 1995;173:675

Gastrointestinal hemorrhage during pregnancy in a patient with a history of vertical-banded gastropasty (Ramirez and Turrentine). 1995;173:1630-1

Histologic evidence of old intrauterine bleeding is more frequent in prematurity (Salafia et al). 1995;173:1065-70

Hemorrhage—cont'd

Hysteroscopy as gold standard for evaluation of abnormal uterine bleeding (Gimpelson and Whalen) (Letter); (Karls-son et al) (Reply). 1995;173:1637-8

Intractable bleeding managed with Foley catheter tamponade after dilation and evacuation (Kauff et al). 1995;173:957-8

Maternal thrombocytopenia in pregnancy: time for a reassessment (Silver et al). 1995;173:479-82 (Clin. opinion)

Relationship between antenatal steroid administration and grades III and IV intracranial hemorrhage in low birth weight infants (Shankaran et al). 1995;173:305-12

Ultrasonographic evaluation of patients with abnormal bleeding (Goldstein) (Letter); (Emanuel et al) (Reply). 1995;173:1351-2

Hemostasis

Underlying disorders associated with severe early-onset pre-eclampsia (Dekker et al). 1995;173:1042-8

Heparin

Heparin levels to guide thromboembolism prophylaxis during pregnancy (Barbour et al). 1995;173:1869-73

Pharmacokinetics and pharmacodynamics of subcutaneous heparin during the early third trimester of pregnancy (Brancazio et al). 1995;173:1240-5

Pregnancy complicated by cerebral venous thrombosis in Behçet's disease (Wechsler et al). 1995;173:1627-9

Hepatitis B

Intrapartum hepatitis B screening (Petermann and Ernest). 1995;173:369-74

Hepatitis C virus

Detection of hepatitis C virus antibodies and specific hepatitis C virus ribonucleic acid sequences in cord bloods from a heterogeneous prenatal population (Silverman et al). 1995;173:1396-400

Hepatocyte growth factor

Levels of hepatocyte growth factor in maternal serum and amniotic fluid (Horibe et al). 1995;173:937-42

HER-2/neu proto-oncogenes; see Proto-oncogenes**Hernia, diaphragmatic**

Fetal lung maturation in congenital diaphragmatic hernia (Moya et al). 1995;173:1401-5

Hippocampus

Differential regulation of seizure activity in the hippocampus of male and female rats (Standley et al). 1995;173:1160-5

Effects of prenatal ethanol exposure on the hippocampal neurochemistry of albino rats at 90 days of postnatal age (Black et al). 1995;173:514-9

HIV

The impact of initiating a human immunodeficiency virus screening program in an urban obstetric population (Lewis et al). 1995;173:1329-33

The relationship of the duration of ruptured membranes to vertical transmission of human immunodeficiency virus (Minkoff et al). 1995;173:585-9

HIV-1

Postnatal transmission of human immunodeficiency virus type 1: the breast-feeding dilemma (Van de Perre). 1995;173:483-7 (Clin. opinion)

HLA antigens

Immunohistochemical studies of human uteroplacental tissues from first-trimester spontaneous abortion (Hill et al). 1995;173:90-6

Hodgkins's disease

No more radiogenic castration in women with Hodgkin's

disease? (De Wilde and Hesselting). 1995;173:1639 (Letter)

Holistic health

Clarification of source (Brucker) (Letter); (van der Merwe) (Reply). 1995;173:1899-900

Home nursing

A metaanalysis of home uterine activity monitoring (Colton et al). 1995;173:1499-505

A multicenter randomized controlled trial of home uterine monitoring: active versus sham device (Collaborative Home Uterine Monitoring Study [CHUMS] Group). 1995;173:1120-7

Homocystinuria

Spontaneous hair hyperpigmentation in response to vitamin intake in pregnancy—a clue for homocystinuria (Reish et al). 1995;173:1640-1 (Letter)

Hormone replacement therapy; see Estrogen replacement therapy**Hormones**

Expression of parathyroid hormone-related peptide and its receptor messenger ribonucleic acid in human amnion and chorion-decidua: implications for secretion and function (Bruns et al). 1995;173:739-46

Hemodynamic and hormonal responses to atrial distension in the ovine fetus (Jaekle et al). 1995;173:694-701

Hormones and depression: What are the facts about premenstrual syndrome, menopause, and hormone replacement therapy? (Pearlstein). 1995;173:646-53 (Symposium)

Interleukin-1 β and interleukin-4 increase parathyroid hormone-related protein secretion by human umbilical vein endothelial cells in culture (Ferguson et al). 1995;173:448-56

Prior and current health characteristics of postmenopausal estrogen replacement therapy users compared with non-users (Derby et al). 1995;173:544-50

Steroid hormone effects on the proliferation of human ovarian surface epithelium in vitro (Karlan et al). 1995;173:97-104

Human chorionic gonadotropins; see Gonadotropins, chorionic**Human immunodeficiency virus; see HIV****Human-placental vasculature; see Blood vessels****Hybrid capture test; see Diagnostic tests, routine****Hybridization**

Evaluation of the Hybrid Capture human papillomavirus deoxyribonucleic acid detection test (Sun et al). 1995;173:1432-7

Hydatidiform mole

Case-control study of risk factors for partial molar pregnancy (Berkowitz et al). 1995;173:788-94

Hydration; see Water**Hydrogen-ion concentration**

Follow-up of children born with an umbilical arterial blood pH < 7 (Nagel et al). 1995;173:1758-64

"Physiologic" intracellular acidosis in pregnancy (Bardicef et al). 1995;173:879-80

Hydrops fetalis

An animal model for hemolytic disease of the fetus and newborn. I. Alloimmunization techniques (Moise et al). 1995;173:51-5

An animal model for hemolytic disease of the fetus and newborn. II. Fetal effects in New Zealand rabbits (Moise et al). 1995;173:747-53

Fetal methemoglobinemia: a cause of nonimmune hydrops fetalis (Özmen et al). 1995;173:232-3

Hypercholesterolemia fetal bowel; see Intestinal diseases

Hypertension

- Ambulatory blood pressure in pregnancy: comparison of the SpaceLabs 90207 and Accutracker II monitors with intraarterial recordings (Brown et al). 1995;173:218-23
- The angiotensin sensitivity test and low-dose aspirin are ineffective methods to predict and prevent hypertensive disorders in nulliparous pregnancy (Kyle et al). 1995;173:865-72
- Calcium channel blockade (isradipine) in treatment of hypertension in pregnancy: a randomized placebo-controlled study (Wide-Svensson et al). 1995;173:872-8
- Does magnesium sulfate affect the length of labor induction in women with pregnancy-associated hypertension? (Atkinson et al). 1995;173:1219-22
- The effect of magnesium sulfate on bleeding time in pregnancy (Fuentes et al). 1995;173:1246-9
- Evaluation of preoperative cardiac risk index values in patients undergoing vaginal surgery (Shackelford et al). 1995;173:80-4
- The feasibility of a control population for a randomized control trial of seizure prophylaxis in the hypertensive disorders of pregnancy (Burrows and Burrows). 1995;173:929-35
- Monitored outpatient management of mild gestational hypertension remote from term in teenage pregnancies (Barton et al). 1995;173:1865-8

Hypertrophy

- Fetal cardiac hypertrophy and cardiac function in diabetic pregnancies (Gandhi et al). 1995;173:1132-6

Hyperventilation

- Nocturnal hyperventilation in pregnancy—reversal with nasal continuous positive airway pressure (Polo and Ekholm). 1995;173:238-9
- "Physiologic" intracellular acidosis in pregnancy (Bardicef et al). 1995;173:879-80

Hysterectomy

- Cherney versus midline vertical incision for myomectomy or hysterectomy of a significantly enlarged uterus (De Lia et al). 1995;173:1714-8
- Clinical indications for hysterectomy route: Patient characteristics or physician preference? (Dorsey et al). 1995;173:1452-60
- Cytologic screening after hysterectomy for benign disease (Piscitelli et al). 1995;173:424-32
- Predictive factors from cold knife conization for residual cervical intraepithelial neoplasia in subsequent hysterectomy (Moore et al). 1995;173:361-8
- Radical hysterectomy: Does the type of incision matter? (Orr et al). 1995;173:399-406
- A randomized trial of open versus closed vaginal vault in the prevention of postoperative morbidity after abdominal hysterectomy (Colombo et al). 1995;173:1807-11
- Wound infection after abdominal hysterectomy: effect of the depth of subcutaneous tissue (Soper et al). 1995;173:465-71

Hysterectomy, vaginal

- Modified Le Fort partial colpocleisis with Kelly urethral plication and posterior colpoperineoplasty in the medically compromised elderly: a comparison with vaginal hysterectomy, anterior colporrhaphy, and posterior colpoperineoplasty (Denchy et al). 1995;173:1697-702

Hysterosalpingography

- A new diagnostic method to detect ectopic pregnancy at a very early stage (Asseryanis et al). 1995;173:236-7

Hysteroscopy

- Adenomyosis must be considered in patients with menorrhagia and a normal-appearing cavity on hysteroscopy or ultrasonography (McCausland) (Letter); (Emanuel et al) (Reply). 1995;173:675
- Hysteroscopy as gold standard for evaluation of abnormal uterine bleeding (Gimpelson and Whalen) (Letter); (Karls-son et al) (Reply). 1995;173:1637-8
- Ultrasonographic evaluation of patients with abnormal bleeding (Goldstein) (Letter); (Emanuel et al) (Reply). 1995;173:1351-2
- Value of transvaginal ultrasonography and hysteroscopy in the evaluation of postmenopausal women with metrorrhagia (de Mendonça and Kay) (Letter); (Emanuel et al) (Reply). 1995;173:1352-3

I

IgG

- The effect of aspirin and indomethacin on prostacyclin and thromboxane production by placental tissue incubated with immunoglobulin G fractions from patients with lupus anticoagulant (Peaceman and Rehnberg). 1995;173:1391-6
- Transport of immunoglobulin G and its subclasses across the in vitro-perfused human placenta (Malek et al). 1995;173:760-7

Immune system

- Premature parturition is characterized by in utero activation of the fetal immune system (Berry et al). 1995;173:1315-20

Immunization

- Induction of high levels of anticardiolipin antibodies in mice by immunization with β_2 -glycoprotein I does not cause fetal death (Silver et al). 1995;173:1410-5

Immunoglobulin G; see IgG

In situ hybridization

- Is the 15-in situ clone protocol necessary to detect amniotic fluid mosaicism? (Cheng et al). 1995;173:1025-30

In-training examination; see Education

In utero therapy; see Prenatal care

In vitro fertilization; see Fertilization in vitro

Incision; see Suture techniques

Indomethacin

- The effect of aspirin and indomethacin on prostacyclin and thromboxane production by placental tissue incubated with immunoglobulin G fractions from patients with lupus anticoagulant (Peaceman and Rehnberg). 1995;173:1391-6
- Fetal cardiac function and ductus arteriosus during indomethacin and sulindac therapy for threatened preterm labor: a randomized study (Räsänen and Jouppila). 1995;173:20-5

Induction of labor; see Labor, induced

Infant, low birth weight

- Antenatal corticosteroid administration and neonatal outcome in very low birth weight infants: the NICHD Neonatal Research Network (Wright et al). 1995;173:269-74
- Antenatal corticosteroid treatment and neonatal outcomes for infants 501 to 1500 gm in the Vermont-Oxford Trials Network (Horbar and Investigators of the Vermont-Oxford Trials Network). 1995;173:275-81
- Evidence from multicenter networks on the current use and effectiveness of antenatal corticosteroids in low birth weight infants (Wright et al). 1995;173:263-9

Infant, low birth weight—cont'd

- Head entrapment and neonatal outcome by mode of delivery in breech deliveries from twenty-four to twenty-seven weeks of gestation (Robertson et al). 1995;173:1171-6
- Intravaginal clindamycin treatment for bacterial vaginosis: effects on preterm delivery and low birth weight (Joesoef et al). 1995;173:1527-31
- Maternal corticosteroid and tocolytic treatment and morbidity and mortality in very low birth weight infants (Atkinson et al). 1995;173:299-305
- Recent changes in delivery site of low-birth-weight infants in Washington: impact on birth weight-specific mortality (Powell et al). 1995;173:1585-92
- Relationship between antenatal steroid administration and grades III and IV intracranial hemorrhage in low birth weight infants (Shankaran et al). 1995;173:305-12
- The relationship of birth weight and birth weight discordance to cerebral palsy or mental retardation later in life for twins weighing less than 2500 grams (Rydhstroem). 1995;173:680-6
- Very-low-birth-weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, May 1991 through December 1992 (Faranoff et al). 1995;173:1423-31

Infant, newborn

- Antenatal corticosteroid administration and neonatal outcome in very low birth weight infants: the NICHD Neonatal Research Network (Wright et al). 1995;173:269-74
- Immediate maternal and neonatal effects of low-forceps delivery according to the new criteria of The American College of Obstetricians and Gynecologists compared with spontaneous vaginal delivery in term pregnancies (Carmona et al). 1995;173:55-9
- Naturally occurring insulin autoantibodies in neonates of normal pregnancies and their relationship to insulinemia and birth weight (Wellik et al). 1995;173:1878-84
- Observations diverses sur la stérilité, perte de fruit, fécondité accouchements et maladies des femmes et enfants nouveaux naîs ... (Bourgeois). 1995;173:1893-4 (Classic pages in obstetrics and gynecology)
- Prenatal screening for group B *Streptococcus*. II. Impact of antepartum screening and prophylaxis on neonatal care (Mercer et al). 1995;173:842-6

Infant, premature

- The association between occupational factors and preterm birth: a United States nurses' study (Luke et al). 1995;173:849-62
- Cost savings from the use of antenatal steroids to prevent respiratory distress syndrome and related conditions in premature infants (Simpson and Lynch). 1995;173:316-21
- Effect of corticosteroids for fetal maturation on perinatal outcomes, February 28–March 2, 1994 (National Institutes of Health). 1995;173:246-52 (Conference statement)
- Elevated protease activities in human amnion and chorion correlate with preterm premature rupture of membranes (Draper et al). 1995;173:1506-12
- Factors associated with preterm birth in Cardiff, Wales. I. Univariable and multivariable analysis (Meis et al). 1995;173:590-6
- Factors associated with preterm birth in Cardiff, Wales. II. Indicated and spontaneous preterm birth (Meis et al). 1995;173:597-602
- Histologic evidence of old intrauterine bleeding is more frequent in prematurity (Salafia et al). 1995;173:1065-70
- Intrauterine growth restriction in infants of less than thirty-

two weeks' gestation: associated placental pathologic features (Salafia et al). 1995;173:1049-57

- Intravaginal clindamycin treatment for bacterial vaginosis: effects on preterm delivery and low birth weight (Joesoef et al). 1995;173:1527-31
- Maternal serum placental alkaline phosphatase level and risk for preterm delivery (Meyer et al). 1995;173:181-6
- New perspectives for the effective treatment of preterm labor (Keirse). 1995;173:618-28 (Curr. dev.)
- Obstetric outcome after failed termination of pregnancy—a report of two cases (Ricciotti et al). 1995;173:1619-20
- Placental pathologic features of preterm preeclampsia (Salafia et al). 1995;173:1097-105
- The preterm prediction study: significance of vaginal infections (Meis et al). 1995;173:1231-5
- Prevention of premature birth by screening and treatment for common genital tract infections: results of a prospective controlled evaluation (McGregor et al). 1995;173:157-67
- Relationship between placental histologic features and umbilical cord blood gases in preterm gestations (Salafia et al). 1995;173:1058-64
- Thyrotropin-releasing hormone: Does two hundred micrograms provide effective stimulation to the preterm fetal pituitary gland compared with four hundred micrograms? (Crowther et al). 1995;173:719-23

Infant mortality

- Effect of corticosteroids for fetal maturation on perinatal outcomes, February 28–March 2, 1994 (National Institutes of Health). 1995;173:246-52 (Conference statement)
- Recent changes in delivery site of low-birth-weight infants in Washington: impact on birth weight-specific mortality (Powell et al). 1995;173:1585-92
- Very-low-birth-weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, May 1991 through December 1992 (Faranoff et al). 1995;173:1423-31

Infection

- The accuracy and patient preference for self-collected group B *Streptococcus* cultures (Mercer et al). 1995;173:1325-8
- Acute pancreatitis in pregnancy (Ramin et al). 1995;173:187-91
- Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational age in women delivered after spontaneous labor versus indicated delivery (Andrews et al). 1995;173:606-12
- Amniotic fluid interleukin-10 concentrations increase through pregnancy and are elevated in patients with preterm labor associated with intrauterine infection (Greig et al). 1995;173:1223-7
- Chorioamnionitis caused by *Capnocytophaga*: case report (Edwards et al). 1995;173:244-5
- Chronic fungal vaginitis: the value of cultures (Nyirjesy et al). 1995;173:820-3
- Determinants of cervical ectopia and of cervicitis: age, oral contraception, specific cervical infection, smoking, and douching (Critchlow et al). 1995;173:534-43
- Inhibition of neutrophil oxidative burst and phagocytosis by meconium (Clark and Duff). 1995;173:1301-5
- Intravaginal clindamycin treatment for bacterial vaginosis: effects on preterm delivery and low birth weight (Joesoef et al). 1995;173:1527-31
- Premature parturition is characterized by in utero activation

- of the fetal immune system (Berry et al). 1995;173:1315-20
- Prenatal diagnosis of congenital cytomegalovirus infection with abnormal triple-screen results and hyperechoic fetal bowel (Peters et al). 1995;173:953-4
- Prenatal screening for group B *Streptococcus*. II. Impact of antepartum screening and prophylaxis on neonatal care (Mercer et al). 1995;173:842-6
- The preterm prediction study: significance of vaginal infections (Meis et al). 1995;173:1231-5
- Prevention of premature birth by screening and treatment for common genital tract infections: results of a prospective controlled evaluation (McGregor et al). 1995;173:157-67
- Risk factors for the development of preterm premature rupture of the membranes after arrest of preterm labor (Guinn et al). 1995;173:1310-5
- The role of infection in premature rupture of the membranes (Knox and Hoerner). 1995;173:951-2 (Classic pages in obstetrics and gynecology)
- Infertility**
- Observations diverses sur la stérilité, perte de fruit, fécondité accouchements et maladies des femmes et enfants nouveaux naiz ... (Bourgeois). 1995;173:1893-4 (Classic pages in obstetrics and gynecology)
- Infusions, intravenous**
- Incidence of adverse cardiopulmonary effects with low-dose continuous terbutaline infusion (Perry et al). 1995;173:1273-7
- Injections**
- Intrapelvic injection of menstrual endometrium causes endometriosis in baboons (*Papio cynocephalus* and *Papio anubis*) (D'Hooghe et al). 1995;173:125-34
- Injections, subcutaneous**
- Pharmacokinetics and pharmacodynamics of subcutaneous heparin during the early third trimester of pregnancy (Brancazio et al). 1995;173:1240-5
- Insulin**
- Insulin and glucose modulate glucose transporter messenger ribonucleic acid expression and glucose uptake in trophoblasts isolated from first-trimester chorionic villi (Gordon et al). 1995;173:1089-97
- Naturally occurring insulin autoantibodies in neonates of normal pregnancies and their relationship to insulinemia and birth weight (Wellik et al). 1995;173:1878-84
- Integrins**
- Immunohistochemical analysis of α_1 -integrins in cervical cancer (Valea et al). 1995;173:808-13
- Interleukin-1**
- Interleukin-1 β and interleukin-4 increase parathyroid hormone-related protein secretion by human umbilical vein endothelial cells in culture (Ferguson et al). 1995;173:448-56
- Interleukin-4**
- Interleukin-1 β and interleukin-4 increase parathyroid hormone-related protein secretion by human umbilical vein endothelial cells in culture (Ferguson et al). 1995;173:448-56
- Interleukin-6**
- Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational age in women delivered after spontaneous labor versus indicated delivery (Andrews et al). 1995;173:606-12
- Fetal fibronectin, interleukin-6, and C-reactive protein are useful in establishing prognostic subcategories of idiopathic preterm labor (Burrus et al). 1995;173:1258-62
- Interleukins**
- Amniotic fluid interleukin-10 concentrations increase through pregnancy and are elevated in patients with preterm labor associated with intrauterine infection (Greig et al). 1995;173:1223-7
- Interleukin-10 messenger ribonucleic acid in human placenta: implications of a role for interleukin-10 in fetal allograft protection (Cadet et al). 1995;173:25-9
- Internship and residency**
- Breast-feeding education of obstetrics-gynecology residents and practitioners (Freed et al). 1995;173:1607-13
- The in-training examination in obstetrics and gynecology: an attempt to establish a remediation indicator (Ling et al). 1995;173:946-50
- Interstitial lung disease; see Pulmonary fibrosis**
- Intestinal diseases**
- Hyperechoic fetal bowel: an ultrasonographic marker for adverse fetal and neonatal outcome (Muller et al). 1995;173:508-13
- Isolated hyperechoic fetal bowel: significance and implications for management (MacGregor et al). 1995;173:1254-8
- Prenatal diagnosis of congenital cytomegalovirus infection with abnormal triple-screen results and hyperechoic fetal bowel (Peters et al). 1995;173:953-4
- Intracranial hemorrhage; see Cerebral hemorrhage**
- Intracranial neoplasms; see Brain neoplasms**
- Intraobserver variability; see Observer variation**
- Intrapartum complications; see Labor complications**
- Intrauterine bleeding; see Hemorrhage**
- Intrauterine devices**
- Distance from an intrauterine device as a factor affecting intrauterine sound pressure levels produced by the vibroacoustic stimulation test (Eller et al). 1995;173:523-7
- Ultrasonographically guided intrauterine contraceptive device removal before chorionic villus sampling (Ranzini et al). 1995;173:603-5
- Intrauterine growth retardation; see Fetal growth retardation**
- Intrauterine sound pressure; see Sound**
- Intrauterine ultrasonography, prenatal; see Ultrasonography, prenatal**
- Intravaginal administration; see Administration, intravaginal**
- Ion channels**
- A chloride channel from human placenta reconstituted into giant liposomes (Riquelme et al). 1995;173:733-8
- Iron**
- Long-term follow-up of mothers and their infants in a randomized trial on iron prophylaxis during pregnancy (Hemminki and Meriläinen). 1995;173:205-9
- Placental histomorphometry and morphometric diffusing capacity of the villous membrane in pregnancies complicated by maternal iron-deficiency anemia (Reshetnikova et al). 1995;173:724-7
- Irrigation**
- A computer-controlled, continuously circulating, hot irrigating system for endometrial ablation (Baggish et al). 1995;173:1842-8
- Determinants of cervical ectopia and of cervicitis: age, oral contraception, specific cervical infection, smoking, and douching (Critchlow et al). 1995;173:534-43
- Ischemia**
- Vascular clamping model not new (Barr) (Letter); (Tanaka and Natori) (Reply). 1995;173:345

Islet cell tumor

Successful pregnancy in association with Zollinger-Ellison syndrome (Harper et al). 1995;173:863-4

Isradipine

Calcium channel blockade (isradipine) in treatment of hypertension in pregnancy: a randomized placebo-controlled study (Wide-Svensson et al). 1995;173:872-8

Items

Items. 1995;173:356, 676, 980, 1356, 1648, 1904

J**Japan**

Japanese endometriosis progression: Universally applicable? (Thylan) (Letter); (Hoshiai and Mitsuhashi) (Reply). 1995; 173:349-50

Jelly beans; see Candy**Jurisprudence**

The expert witness (Iffy) (Letter); (Fisher) (Reply). 1995; 173:1898-9

K**Kaposi's sarcoma; see Sarcoma, Kaposi's****Karyotyping**

Elevated maternal serum α -fetoprotein levels: What is the risk of fetal aneuploidy? (Thiagarajah et al). 1995;173: 388-92

Indications for examination of spontaneous abortion specimens: a reassessment (Wolf and Horger). 1995;173: 1364-8 (Clin. opinion)

Is polyhydramnios in an ultrasonographically normal fetus an indication for genetic evaluation? (Barnhard et al). 1995;173:1523-7

Keratin

Immunohistochemical analysis of α_1 -integrins in cervical cancer (Valea et al). 1995;173:808-13

Ketoconazole

Disposition of maternal ketoconazole in breast milk (Moretti et al). 1995;173:1625-6

Kidney

Sequential urinalysis improves evaluation of fetal renal function in obstructive uropathy (Johnson et al). 1995;173: 59-65

Kidney diseases

Accuracy of prenatal diagnosis of renal agenesis with color flow imaging in severe second-trimester oligohydramnios (Sepulveda et al). 1995;173:1788-92

Fetal pyelectasis: Is it always "physiologic"? (Adra et al). 1995;173:1263-6

Kininogens

Kininogen present in rat reproductive tissues is apparently synthesized by the liver, not by the reproductive system (Hossain et al). 1995;173:830-4

L**Labor**

Accuracy and intraobserver variability of simulated cervical dilatation measurements (Phelps et al). 1995;173:942-5

Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational age in women delivered after spontaneous labor versus indicated delivery (Andrews et al). 1995;173:606-12

Changes in rat cervical collagen during gestation and after antiprogesterone treatment as measured in vivo with light-induced autofluorescence (Glassman et al). 1995; 173:1550-6

Contractions are not always labor (Nagey) (Letter); (Wapner and Ross) (Reply). 1995;173:975-6

Fetal macrosomia: Does antenatal prediction affect delivery route and birth outcome? (Weeks et al). 1995;173:1215-9

Fetal oxytocin and its extended forms at term with and without labor (Mueller-Heubach et al). 1995;173:375-81

An increase in expression of the lipocalin 24p3 is found in mouse uterus coincident with birth (Kasik and Rice). 1995;173:613-7

Prostaglandin $F_{2\alpha}$ output by amnion-chorion-decidua: relationship with labor and prostaglandin E_2 concentration at the amniotic surface (Kredentser et al). 1995;173:199-204

Labor, induced

Does magnesium sulfate affect the length of labor induction in women with pregnancy-associated hypertension? (Atkinson et al). 1995;173:1219-22

Early versus late amniotomy for labor induction: a randomized trial (Mercer et al). 1995;173:1321-5

Efficacy of outpatient induction with low-dose intravaginal prostaglandin E_2 : a randomized, double-blind, placebo-controlled trial (O'Brien et al). 1995;173:1855-9

Fetal fibronectin as a selection criterion for induction of term labor (Ahner et al). 1995;173:1513-7

Induction of labor versus expectant management: Does it matter? (Hannah et al) (Letter); (Natale et al) (Reply). 1995;173:352-3

Labor induction with intravaginal misoprostol versus intracervical prostaglandin E_2 gel (Prepidil gel): randomized comparison (Chuck and Huffaker). 1995;173:1137-42

Preinduction cervical ripening with commercially available prostaglandin E_2 gel: a randomized, double-blind comparison with a hospital-compounded preparation (Sanchez-Ramos et al). 1995;173:1079-84

Randomized comparison of the effects of endocervical and vaginal prostaglandin E_2 gel in women with various degrees of cervical ripeness (Keirse et al). 1995;173:1859-64

Labor, premature

Amniotic fluid interleukin-10 concentrations increase through pregnancy and are elevated in patients with preterm labor associated with intrauterine infection (Greig et al). 1995;173:1223-7

An exploration of opinion and practice patterns affecting low use of antenatal corticosteroids (Leviton et al). 1995; 173:312-6

Fetal cardiac function and ductus arteriosus during indomethacin and sulindac therapy for threatened preterm labor: a randomized study (Räsänen and Jouppila). 1995; 173:20-5

Fetal fibronectin improves the accuracy of diagnosis of preterm labor (Iams et al). 1995;173:141-5

Fetal fibronectin, interleukin-6, and C-reactive protein are useful in establishing prognostic subcategories of idiopathic preterm labor (Burrus et al). 1995;173:1258-62

A multicenter randomized controlled trial of home uterine monitoring: active versus sham device (Collaborative Home Uterine Monitoring Study [CHUMS] Group). 1995;173:1120-7

Neurobiology of uterine irritability in preterm labor (Friedman) (Letter); (Roberts and Morrison) (Reply). 1995;173: 1638-9

New perspectives for the effective treatment of preterm labor (Keirse). 1995;173:618-28 (Curr. dev.)

Oral terbutaline in the outpatient management of preterm labor (How et al). 1995;173:1518-22

The pharmacokinetics of the oxytocin antagonist atosiban in

- pregnant women with preterm uterine contractions (Goodwin et al). 1995;173:913-7
- Premature parturition is characterized by in utero activation of the fetal immune system (Berry et al). 1995;173:1315-20
- Risk factors for the development of preterm premature rupture of the membranes after arrest of preterm labor (Guinn et al). 1995;173:1310-5
- Salivary estriol as risk assessment for preterm labor: a prospective trial (McGregor et al). 1995;173:1337-42
- Labor complications**
- Antepartum surveillance in diabetic pregnancies: predictors of fetal distress in labor (Kjos et al). 1995;173:1532-9
- Are labor abnormalities more common in shoulder dystocia? (McFarland et al). 1995;173:1211-4
- Head entrapment and neonatal outcome by mode of delivery in breech deliveries from twenty-four to twenty-seven weeks of gestation (Robertson et al). 1995;173:1171-6
- Low-dose versus high-dose oxytocin augmentation of labor—a randomized trial (Xenakis et al). 1995;173:1874-8
- Multiple nuchal cord entanglements and intrapartum complications (Larson et al). 1995;173:1228-31
- Labor presentation**
- Delivery of the nonvertex second twin: breech extraction versus external cephalic version (Chauhan et al). 1995;173:1015-20
- Head entrapment and neonatal outcome by mode of delivery in breech deliveries from twenty-four to twenty-seven weeks of gestation (Robertson et al). 1995;173:1171-6
- Route of delivery for the breech presentation: a conundrum (Eller and VanDorsten). 1995;173:393-8
- Labor stage, first**
- Laminaria versus Dilapan osmotic cervical dilators for second-trimester abortion (Creinin) (Letter); (Hern) (Reply). 1995;173:354-5
- Preinduction cervical ripening with commercially available prostaglandin E₂ gel: a randomized, double-blind comparison with a hospital-compounded preparation (Sanchez-Ramos et al). 1995;173:1079-84
- Randomized comparison of the effects of endocervical and vaginal prostaglandin E₂ gel in women with various degrees of cervical ripeness (Keirse et al). 1995;173:1859-64
- Labor stage, second**
- Maternal oxygen administration and fetal well-being (Adams and Douglas) (Letter); (Thorp et al) (Reply). 1995;173:974
- Perinatal outcome in relation to second-stage duration (Menticoglou et al). 1995;173:906-12
- Lactates**
- Absence of relaxation to lactate in human placental vessels of pregnancies with severe preeclampsia (Figuerola et al). 1995;173:1800-6
- Routine measurements of umbilical artery lactate levels in the prediction of perinatal outcome (Westgren et al). 1995;173:1416-22
- Lactation**
- Galactorrhea caused by esophagitis (Turton and Shakir). 1995;173:1629-30
- Laminaria**
- Laminaria versus Dilapan osmotic cervical dilators for second-trimester abortion (Creinin) (Letter); (Hern) (Reply). 1995;173:354-5
- Laparoscopy**
- A comparison of the relative risk of vessel injury with conical versus pyramidal laparoscopic trocars in a rabbit model (Hurd et al). 1995;173:1731-3
- Excision of ovarian dermoid cyst by laparoscopy and by laparotomy (Lin et al). 1995;173:769-71
- Japanese endometriosis progression: Universally applicable? (Thylan) (Letter); (Hoshiai and Mitsuhashi) (Reply). 1995;173:349-50
- Laparoscopic bilateral pelvic and paraaortic lymph node sampling: an evolving technique (Spiritos et al). 1995;173:105-11
- Minilaparotomy for the ambulatory management of ovarian cysts (Flynn and Niloff). 1995;173:1727-30
- Single-use versus reusable laparoscopic surgical instruments: a comparative cost analysis (Schaer et al). 1995;173:1812-5
- Laparotomy**
- Excision of ovarian dermoid cyst by laparoscopy and by laparotomy (Lin et al). 1995;173:769-71
- Minilaparotomy for the ambulatory management of ovarian cysts (Flynn and Niloff). 1995;173:1727-30
- Larynx, artificial**
- Fetal acoustic stimulation test: stimulus features of three artificial larynges recorded in sheep (Abrams et al). 1995;173:1372-6
- Laser surgery**
- Laser vaporization of the ovarian surface in polycystic ovary disease results in reduced ovarian hyperstimulation and improved pregnancy rates (Fukaya et al). 1995;173:119-25
- Left ventricular function; see Ventricular function, left**
- Leg**
- The effect of oral magnesium substitution on pregnancy-induced leg cramps (Dahle et al). 1995;173:175-80
- Leiomyoma**
- Grapelike leiomyoma of the uterus (Brand et al). 1995;173:959-61
- Growth hormone receptor messenger ribonucleic acid expression in leiomyoma and surrounding myometrium (Sharara and Nieman). 1995;173:814-9
- Mitogenic effect of basic fibroblast growth factor and estradiol on cultured human myometrial and leiomyoma cells (Rauk et al). 1995;173:571-7
- Ultrasonographic and magnetic resonance imaging findings of a large asymptomatic retroperitoneal pelvic leiomyoma (Abulafia and Sherer). 1995;173:228-30
- Letters**
- Letters. 1995;173:345-55, 667-75, 974-9, 1351-5, 1636-41, 1895-900
- LH**
- Patterns of luteinizing and follicle-stimulating hormone pulsatility in menopausal women: correlation with plasma testosterone level and vasomotor instability episodes (Fossum et al). 1995;173:795-800
- Ligaments**
- Transvaginal sacrospinous colpopexy: anatomic landmarks to be aware of to minimize complications (Verdeja et al). 1995;173:1468-9
- Light-induced autofluorescence; see Fluorescence**
- Lipids**
- A prospective two-year study of progestin given alone in postmenopausal women: effect on lipid and metabolic parameters (Trémollières et al). 1995;173:85-9
- Red blood cell vitamin E concentrations in fetuses are related to but lower than those in mothers during gestation (Cachia et al). 1995;173:42-51

Lipocalin

An increase in expression of the lipocalin 24p3 is found in mouse uterus coincident with birth (Kasik and Rice). 1995;173:613-7

Lipoproteins

The effect of estrogen replacement therapy with or without progestogen on the fibrinolytic system and coagulation inhibitors in postmenopausal status (Gilbert et al). 1995;173:1849-54

Red blood cell vitamin E concentrations in fetuses are related to but lower than those in mothers during gestation (Cachia et al). 1995;173:42-51

Liposomes

A chloride channel from human placenta reconstituted into giant liposomes (Riquelme et al). 1995;173:733-8

Liver

Fetal liver cell transplantation for the creation of lymphohematopoietic chimerism in fetal baboons (Shields et al). 1995;173:1157-60

Kininogen present in rat reproductive tissues is apparently synthesized by the liver, not by the reproductive system (Hossain et al). 1995;173:830-4

Loop electrosurgical excision; see Electrosurgery**Loss, fetal; see Fetal death****Low birth weight infant; see Infant, low birth weight****Lower urinary tract; see Urinary tract****Lumbar vertebral density; see Bone density****Lung diseases**

Management and outcome of pregnant women with interstitial and restrictive lung disease (Bogges et al). 1995;173:1007-14

Lupus coagulation inhibitor

The effect of aspirin and indomethacin on prostacyclin and thromboxane production by placental tissue incubated with immunoglobulin G fractions from patients with lupus anticoagulant (Peaceman and Rehnberg). 1995;173:1391-6

Luteinizing hormone; see LH**Lymph node excision**

Radical hysterectomy: Does the type of incision matter? (Orr et al). 1995;173:399-406

Lymph nodes

Laparoscopic bilateral pelvic and paraaortic lymph node sampling: an evolving technique (Spirto et al). 1995;173:105-11

Lymphohematopoietic chimerism; see Chimerism**M****Macrophage colony-stimulating factor**

Macrophage colony-stimulating factor 1, a clinically useful tumor marker in endometrial adenocarcinoma: comparison with CA 125 and the aminoterminal propeptide of type III procollagen (Hakala et al). 1995;173:112-9

Magnesium

The effect of oral magnesium substitution on pregnancy-induced leg cramps (Dahle et al). 1995;173:175-80

Magnesium sulfate

Differential regulation of seizure activity in the hippocampus of male and female rats (Standley et al). 1995;173:1160-5

Does magnesium sulfate affect the length of labor induction in women with pregnancy-associated hypertension? (Atkinson et al). 1995;173:1219-22

The effect of magnesium sulfate on bleeding time in pregnancy (Fuentes et al). 1995;173:1246-9

Favorable hemodynamic effects of magnesium sulfate in preeclampsia (Scardo et al). 1995;173:1249-53

Magnetic resonance imaging

Periurethral and paravaginal anatomy: an endovaginal magnetic resonance imaging study (Aronson et al). 1995;173:1702-10

Ultrasonographic and magnetic resonance imaging findings of a large asymptomatic retroperitoneal pelvic leiomyoma (Abulafia and Sherer). 1995;173:228-30

Marfan syndrome

A prospective longitudinal evaluation of pregnancy in the Marfan syndrome (Rossiter et al). 1995;173:1599-606

Mass screening

A comparison between two screening methods for detection of microproteinuria (Higby et al). 1995;173:1111-4

Comparison of multiple-marker screening with amniocentesis for the detection of fetal aneuploidy in women 35 years old (Wenstrom et al). 1995;173:1287-92

Cytologic screening after hysterectomy for benign disease (Piscitelli et al). 1995;173:424-32

The impact of initiating a human immunodeficiency virus screening program in an urban obstetric population (Lewis et al). 1995;173:1329-33

The influence of maternal weight on human chorionic gonadotropin in the multiple-marker screening test for fetal Down syndrome (Wenstrom et al). 1995;173:1297-300

Intrapartum hepatitis B screening (Petermann and Ernest). 1995;173:369-74

Maternal serum screening should not replace amniocentesis (Hsu et al). 1995;173:977-8 (Letter)

Methods of and attitudes toward screening obstetrics and gynecology patients for domestic violence (Parsons et al). 1995;173:381-7

Precision of office-based blood glucose meters in screening for gestational diabetes (Carr et al). 1995;173:1267-72

Pregnancy outcome for women with very low levels of maternal serum unconjugated estradiol on second-trimester screening (Schleifer et al). 1995;173:1152-6

Prenatal screening for group B *Streptococcus*. I. Impact of antepartum screening on antenatal prophylaxis and intrapartum care (Mercer et al). 1995;173:837-41

Prenatal screening for group B *Streptococcus*. II. Impact of antepartum screening and prophylaxis on neonatal care (Mercer et al). 1995;173:842-6

Prevention of premature birth by screening and treatment for common genital tract infections: results of a prospective controlled evaluation (McGregor et al). 1995;173:157-67

Triple marker (α -fetoprotein, unconjugated estradiol, human chorionic gonadotropin) versus α -fetoprotein plus free- β subunit in second-trimester maternal serum screening for fetal Down syndrome: a prospective comparison study (Kellner et al). 1995;173:1306-9

The value of routine urine dipstick screening for protein at each prenatal visit (Gribble et al). 1995;173:214-7

Maternal age 35 and over

Comparison of multiple-marker screening with amniocentesis for the detection of fetal aneuploidy in women 35 years old (Wenstrom et al). 1995;173:1287-92

Maternal-fetal exchange

Age at menarche among diethylstilbestrol granddaughters (Wilcox et al). 1995;173:835-6

Fetal responses to maternal and fetal methamphetamine administration in sheep (Stek et al). 1995;173:1592-8

The relationship of the duration of ruptured membranes to

vertical transmission of human immunodeficiency virus (Minkoff et al). 1995;173:585-9

Transport of immunoglobulin G and its subclasses across the in vitro-perfused human placenta (Malek et al). 1995; 173:760-7

Maternal-fetal outcome; see Pregnancy outcome

Maternal weight; see Body weight

Meconium

Inhibition of neutrophil oxidative burst and phagocytosis by meconium (Clark and Duff). 1995;173:1301-5

Meconium inhibits the contraction of umbilical vessels induced by the thromboxane A₂ analog U46619 (Montgomery et al). 1995;173:1075-8

Meconium aspiration

Amnioinfusion and the intrauterine prevention of meconium aspiration (Spong et al) (Letter); (Dye et al) (Reply). 1995;173:671-2

Medical records systems, computerized

Computer-generated admission forms have greater accuracy (Dombrowski et al). 1995;173:847-8

Medicine

The current paradigm shift in American medicine (Sherline). 1995;173:672-3 (Letter)

Membranes, fetal; see Fetal membranes

Menarche

Age at menarche among diethylstilbestrol granddaughters (Wilcox et al). 1995;173:835-6

Menopause

Benefits and risks of estrogen replacement therapy (Lobo). 1995;173:982-90 (Symposium)

Clinical experience with a seven-day estradiol transdermal system for estrogen replacement therapy (Gordon). 1995; 173:998-1004 (Symposium)

Do menopause and hormonal replacement therapy influence body cell mass and body fat mass? (Utian) (Letter); (Aloia) (Reply). 1995;173:669

The effect of estrogen replacement therapy with or without progestogen on the fibrinolytic system and coagulation inhibitors in postmenopausal status (Gilabert et al). 1995; 173:1849-54

Emerging delivery systems for estrogen replacement: aspects of transdermal and oral delivery (Nachtigall). 1995; 173:993-7 (Symposium)

Estrogen replacement: the evolving role of alternative delivery systems—introduction (Lobo). 1995;173:981 (Symposium)

Estrogen replacement therapy in practice: trends and issues (Thompson). 1995;173:990-3 (Symposium)

Hormones and depression: What are the facts about premenstrual syndrome, menopause, and hormone replacement therapy? (Pearlstein). 1995;173:646-53 (Symposium)

Hysteroscopy as gold standard for evaluation of abnormal uterine bleeding (Gimpelson and Whalen) (Letter); (Karls-son et al) (Reply). 1995;173:1637-8

Patterns of luteinizing and follicle-stimulating hormone pulsatility in menopausal women: correlation with plasma testosterone level and vasomotor instability episodes (Fossum et al). 1995;173:795-800

Prior and current health characteristics of postmenopausal estrogen replacement therapy users compared with non-users (Derby et al). 1995;173:544-50

A prospective two-year study of progestin given alone in postmenopausal women: effect on lipid and metabolic parameters (Trémollières et al). 1995;173:85-9

Randomized comparison of a new estradiol-releasing vaginal ring versus estradiol vaginal pessaries (Saure) (Letter); (Henriksson and Sternquist) (Reply). 1995;173:670-1

Superior compliance and efficacy of continuous combined oral estrogen-progestogen replacement therapy in postmenopausal women (Dören et al). 1995;173:1446-51

Value of transvaginal ultrasonography and hysteroscopy in the evaluation of postmenopausal women with metrorrhagia (de Mendonça and Kay) (Letter); (Emanuel et al) (Reply). 1995;173:1352-3

Menorrhagia

Adenomyosis must be considered in patients with menorrhagia and a normal-appearing cavity on hysteroscopy or ultrasonography (McCausland) (Letter); (Emanuel et al) (Reply). 1995;173:675

Menstrual cycle

Immunolocalization of progesterone-induced uterine protein-1 in human endometrium during the menstrual cycle and in the placenta throughout gestation (Sharpe-Timms et al). 1995;173:1569-78

Menstruation

Endothelin-1 and big endothelin-1 increase in human endometrium during menstruation (Ohbuchi et al). 1995; 173:1483-90

Intrapelvic injection of menstrual endometrium causes endometriosis in baboons (*Papio cynocephalus* and *Papio anubis*) (D'Hooghe et al). 1995;173:125-34

Menstruation disorders

Epithelial cells in peritoneal fluid—Of endometrial origin? (van der Linden et al). 1995;173:566-70

Mental retardation

The relationship of birth weight and birth weight discordance to cerebral palsy or mental retardation later in life for twins weighing less than 2500 grams (Rydhstroem). 1995;173:680-6

Mentors

Paying debts that cannot be repaid (Addison). 1995;173: 1661-3 (Pres. address)

Mersilene mesh; see Surgical mesh

Messenger ribonucleic acid; see RNA, messenger

Metabolism

A prospective two-year study of progestin given alone in postmenopausal women: effect on lipid and metabolic parameters (Trémollières et al). 1995;173:85-9

Underlying disorders associated with severe early-onset pre-eclampsia (Dekker et al). 1995;173:1042-8

Metalloproteinases

Elevated protease activities in human amnion and chorion correlate with preterm premature rupture of membranes (Draper et al). 1995;173:1506-12

Metals

The coelomic cavity—a reservoir for metals (Wathen et al). 1995;173:1884-8

Metaplasia

Supernumerary ovary with an endometrioma and osseous metaplasia: a case report (Badawy et al). 1995;173: 1623-4

Methamphetamine

Fetal responses to maternal and fetal methamphetamine administration in sheep (Stek et al). 1995;173:1592-8

Methemoglobinemia

Fetal methemoglobinemia: a cause of nonimmune hydrops fetalis (Özmen et al). 1995;173:232-3

Methotrexate

A randomized trial comparing misoprostol three and seven

Methotrexate—cont'd

days after methotrexate for early abortion (Creinin et al). 1995;173:1578-84

Metrorrhagia

Value of transvaginal ultrasonography and hysteroscopy in the evaluation of postmenopausal women with metrorrhagia (de Mendonça and Kay) (Letter); (Emanuel et al) (Reply). 1995;173:1352-3

Microbial colonization; see Infection**Microproteinuria; see Proteinuria****Midtrimester of pregnancy; see Pregnancy trimester, second****Mifepristone**

The emergency contraceptive pill: a survey of knowledge and attitudes among students at Princeton University (Harper and Ellertson). 1995;173:1438-45

Estrogenic activity of RU 486 (mifepristone) in rat uterus and cultured uterine myocytes (Dibbs et al). 1995;173:134-40

Milk, human

Disposition of maternal ketoconazole in breast milk (Moretti et al). 1995;173:1625-6

Minilaparotomy; see Laparotomy**Misoprostol**

Labor induction with intravaginal misoprostol versus intracervical prostaglandin E₂ gel (Prepidil gel): randomized comparison (Chuck and Huffaker). 1995;173:1137-42

A randomized trial comparing misoprostol three and seven days after methotrexate for early abortion (Creinin et al). 1995;173:1578-84

Mitogens

Mitogenic effect of basic fibroblast growth factor and estradiol on cultured human myometrial and leiomyoma cells (Rauk et al). 1995;173:571-7

Molar pregnancy; see Hydatidiform mole**Molecular genotype; see Genotype****MOMs screening method; see Genetic screening****Monoamines; see Biogenic monoamines****Monocytes**

Hormone replacement therapy reduces the reactivity of monocytes and platelets in whole blood—A beneficial effect on atherogenesis and thrombus formation? (Aune et al). 1995;173:1816-20

Premature parturition is characterized by in utero activation of the fetal immune system (Berry et al). 1995;173:1315-20

Morbidity

Maternal corticosteroid and tocolytic treatment and morbidity and mortality in very low birth weight infants (Atkinson et al). 1995;173:299-305

A randomized trial of open versus closed vaginal vault in the prevention of postoperative morbidity after abdominal hysterectomy (Colombo et al). 1995;173:1807-11

Mortality

Maternal corticosteroid and tocolytic treatment and morbidity and mortality in very low birth weight infants (Atkinson et al). 1995;173:299-305

Mortality, infant; see Infant mortality**Mosaicism**

Is the 15-in situ clone protocol necessary to detect amniotic fluid mosaicism? (Cheng et al). 1995;173:1025-30

Mucins

Expression of two mucin antigens in cultured human ovarian surface epithelium: influence of a family history of ovarian cancer (Auersperg et al). 1995;173:558-65

Multiple gestations; see Pregnancy, multiple**Multivariate analysis**

Multivariate survival analysis of clinicopathologic features in surgical stage I endometrioid carcinoma including analysis of HER-2/*neu* expression (Nazeer et al). 1995;173:1829-34

Mutation

Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells (Hietanen et al). 1995;173:1477-82

Myocardial ischemia

Evaluation of preoperative cardiac risk index values in patients undergoing vaginal surgery (Shackelford et al). 1995;173:80-4

Myomectomy; see Uterus**Myometrium**

Growth hormone receptor messenger ribonucleic acid expression in leiomyoma and surrounding myometrium (Sharara and Nieman). 1995;173:814-9

Mechanism underlying phasic contractions of pregnant rat myometrium simulated by aluminum fluoride (Garfield) (Letter); (Phillippe) (Reply). 1995;173:348-9

Mitogenic effect of basic fibroblast growth factor and estradiol on cultured human myometrial and leiomyoma cells (Rauk et al). 1995;173:571-7

Myosin

Contractile proteins in human fetoplacental vessels (Cavaillé et al). 1995;173:1793-9

Myxoid sarcoma; see Sarcoma

N

Nafarelin

Effects of a gonadotropin-releasing hormone agonist on the calcium-parathyroid axis and bone turnover in women with endometriosis (Newhall-Perry et al). 1995;173:824-9

Nausea

Pyridoxine for nausea and vomiting of pregnancy: a randomized, double-blind, placebo-controlled trial (Vutiyavanich et al). 1995;173:881-4

Necrotizing fasciitis; see Fasciitis**Neonatal outcome; see Pregnancy outcome****Neonate; see Infant, newborn****Neoplasm staging**

Endometrial cancer: stage at diagnosis and associated factors in black and white patients (Barrett et al). 1995;173:414-23

Multivariate survival analysis of clinicopathologic features in surgical stage I endometrioid carcinoma including analysis of HER-2/*neu* expression (Nazeer et al). 1995;173:1829-34

Nerve net

Neural network prediction of nonstress test results: How often should we perform nonstress tests? (Devoe et al). 1995;173:1128-31

Neurobiology

Neurobiology of uterine irritability in preterm labor (Friedman) (Letter); (Roberts and Morrison) (Reply). 1995;173:1638-9

Neutrophils

Inhibition of neutrophil oxidative burst and phagocytosis by meconium (Clark and Duff). 1995;173:1301-5

Premature parturition is characterized by in utero activation of the fetal immune system (Berry et al). 1995;173:1315-20

Nimodipine

Beat-to-beat variation (Dawes) (Letter); (Belfort) (Reply). 1995;173:349

Nitric oxide

Estrogen increases nitric oxide synthase activity in the uterus of nonpregnant sheep (Figueroa and Massmann). 1995;173:1539-45

Immunohistochemical characterization of placental nitric oxide synthase expression in preeclampsia (Ghabour et al). 1995;173:687-94

The interaction of nitric oxide and superoxide in the human fetal-placental vasculature (Holberg et al). 1995;173:528-33

Nitric oxide concentrations are increased in the fetoplacental circulation in preeclampsia (Lyll et al). 1995;173:714-8

Shear stress may stimulate release and action of nitric oxide in the human fetal-placental vasculature (Wieczorek et al). 1995;173:708-13

Nocturnal disorders; see Sleep disorders

Nomenclature

Postdates is not postmature (Braun) (Letter); (Clausen and Larsen) (Reply). 1995;173:669-70

Nonimmune hydrops fetalis; see Hydrops fetalis

Nonstress test; see Fetal monitoring

Nonvertex twin; see Twins

Norepinephrine

Human placental monoamine transporters as targets for amphetamines (Ramamoorthy et al). 1995;173:1782-7

Norethindrone

Lumbar vertebral density and mechanical properties in aged ovariectomized rats treated with estrogen and norethindrone or norgestimate (Vanin et al). 1995;173:1491-8

Norgestimate

Lumbar vertebral density and mechanical properties in aged ovariectomized rats treated with estrogen and norethindrone or norgestimate (Vanin et al). 1995;173:1491-8

Nose

Nocturnal hyperventilation in pregnancy—reversal with nasal continuous positive airway pressure (Polo and Ekholm). 1995;173:238-9

Nuchal cord

Multiple nuchal cord entanglements and intrapartum complications (Larson et al). 1995;173:1228-31

Normal nuchal thickness in the midtrimester indicates reduced risk of Down syndrome in pregnancies with abnormal triple-screen results (Bahado-Singh et al). 1995;173:1106-10

Nuchal cords: timing of prenatal diagnosis and duration (Collins et al). 1995;173:768

Nuclear magnetic resonance

"Physiologic" intracellular acidosis in pregnancy (Bardicef et al). 1995;173:879-80

Nucleated red blood cells; see Erythrocytes

Nulliparity; see Parity

Nurses

The association between occupational factors and preterm birth: a United States nurses' study (Luke et al). 1995;173:849-62

O

Obesity

Cherney versus midline vertical incision for myomectomy or hysterectomy of a significantly enlarged uterus (De Lia et al). 1995;173:1714-8

Gastrointestinal hemorrhage during pregnancy in a patient with a history of vertical-banded gastroplasty (Ramirez and Turrentine). 1995;173:1630-1

Observer variation

Accuracy and intraobserver variability of simulated cervical dilatation measurements (Phelps et al). 1995;173:942-5

Obstetric outcome; see Pregnancy outcome

Obstetrics

Advances in the management of depression: implications for the obstetrician/gynecologist (Rothschild). 1995;173:659-66 (Symposium)

Breast-feeding education of obstetrics-gynecology residents and practitioners (Freed et al). 1995;173:1607-13

The in-training examination in obstetrics and gynecology: an attempt to establish a remediation indicator (Ling et al). 1995;173:946-50

Recognition of depression in obstetric/gynecology practices (Yonkers and Chantilis). 1995;173:632-8 (Symposium)

Obstructive uropathy; see Urethral obstruction

Occupational factors; see Work

Oligohydramnios

Accuracy of prenatal diagnosis of renal agenesis with color flow imaging in severe second-trimester oligohydramnios (Sepulveda et al). 1995;173:1788-92

Acute maternal hydration in third-trimester oligohydramnios: effects on amniotic fluid volume, uteroplacental perfusion, and fetal blood flow and urine output (Flack et al). 1995;173:1186-91

The effect of low amniotic pressure without oligohydramnios on fetal lung development in a rabbit model (Kizilcan et al). 1995;173:36-41

Effects of intracervical prostaglandin E₂ on fetal heart rate and uterine activity patterns in the presence of oligohydramnios (Larson et al). 1995;173:1166-70

Is oligohydramnios in postterm pregnancy associated with redistribution of fetal blood flow? (Bar-Hava et al). 1995;173:519-22

Omeprazole

Successful pregnancy in association with Zollinger-Ellison syndrome (Harper et al). 1995;173:863-4

Onapristone

Onapristone (ZK 98.299): a potential antiprogesterone for endometrial contraception (Katkam et al). 1995;173:779-87

Oophorectomy; see Ovariectomy

Oral administration; see Administration, oral

Oral contraceptives; see Contraceptives, oral

Osseous metaplasia; see Metaplasia

Osteoporosis

Benefits and risks of estrogen replacement therapy (Lobo). 1995;173:982-90 (Symposium)

Outcome of pregnancy; see Pregnancy outcome

Outpatient care; see Ambulatory care

Ovarian hyperstimulation syndrome

Laser vaporization of the ovarian surface in polycystic ovary disease results in reduced ovarian hyperstimulation and improved pregnancy rates (Fukaya et al). 1995;173:119-25

Ovarian neoplasms

Cytologic diagnosis of ovarian tumors: factors influencing accuracy in previously undiagnosed cases (Andersen et al). 1995;173:457-64

Excision of ovarian dermoid cyst by laparoscopy and by laparotomy (Lin et al). 1995;173:769-71

Expression of two mucin antigens in cultured human ovarian surface epithelium: influence of a family history of ovarian cancer (Auersperg et al). 1995;173:558-65

Ovarian neoplasms—cont'd

- The management of a persistent adnexal mass in pregnancy (Platek et al). 1995;173:1236-40
- Minilaparotomy for the ambulatory management of ovarian cysts (Flynn and Niloff). 1995;173:1727-30
- Pelvic endometriosis mimicking advanced ovarian cancer: presentation with pleural effusion, ascites, and elevated serum CA 125 level (Myers et al). 1995;173:966-7
- Reduction of tumor necrosis factor- α bioactivity by a human ovarian epithelial cancer cell line in vitro (Sancho-Tello et al). 1995;173:1470-7
- Supernumerary ovary with an endometrioma and osseous metaplasia: a case report (Badawy et al). 1995;173:1623-4

Ovariectomy

- Lumbar vertebral density and mechanical properties in aged ovariectomized rats treated with estrogen and norethindrone or norgestimate (Vanin et al). 1995;173:1491-8
- No more radiogenic castration in women with Hodgkin's disease? (De Wilde and Hesselink). 1995;173:1639 (Letter)
- Transvaginal endoscopic oophorectomy (Yuen) (Letter); (Magos et al) (Reply). 1995;173:976-7

Ovary

- Laser vaporization of the ovarian surface in polycystic ovary disease results in reduced ovarian hyperstimulation and improved pregnancy rates (Fukaya et al). 1995;173:119-25
- Steroid hormone effects on the proliferation of human ovarian surface epithelium in vitro (Karlan et al). 1995;173:97-104
- Supernumerary ovary with an endometrioma and osseous metaplasia: a case report (Badawy et al). 1995;173:1623-4

Ovulation

- Onapristone (ZK 98.299): a potential antiprogesterin for endometrial contraception (Katkam et al). 1995;173:779-87

Oxidative burst; see Respiratory burst**Oxygen**

- Maternal oxygen administration and fetal well-being (Adams and Douglas) (Letter); (Thorpe et al) (Reply). 1995;173:974

Oxytocin

- Clinical experience with the oxytocin challenge test (Ray et al). 1995;173:224-5 (Classic pages in obstetrics and gynecology)
- The control of blood loss at cesarean section with intramyometrial prostaglandin $F_{2\alpha}$ analog versus intravenous synthetic oxytocin (Ezeh and Pearson) (Letter); (Chou and MacKenzie) (Reply). 1995;173:353-4
- Early versus late amniotomy for labor induction: a randomized trial (Mercer et al). 1995;173:1321-5
- Fetal oxytocin and its extended forms at term with and without labor (Mueller-Heubach et al). 1995;173:375-81
- Low-dose versus high-dose oxytocin augmentation of labor—a randomized trial (Xenakis et al). 1995;173:1874-8
- The pharmacokinetics of the oxytocin antagonist atosiban in pregnant women with preterm uterine contractions (Goodwin et al). 1995;173:913-7

P**Pain**

- The effect of topical 20% benzocaine on pain during loop electrosurgical excision of the cervix (Lipscomb et al). 1995;173:772-4
- First report of a vaginal foreign body perforating into the

retroperitoneum (O'Hanlan and Westphal). 1995;173:962-4

- Recognition of depression in obstetric/gynecology practices (Yonkers and Chantilis). 1995;173:632-8 (Symposium)
- Women cannot discriminate between different paracervical block techniques applied to opposite sides of the cervix (Grossman). 1995;173:935-6

Pancreatitis

- Acute pancreatitis in pregnancy (Ramin et al). 1995;173:187-91

Papillomaviruses

- Evaluation of the Hybrid Capture human papillomavirus deoxyribonucleic acid detection test (Sun et al). 1995;173:1432-7
- Human papillomavirus deoxyribonucleic acid as a prognostic indicator in early-stage cervical cancer: a possible role for type 18 (Rose et al). 1995;173:1461-8

Papio

- Intrapelvic injection of menstrual endometrium causes endometriosis in baboons (*Papio cynocephalus* and *Papio anubis*) (D'Hooghe et al). 1995;173:125-34

Paraortic lymph nodes; see Lymph nodes**Paracervical block; see Anesthesia****Parasympathomimetics**

- Effects of prenatal ethanol exposure on the hippocampal neurochemistry of albino rats at 90 days of postnatal age (Black et al). 1995;173:514-9

Parathyroid glands

- Effects of a gonadotropin-releasing hormone agonist on the calcium-parathyroid axis and bone turnover in women with endometriosis (Newhall-Perry et al). 1995;173:824-9

Parathyroid hormones

- Expression of parathyroid hormone-related peptide and its receptor messenger ribonucleic acid in human amnion and chorion-decidua: implications for secretion and function (Bruns et al). 1995;173:739-46
- Interleukin-1 β and interleukin-4 increase parathyroid hormone-related protein secretion by human umbilical vein endothelial cells in culture (Ferguson et al). 1995;173:448-56

Paravaginal anatomy; see Urethra, anatomy and histology**Parity**

- The angiotensin sensitivity test and low-dose aspirin are ineffective methods to predict and prevent hypertensive disorders in nulliparous pregnancy (Kyle et al). 1995;173:865-72
- The squirrel monkey as an animal model of pelvic relaxation: an evaluation of a large breeding colony (Coates et al). 1995;173:1664-70

Parturition; see Labor**Patient compliance**

- Estrogen replacement therapy in practice: trends and issues (Thompson). 1995;173:990-3 (Symposium)
- Superior compliance and efficacy of continuous combined oral estrogen-progestogen replacement therapy in postmenopausal women (Dören et al). 1995;173:1446-51

Patients

- The accuracy and patient preference for self-collected group B *Streptococcus* cultures (Mercer et al). 1995;173:1325-8
- Clarification of source (Brucker) (Letter); (van der Merwe) (Reply). 1995;173:1899-900
- Clinical indications for hysterectomy route: Patient characteristics or physician preference? (Dorsey et al). 1995;173:1452-60

Pelvic floor electrical stimulation; see Electric stimulation
Pelvic lymph nodes; see Lymph nodes

Pelvic neoplasms

- Growth hormone receptor messenger ribonucleic acid expression in leiomyoma and surrounding myometrium (Sharara and Nieman). 1995;173:814-9
- Ultrasonographic and magnetic resonance imaging findings of a large asymptomatic retroperitoneal pelvic leiomyoma (Abulafia and Sherer). 1995;173:228-30

Pelvis

- De conceptu et generatione hominis (Rueff). 1995;173:1349-50 (Classic pages in obstetrics and gynecology)
- Laparoscopic bilateral pelvic and paraaortic lymph node sampling: an evolving technique (Spirtos et al). 1995;173:105-11
- Pelvic endometriosis mimicking advanced ovarian cancer: presentation with pleural effusion, ascites, and elevated serum CA 125 level (Myers et al). 1995;173:966-7
- Pelvic floor electrical stimulation in the treatment of genuine stress incontinence: a multicenter, placebo-controlled trial (Sand et al). 1995;173:72-9
- Sacrospinous suspension: a local practitioner's experience (Pasley). 1995;173:440-8
- The squirrel monkey as an animal model of pelvic relaxation: an evaluation of a large breeding colony (Coates et al). 1995;173:1664-70

Peptides

- Expression of parathyroid hormone-related peptide and its receptor messenger ribonucleic acid in human amnion and chorion-decidua: implications for secretion and function (Bruns et al). 1995;173:739-46
- Macrophage colony-stimulating factor 1, a clinically useful tumor marker in endometrial adenocarcinoma: comparison with CA 125 and the aminoterminal propeptide of type III procollagen (Hakala et al). 1995;173:112-9
- Plasma and placental calcitonin gene-related peptide in pregnancies complicated by severe preeclampsia (Schiff et al). 1995;173:1405-9

Perfusion

- Acute maternal hydration in third-trimester oligohydramnios: effects on amniotic fluid volume, uteroplacental perfusion, and fetal blood flow and urine output (Flack et al). 1995;173:1186-91
- The effects of atrial natriuretic factor and angiotensin II on fetal-placental perfusion pressure in the ex vivo cotyledon model (Markenson et al). 1995;173:1143-7
- Postdates is not postmature (Braun) (Letter); (Clausen and Larsen) (Reply). 1995;173:669-70
- Transport of immunoglobulin G and its subclasses across the in vitro-perfused human placenta (Malek et al). 1995;173:760-7

Perinatal outcome; see Pregnancy outcome

Peritoneal fluid; see Ascitic fluid

Periurethral anatomy; see Urethra, anatomy and histology
Pessaries

- Randomized comparison of a new estradiol-releasing vaginal ring versus estriol vaginal pessaries (Saure) (Letter); (Henriksson and Sternquist) (Reply). 1995;173:670-1

pH; see Hydrogen-ion concentration

Phagocytosis

- Inhibition of neutrophil oxidative burst and phagocytosis by meconium (Clark and Duff). 1995;173:1301-5

Pharmacokinetics

- Initial and steady-state pharmacokinetics of a vaginally ad-

ministered formulation of progesterone (Archer et al). 1995;173:471-8

Pharmacokinetics and pharmacodynamics of subcutaneous heparin during the early third trimester of pregnancy (Brancazio et al). 1995;173:1240-5

The pharmacokinetics of the oxytocin antagonist atosiban in pregnant women with preterm uterine contractions (Goodwin et al). 1995;173:913-7

Photochemotherapy

Photosensitization of the endometrium with topical 5-aminolevulinic acid (Gannon et al). 1995;173:1826-8

Photosensitizing agents

Photosensitization of the endometrium with topical 5-aminolevulinic acid (Gannon et al). 1995;173:1826-8

Physician-patient relations

Clarification of source (Brucker) (Letter); (van der Merwe) (Reply). 1995;173:1899-900

Physicians, family

Breast-feeding education of obstetrics-gynecology residents and practitioners (Freed et al). 1995;173:1607-13

The current paradigm shift in American medicine (Sherline). 1995;173:672-3 (Letter)

Physician's practice patterns

Clinical indications for hysterectomy route: Patient characteristics or physician preference? (Dorsey et al). 1995;173:1452-60

Pituitary gland

Thyrotropin-releasing hormone: Does two hundred micrograms provide effective stimulation to the preterm fetal pituitary gland compared with four hundred micrograms? (Crowther et al). 1995;173:719-23

Placebos

- Calcium channel blockade (isradipine) in treatment of hypertension in pregnancy: a randomized placebo-controlled study (Wide-Svensson et al). 1995;173:872-8
- Efficacy of outpatient induction with low-dose intravaginal prostaglandin E₂: a randomized, double-blind, placebo-controlled trial (O'Brien et al). 1995;173:1855-9
- Pelvic floor electrical stimulation in the treatment of genuine stress incontinence: a multicenter, placebo-controlled trial (Sand et al). 1995;173:72-9
- Pyridoxine for nausea and vomiting of pregnancy: a randomized, double-blind, placebo-controlled trial (Vutyavanich et al). 1995;173:881-4

Placenta

- Absence of relaxation to lactate in human placental vessels—of pregnancies with severe preeclampsia (Figueroa et al). 1995;173:1800-6
- A chloride channel from human placenta reconstituted into giant liposomes (Riquelme et al). 1995;173:733-8
- The effect of aspirin and indomethacin on prostacyclin and thromboxane production by placental tissue incubated with immunoglobulin G fractions from patients with lupus anticoagulant (Peaceman and Rehnberg). 1995;173:1391-6
- The efficacy of the placental biopsy (Kliman et al). 1995;173:1084-8
- Emergency cervical cerclage after the first delivery in a twin pregnancy with dichorionic placenta (Minakami et al). 1995;173:345-6 (Letter)
- Histologic evidence of old intrauterine bleeding is more frequent in prematurity (Salafia et al). 1995;173:1065-70
- Human placental monoamine transporters as targets for amphetamines (Ramamoorthy et al). 1995;173:1782-7
- Immunohistochemical characterization of placental nitric

Placenta—cont'd

oxide synthase expression in preeclampsia (Ghabour et al). 1995;173:687-94

Immunohistochemical studies of human uteroplacental tissues from first-trimester spontaneous abortion (Hill et al). 1995;173:90-6

Immunolocalization of progesterone-induced uterine protein-1 in human endometrium during the menstrual cycle and in the placenta throughout gestation (Sharpe-Timms et al). 1995;173:1569-78

Maternal serum placental alkaline phosphatase level and risk for preterm delivery (Meyer et al). 1995;173:181-6

Nitric oxide concentrations are increased in the fetoplacental circulation in preeclampsia (Lyall et al). 1995;173:714-8

Placental histomorphometry and morphometric diffusing capacity of the villous membrane in pregnancies complicated by maternal iron-deficiency anemia (Reshetnikova et al). 1995;173:724-7

Plasma and placental calcitonin gene-related peptide in pregnancies complicated by severe preeclampsia (Schiff et al). 1995;173:1405-9

Postdates is not postmature (Braun) (Letter); (Clausen and Larsen) (Reply). 1995;173:669-70

Relationship between placental histologic features and umbilical cord blood gases in preterm gestations (Salafia et al). 1995;173:1058-64

Transport of immunoglobulin G and its subclasses across the in vitro-perfused human placenta (Malek et al). 1995;173:760-7

Placenta, pathology

Intrauterine growth restriction in infants of less than thirty-two weeks' gestation: associated placental pathologic features (Salafia et al). 1995;173:1049-57

Placental pathologic features of preterm preeclampsia (Salafia et al). 1995;173:1097-105

Placenta, physiology

The interaction of nitric oxide and superoxide in the human fetal-placental vasculature (Holberg et al). 1995;173:528-33

Interleukin-10 messenger ribonucleic acid in human placenta: implications of a role for interleukin-10 in fetal allograft protection (Cadet et al). 1995;173:25-9

Levels of hepatocyte growth factor in maternal serum and amniotic fluid (Horibe et al). 1995;173:937-42

Shear stress may stimulate release and action of nitric oxide in the human fetal-placental vasculature (Wieczorek et al). 1995;173:708-13

Vascular endothelial growth factor gene expression in ovine placenta and fetal membranes (Cheung et al). 1995;173:753-9

Placenta diseases

Ballantyne syndrome caused by a large placental chorionangioma (Dorman and Cardwell). 1995;173:1632-3

Placental insufficiency

Early ultrasonographic detection of fetal growth retardation in an ovine model of placental insufficiency (Barbera et al). 1995;173:1071-4

Increased fetal plasma prostaglandin E₂ concentrations during fetal placental embolization in pregnant sheep (Murotsuki et al). 1995;173:30-5

Placental vessels; see Blood vessels**Plasma**

Increased fetal plasma prostaglandin E₂ concentrations during fetal placental embolization in pregnant sheep (Murotsuki et al). 1995;173:30-5

Patterns of luteinizing and follicle-stimulating hormone pulsatility in menopausal women: correlation with plasma testosterone level and vasomotor instability episodes (Fossum et al). 1995;173:795-800

Plasma and placental calcitonin gene-related peptide in pregnancies complicated by severe preeclampsia (Schiff et al). 1995;173:1405-9

Red blood cell vitamin E concentrations in fetuses are related to but lower than those in mothers during gestation (Cachia et al). 1995;173:42-51

Soluble tumor necrosis factor receptors in maternal plasma and second-trimester amniotic fluid (Kupferminc et al). 1995;173:900-5

Plasminogen activator inhibitor 1

The regulation of plasminogen activators and plasminogen activator inhibitor type 1 in endothelial cells by sex hormones (Sobel et al). 1995;173:801-8

Plasminogen activators

The regulation of plasminogen activators and plasminogen activator inhibitor type 1 in endothelial cells by sex hormones (Sobel et al). 1995;173:801-8

Platelet-derived growth factor

Platelet-derived growth factor promotes endometrial epithelial cell proliferation (Munson et al). 1995;173:1820-5

Platelets; see Blood platelets**Pleural effusion**

Pelvic endometriosis mimicking advanced ovarian cancer: presentation with pleural effusion, ascites, and elevated serum CA 125 level (Myers et al). 1995;173:966-7

Poisoning

Fetal methemoglobinemia: a cause of nonimmune hydrops fetalis (Özmen et al). 1995;173:232-3

Polycystic ovary syndrome

Laser vaporization of the ovarian surface in polycystic ovary disease results in reduced ovarian hyperstimulation and improved pregnancy rates (Fukaya et al). 1995;173:119-25

Polyhydramnios

Is polyhydramnios in an ultrasonographically normal fetus an indication for genetic evaluation? (Barnhard et al). 1995;173:1523-7

Polymerase chain reaction

Accuracy of prenatal determination of RhD type status by polymerase chain reaction with amniotic cells (Lighten et al). 1995;173:1182-5

Detection of viral deoxyribonucleic acid in the amniotic fluid of low-risk pregnancies by polymerase chain reaction (McLean et al). 1995;173:1282-6

Evaluation of the Hybrid Capture human papillomavirus deoxyribonucleic acid detection test (Sun et al). 1995;173:1432-7

Growth hormone receptor messenger ribonucleic acid expression in leiomyoma and surrounding myometrium (Sharara and Nieman). 1995;173:814-9

Polyps

First report of a vaginal foreign body perforating into the retroperitoneum (O'Hanlan and Westphal). 1995;173:962-4

Postdate pregnancy; see Pregnancy, prolonged**Postmenopausal women; see Menopause****Postoperative complications**

Post-cesarean section splenic rupture (Kaluarachchi and Krishnamurthy). 1995;173:230-2

A randomized trial of open versus closed vaginal vault in the

prevention of postoperative morbidity after abdominal hysterectomy (Colombo et al). 1995;173:1807-11

Wound infection after abdominal hysterectomy: effect of the depth of subcutaneous tissue (Soper et al). 1995;173:465-71

Postpartum period; see Puerperium

Postterm pregnancy; see Pregnancy, prolonged

Practitioners; see Physicians, family

Preeclampsia; see also Pregnancy complications, cardiovascular

Absence of relaxation to lactate in human placental vessels of pregnancies with severe preeclampsia (Figueroa et al). 1995;173:1800-6

The angiotensin sensitivity test and low-dose aspirin are ineffective methods to predict and prevent hypertensive disorders in nulliparous pregnancy (Kyle et al). 1995;173:865-72

Beat-to-beat variation (Dawes) (Letter); (Belfort) (Reply). 1995;173:349

Calcium channel blockade (isradipine) in treatment of hypertension in pregnancy: a randomized placebo-controlled study (Wide-Swensson et al). 1995;173:872-8

Daily antenatal testing in women with severe preeclampsia (Chari et al). 1995;173:1207-10

Effect of serum on secretion of prostacyclin and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies (Gallery et al). 1995;173:918-23

Endothelial dysfunction yes, cytotoxicity no! (Roberts et al) (Letter); (Endresen) (Reply). 1995;173:978-9

Favorable hemodynamic effects of magnesium sulfate in preeclampsia (Scardo et al). 1995;173:1249-53

Immunohistochemical characterization of placental nitric oxide synthase expression in preeclampsia (Ghabour et al). 1995;173:687-94

Nitric oxide concentrations are increased in the fetoplacental circulation in preeclampsia (Lyll et al). 1995;173:714-8

Placental pathologic features of preterm preeclampsia (Salaria et al). 1995;173:1097-105

Plasma and placental calcitonin gene-related peptide in pregnancies complicated by severe preeclampsia (Schiff et al). 1995;173:1405-9

Platelet response to vasopressin in preeclampsia (van der Post et al) (Letter); (Kyle et al) (Reply). 1995;173:1897-8

Secretion of prostaglandins and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies: comparison with human umbilical vein endothelial cells (Gallery et al). 1995;173:1557-62

Severe preeclampsia and antioxidant nutrients (Valsecchi et al) (Letter); (Mikhail et al) (Reply). 1995;173:673-4

Underlying disorders associated with severe early-onset preeclampsia (Dekker et al). 1995;173:1042-8

Predictive value of tests

The angiotensin sensitivity test and low-dose aspirin are ineffective methods to predict and prevent hypertensive disorders in nulliparous pregnancy (Kyle et al). 1995;173:865-72

Antepartum surveillance in diabetic pregnancies: predictors of fetal distress in labor (Kjos et al). 1995;173:1532-9

Neural network prediction of nonstress test results: How often should we perform nonstress tests? (Devoe et al). 1995;173:1128-31

Predictive factors from cold knife conization for residual cervical intraepithelial neoplasia in subsequent hysterectomy (Moore et al). 1995;173:361-8

The value of routine urine dipstick screening for protein at each prenatal visit (Gribble et al). 1995;173:214-7

Pregnancy

Headaches in women, including women who are pregnant (Paulson). 1995;173:1734-41 (Primary care)

Heparin levels to guide thromboembolism prophylaxis during pregnancy (Barbour et al). 1995;173:1869-73

Laser vaporization of the ovarian surface in polycystic ovary disease results in reduced ovarian hyperstimulation and improved pregnancy rates (Fukaya et al). 1995;173:119-25

Naturally occurring insulin autoantibodies in neonates of normal pregnancies and their relationship to insulinemia and birth weight (Wellik et al). 1995;173:1878-84

"Physiologic" intracellular acidosis in pregnancy (Bardicef et al). 1995;173:879-80

Pregnancy, ectopic

A new diagnostic method to detect ectopic pregnancy at a very early stage (Asseryanis et al). 1995;173:236-7

Pregnancy, multiple

Cerebellar growth in normal and growth-restricted fetuses of multiple gestations (Goldstein and Reece). 1995;173:1343-8

Cohort study of twinning in an academic health center: changes in management and outcome over forty years (Saacks et al). 1995;173:432-9

Delivery of the nonvertex second twin: breech extraction versus external cephalic version (Chauhan et al). 1995;173:1015-20

Emergency cervical cerclage after the first delivery in a twin pregnancy with dichorionic placenta (Minakami et al). 1995;173:345-6 (Letter)

Nocturnal hyperventilation in pregnancy—reversal with nasal continuous positive airway pressure (Polo and Ekholm). 1995;173:238-9

Prospective determination of chorionicity, amnionicity, and zygosity in twin gestations (Scardo et al). 1995;173:1376-80

The relationship of birth weight and birth weight discordance to cerebral palsy or mental retardation later in life for twins weighing less than 2500 grams (Rydhstroem). 1995;173:680-6

Ultrasonographic measurement of the dividing membrane in twin pregnancy during the second and third trimesters: a reproducibility study (Stagiannis et al). 1995;173:1546-50

Pregnancy, prolonged

Is oligohydramnios in postterm pregnancy associated with redistribution of fetal blood flow? (Bar-Hava et al). 1995;173:519-22

Postdates is not postmature (Braun) (Letter); (Clausen and Larsen) (Reply). 1995;173:669-70

Pregnancy complications

Accuracy of prenatal diagnosis of renal agenesis with color flow imaging in severe second-trimester oligohydramnios (Sepulveda et al). 1995;173:1788-92

Acute maternal hydration in third-trimester oligohydramnios: effects on amniotic fluid volume, uteroplacental perfusion, and fetal blood flow and urine output (Flack et al). 1995;173:1186-91

Detection of hepatitis C virus antibodies and specific hepatitis C virus ribonucleic acid sequences in cord bloods from a heterogeneous prenatal population (Siiverman et al). 1995;173:1396-400

Detection of viral deoxyribonucleic acid in the amniotic fluid

Pregnancy complications—cont'd

- of low-risk pregnancies by polymerase chain reaction (McLean et al). 1995;173:1282-6
- The effect of low amniotic pressure without oligohydramnios on fetal lung development in a rabbit model (Kizilcan et al). 1995;173:36-41
- The effect of low-dose aspirin on pregnancies complicated by elevated human chorionic gonadotropin levels (Wenstrom et al). 1995;173:1292-6
- Effects of intracervical prostaglandin E₂ on fetal heart rate and uterine activity patterns in the presence of oligohydramnios (Larson et al). 1995;173:1166-70
- Fetal cardiac hypertrophy and cardiac function in diabetic pregnancies (Gandhi et al). 1995;173:1132-6
- Fetal lung maturation in congenital diaphragmatic hernia (Moya et al). 1995;173:1401-5
- Is oligohydramnios in postterm pregnancy associated with redistribution of fetal blood flow? (Bar-Hava et al). 1995;173:519-22
- A new diagnostic method to detect ectopic pregnancy at a very early stage (Asseryanis et al). 1995;173:236-7
- The origin of α -fetoprotein in first-trimester anembryonic pregnancies (Jauniaux et al). 1995;173:1749-53
- "Physiologic" intracellular acidosis in pregnancy (Bardicef et al). 1995;173:879-80
- Successful in utero therapy of fetal heart block (Copel et al). 1995;173:1384-90

Pregnancy complications, cardiovascular

- The angiotensin sensitivity test and low-dose aspirin are ineffective methods to predict and prevent hypertensive disorders in nulliparous pregnancy (Kyle et al). 1995;173:865-72
- Ballantyne syndrome caused by a large placental chorioangioma (Dorman and Cardwell). 1995;173:1632-3
- Calcium channel blockade (isradipine) in treatment of hypertension in pregnancy: a randomized placebo-controlled study (Wide-Svensson et al). 1995;173:872-8
- Does magnesium sulfate affect the length of labor induction in women with pregnancy-associated hypertension? (Atkinson et al). 1995;173:1219-22
- The feasibility of a control population for a randomized control trial of seizure prophylaxis in the hypertensive disorders of pregnancy (Burrows and Burrows). 1995;173:929-35
- Monitored outpatient management of mild gestational hypertension remote from term in teenage pregnancies (Barton et al). 1995;173:1865-8
- Quantitative echocardiographic assessment of left ventricular function in critically ill obstetric patients: a comparative study (Rockey et al). 1995;173:1148-52

Pregnancy complications, hematologic

- Accuracy of prenatal determination of RhD type status by polymerase chain reaction with amniotic cells (Lighten et al). 1995;173:1182-5
- The effect of aspirin and indomethacin on prostacyclin and thromboxane production by placental tissue incubated with immunoglobulin G fractions from patients with lupus anticoagulant (Peaceman and Rehnberg). 1995;173:1391-6
- The effect of magnesium sulfate on bleeding time in pregnancy (Fuentes et al). 1995;173:1246-9
- Fetal venous, intracardiac, and arterial blood flow measurements in intrauterine growth retardation: relationship with fetal blood gases (Hecher et al). 1995;173:10-5

- Follow-up of children born with an umbilical arterial blood pH < 7 (Nagel et al). 1995;173:1758-64
- Gastrointestinal hemorrhage during pregnancy in a patient with a history of vertical-banded gastropasty (Ramirez and Turrentine). 1995;173:1630-1
- Increased fetal plasma prostaglandin E₂ concentrations during fetal placental embolization in pregnant sheep (Murotsuki et al). 1995;173:30-5
- Massive fetomaternal hemorrhage treated with serial combined intravascular and intraperitoneal fetal transfusions (Montgomery et al). 1995;173:234-5
- Maternal thrombocytopenia in pregnancy: time for a reassessment (Silver et al). 1995;173:479-82 (Clin. opinion)
- Molecular genotyping of fetal platelet antigens with uncultured amniocytes (Khouzami et al). 1995;173:1202-6
- Nucleated red blood cells: A marker for fetal asphyxia? (Phelan et al). 1995;173:1380-4
- Placental histomorphometry and morphometric diffusing capacity of the villous membrane in pregnancies complicated by maternal iron-deficiency anemia (Reshetnikova et al). 1995;173:724-7
- Pregnancy complicated by cerebral venous thrombosis in Behçet's disease (Wechsler et al). 1995;173:1627-9
- Sturge-Weber syndrome in pregnancy (Dolkart and Bhat). 1995;173:969-71
- Thrombocytopenia in pregnant women who use cocaine (Kain et al). 1995;173:885-90
- Uterine artery blood flow response to correction of amniotic fluid volume (Bower et al). 1995;173:502-7

Pregnancy complications, infectious

- The accuracy and patient preference for self-collected group B *Streptococcus* cultures (Mercer et al). 1995;173:1325-8
- Acute pancreatitis in pregnancy (Ramin et al). 1995;173:187-91
- Amniotic fluid interleukin-6: correlation with upper genital tract microbial colonization and gestational age in women delivered after spontaneous labor versus indicated delivery (Andrews et al). 1995;173:606-12
- Amniotic fluid interleukin-10 concentrations increase through pregnancy and are elevated in patients with preterm labor associated with intrauterine infection (Greig et al). 1995;173:1223-7
- Chorioamnionitis caused by *Capnocytophaga*: case report (Edwards et al). 1995;173:244-5
- Inhibition of neutrophil oxidative burst and phagocytosis by meconium (Clark and Duff). 1995;173:1301-5
- Prenatal screening for group B *Streptococcus*. I. Impact of antepartum screening on antenatal prophylaxis and intrapartum care (Mercer et al). 1995;173:837-41
- Prenatal screening for group B *Streptococcus*. II. Impact of antepartum screening and prophylaxis on neonatal care (Mercer et al). 1995;173:842-6
- The preterm prediction study: significance of vaginal infections (Meis et al). 1995;173:1231-5
- The role of infection in premature rupture of the membranes (Knox and Hoerner). 1995;173:951-2 (Classic pages in obstetrics and gynecology)

Pregnancy complications, neoplastic

- Ballantyne syndrome caused by a large placental chorioangioma (Dorman and Cardwell). 1995;173:1632-3
- Case-control study of risk factors for partial molar pregnancy (Berkowitz et al). 1995;173:788-94
- Malignant myxoid sarcoma of the Bartholin gland in pregnancy (Fried-Oginski et al). 1995;173:1633-5

- The management of a persistent adnexal mass in pregnancy (Platek et al). 1995;173:1236-40
- Massive congenital intracranial teratoma with skull rupture at delivery (Washburne et al). 1995;173:226-8
- Successful pregnancy in association with Zollinger-Ellison syndrome (Harper et al). 1995;173:863-4
- Pregnancy in adolescence**
- Monitored outpatient management of mild gestational hypertension remote from term in teenage pregnancies (Barton et al). 1995;173:1865-8
- Pregnancy in diabetes**
- Antepartum surveillance in diabetic pregnancies: predictors of fetal distress in labor (Kjos et al). 1995;173:1532-9
- Cardiac and venous blood flow in fetuses of insulin-dependent diabetic mothers: evidence of abnormal hemodynamics in early gestation (Rizzo et al). 1995;173:1775-81
- Determinants of the optimal time in gestation to initiate antenatal fetal testing: a decision-analytic approach (Rouse et al). 1995;173:1357-63 (Clin. opinion)
- Fetal cardiac hypertrophy and cardiac function in diabetic pregnancies (Gandhi et al). 1995;173:1132-6
- Insulin and glucose modulate glucose transporter messenger ribonucleic acid expression and glucose uptake in trophoblasts isolated from first-trimester chorionic villi (Gordon et al). 1995;173:1089-97
- Prenatal and perinatal influences on long-term psychomotor development in offspring of diabetic mothers (Rizzo et al). 1995;173:1753-8
- Prevention of diabetes-associated embryopathy by overexpression of the free radical scavenger copper zinc superoxide dismutase in transgenic mouse embryos (Hagay et al). 1995;173:1036-41
- Pregnancy loss; see Fetal death**
- Pregnancy outcome**
- Antenatal corticosteroid administration and neonatal outcome in very low birth weight infants: the NICHD Neonatal Research Network (Wright et al). 1995;173:269-74
- Antenatal corticosteroid treatment and neonatal outcomes for infants 501 to 1500 gm in the Vermont-Oxford Trials Network (Horbar and Investigators of the Vermont-Oxford Trials Network). 1995;173:275-81
- Antenatal steroids and neonatal outcomes in controlled clinical trials of surfactant replacement (White et al). 1995;173:286-90
- Associations between adverse perinatal outcome and serially obtained second- and third-trimester maternal serum α -fetoprotein measurements (Simpson et al). 1995;173:1742-8
- Associations between use of antenatal corticosteroids and neonatal outcomes within the Exosurf Neonatal Treatment Investigational New Drug program (Andrews et al). 1995;173:290-5
- Cohort study of twinning in an academic health center: changes in management and outcome over forty years (Saacks et al). 1995;173:432-9
- Effect of corticosteroids for fetal maturation on perinatal outcomes, February 28–March 2, 1994 (National Institutes of Health). 1995;173:246-52 (Conference statement)
- Effect of corticosteroids for fetal maturation on perinatal outcomes: introduction (Wright). 1995;173:253
- Fetal macrosomia: Does antenatal prediction affect delivery route and birth outcome? (Weeks et al). 1995;173:1215-9
- Head entrapment and neonatal outcome by mode of delivery in breech deliveries from twenty-four to twenty-seven weeks of gestation (Robertson et al). 1995;173:1171-6
- Hyperechogenic fetal bowel: an ultrasonographic marker for adverse fetal and neonatal outcome (Muller et al). 1995;173:508-13
- The impact of amniotic fluid volume assessed intrapartum on perinatal outcome (Baron et al). 1995;173:167-74
- Impact of increasing carbohydrate intolerance on maternal-fetal outcomes in 3637 women without gestational diabetes (Sermer et al). 1995;173:146-56
- Management and outcome of pregnant women with interstitial and restrictive lung disease (Bogges et al). 1995;173:1007-14
- Maternal serum thromboxane B_2 reduction versus pregnancy outcome in a low-dose aspirin trial (Hauth et al). 1995;173:578-84
- Obstetric outcome after failed termination of pregnancy—a report of two cases (Ricciotti et al). 1995;173:1619-20
- Perinatal outcome in relation to second-stage duration (Menticoglou et al). 1995;173:906-12
- Pregnancy outcome for women with very low levels of maternal serum unconjugated estriol on second-trimester screening (Schleifer et al). 1995;173:1152-6
- Routine measurements of umbilical artery lactate levels in the prediction of perinatal outcome (Westgren et al). 1995;173:1416-22
- Uterine artery Doppler velocimetry in the detection of adverse obstetric outcomes in women with unexplained elevated maternal serum α -fetoprotein levels (Konchak et al). 1995;173:1115-9
- Very-low-birth-weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, May 1991 through December 1992 (Fanaroff et al). 1995;173:1423-31
- Pregnancy trimester, first**
- Cardiac and venous blood flow in fetuses of insulin-dependent diabetic mothers: evidence of abnormal hemodynamics in early gestation (Rizzo et al). 1995;173:1775-81
- The coelomic cavity—a reservoir for metals (Wathen et al). 1995;173:1884-8
- Immunohistochemical studies of human uteroplacental tissues from first-trimester spontaneous abortion (Hill et al). 1995;173:90-6
- Insulin and glucose modulate glucose transporter messenger ribonucleic acid expression and glucose uptake in trophoblasts isolated from first-trimester chorionic villi (Gordon et al). 1995;173:1089-97
- The origin of α -fetoprotein in first-trimester anembryonic pregnancies (Jauniaux et al). 1995;173:1749-53
- Pregnancy trimester, second**
- Accuracy of prenatal diagnosis of renal agenesis with color flow imaging in severe second-trimester oligohydramnios (Sepulveda et al). 1995;173:1788-92
- Achondrogenesis type I diagnosed by transvaginal ultrasonography at 13 weeks' gestation (Meizner and Barnhard). 1995;173:1620-2
- Associations between adverse perinatal outcome and serially obtained second- and third-trimester maternal serum α -fetoprotein measurements (Simpson et al). 1995;173:1742-8
- Can the risk for Down syndrome be reliably modified by second-trimester ultrasonography? (Palomaki and Haddow) (Letter); (Vintzileos and Egan) (Reply). 1995;173:1639-40
- Gender-specific second-trimester biometry (Smulian et al). 1995;173:1195-201
- Laminaria versus Dilapan osmotic cervical dilators for sec-

Pregnancy trimester, second—cont'd

ond-trimester abortion (Creinin) (Letter); (Hern) (Reply). 1995;173:354-5

Normal nuchal thickness in the midtrimester indicates reduced risk of Down syndrome in pregnancies with abnormal triple-screen results (Bahado-Singh et al). 1995;173:1106-10

Pregnancy outcome for women with very low levels of maternal serum unconjugated estriol on second-trimester screening (Schleifer et al). 1995;173:1152-6

Soluble tumor necrosis factor receptors in maternal plasma and second-trimester amniotic fluid (Kupferminc et al). 1995;173:900-5

Triple marker (α -fetoprotein, unconjugated estriol, human chorionic gonadotropin) versus α -fetoprotein plus free- β subunit in second-trimester maternal serum screening for fetal Down syndrome: a prospective comparison study (Kellner et al). 1995;173:1306-9

Ultrasonographic measurement of the dividing membrane in twin pregnancy during the second and third trimesters: a reproducibility study (Stagiannis et al). 1995;173:1546-50

Pregnancy trimester, third

Acute maternal hydration in third-trimester oligohydramnios: effects on amniotic fluid volume, uteroplacental perfusion, and fetal blood flow and urine output (Flack et al). 1995;173:1186-91

Associations between adverse perinatal outcome and serially obtained second- and third-trimester maternal serum α -fetoprotein measurements (Simpson et al). 1995;173:1742-8

Pharmacokinetics and pharmacodynamics of subcutaneous heparin during the early third trimester of pregnancy (Brancazio et al). 1995;173:1240-5

Ultrasonographic measurement of the dividing membrane in twin pregnancy during the second and third trimesters: a reproducibility study (Stagiannis et al). 1995;173:1546-50

Preinduction of labor; see Labor, induced**Premature infant; see Infant, premature****Premature parturition; see Labor, premature****Premature rupture of membranes; see Fetal membranes, premature rupture****Premenstrual syndrome**

Hormones and depression: What are the facts about premenstrual syndrome, menopause, and hormone replacement therapy? (Pearlstein). 1995;173:646-53 (Symposium)

Prenatal care

Computerized analysis of antepartum fetal heart rate (Dawes et al) (Letter); (Gagnon et al) (Reply). 1995;173:1353-4

Daily antenatal testing in women with severe preeclampsia (Chari et al). 1995;173:1207-10

Impact of health education during pregnancy on behavior and utilization of health resources (Belizán et al). 1995;173:894-9

The impact of initiating a human immunodeficiency virus screening program in an urban obstetric population (Lewis et al). 1995;173:1329-33

Intrapartum hepatitis B screening (Petermann and Ernest). 1995;173:369-74

Long-term follow-up of mothers and their infants in a randomized trial on iron prophylaxis during pregnancy (Hemminki and Meriläinen). 1995;173:205-9

Prenatal and perinatal influences on long-term psychomotor

development in offspring of diabetic mothers (Rizzo et al). 1995;173:1753-8

Prenatal screening for group B *Streptococcus*. I. Impact of antepartum screening on antenatal prophylaxis and intrapartum care (Mercer et al). 1995;173:837-41

Prenatal screening for group B *Streptococcus*. II. Impact of antepartum screening and prophylaxis on neonatal care (Mercer et al). 1995;173:842-6

Successful in utero therapy of fetal heart block (Copel et al). 1995;173:1384-90

Unwarranted prenatal intervention (Tennenbaum) (Letter); (Quintero et al) (Reply). 1995;173:668-9

The value of routine urine dipstick screening for protein at each prenatal visit (Gribble et al). 1995;173:214-7

Prenatal diagnosis

Accuracy of prenatal diagnosis of renal agenesis with color flow imaging in severe second-trimester oligohydramnios (Sepulveda et al). 1995;173:1788-92

The accuracy of prenatal ultrasonography in detecting congenital anomalies (Boyle) (Letter); (Jeanty) (Reply). 1995;173:667-8

Achondrogenesis type I diagnosed by transvaginal ultrasonography at 13 weeks' gestation (Meizner and Barnhard). 1995;173:1620-2

Comparison of multiple-marker screening with amniocentesis for the detection of fetal aneuploidy in women 35 years old (Wenstrom et al). 1995;173:1287-92

Diagnosis of the respiratory distress syndrome by amniocentesis (Gluck et al). 1995;173:629-30 (Classic pages in obstetrics and gynecology)

Early ultrasonographic detection of fetal growth retardation in an ovine model of placental insufficiency (Barbera et al). 1995;173:1071-4

Femur/foot length ratio for detection of Down syndrome: results of a multicenter prospective study (Grandjean et al). 1995;173:16-9

Fetal fibronectin improves the accuracy of diagnosis of preterm labor (Iams et al). 1995;173:141-5

Fetal macrosomia: Does antenatal prediction affect delivery route and birth outcome? (Weeks et al). 1995;173:1215-9

The genetic implication for preceding generations of the prenatal diagnosis of interrupted aortic arch in association with unsuspected DiGeorge anomaly (Puder et al). 1995;173:239-41

Is polyhydramnios in an ultrasonographically normal fetus an indication for genetic evaluation? (Barnhard et al). 1995;173:1523-7

Isolated hyperechoic fetal bowel: significance and implications for management (MacGregor et al). 1995;173:1254-8

Nuchal cords: timing of prenatal diagnosis and duration (Collins et al). 1995;173:768

Nucleated red blood cells: A marker for fetal asphyxia? (Phelan et al). 1995;173:1380-4

Prenatal cytogenetic abnormalities: correlations of structural rearrangements and ultrasonographically detected fetal anomalies (Hume et al). 1995;173:1334-6

Prenatal diagnosis of congenital cytomegalovirus infection with abnormal triple-screen results and hyperechoic fetal bowel (Peters et al). 1995;173:953-4

Prenatal diagnosis of diverse chromosome abnormalities in a population of patients identified by triple-marker testing as screen positive for Down syndrome (Benn et al). 1995;173:496-501

- Prenatal diagnosis by use of fetal cells isolated from maternal blood (de la Cruz et al). 1995;173:1354-5 (Letter)
- Role of prenatal ultrasonography in women with positive screen for Down syndrome on the basis of maternal serum markers (Nyberg et al). 1995;173:1030-5
- Significance of prenatal diagnosis of umbilical cord cyst in a fetus with trisomy 18 (Ramirez et al). 1995;173:955-7
- Prenatal exposure delayed effects**
- Age at menarche among diethylstilbestrol granddaughters (Wilcox et al). 1995;173:835-6
- Prenatal ultrasonography; see Ultrasonography, prenatal**
- Presidential address**
- Presidential address. 1995;173:357-60, 1661-3
- Preterm birth; see Infant, premature**
- Preterm labor; see Labor, premature**
- Preterm premature rupture of membranes; see Fetal membranes, premature rupture**
- Primary care**
- Primary care. 1995;173:2-9, 488-95, 677-9, 1731-41
- Primary health care**
- Gender differences in depression in primary care (Williams et al). 1995;173:654-9 (Symposium)
- New section: primary care. 1995;173:1 (Editorial)
- Procollagen**
- Macrophage colony-stimulating factor 1, a clinically useful tumor marker in endometrial adenocarcinoma: comparison with CA 125 and the aminoterminal propeptide of type III procollagen (Hakala et al). 1995;173:112-9
- Progestational hormones**
- The effect of estrogen replacement therapy with or without progestogen on the fibrinolytic system and coagulation inhibitors in postmenopausal status (Gilbert et al). 1995;173:1849-54
- Onapristone (ZK 98.299): a potential antiprogesterin for endometrial contraception (Katkam et al). 1995;173:779-87
- A prospective two-year study of progestin given alone in postmenopausal women: effect on lipid and metabolic parameters (Trémollières et al). 1995;173:85-9
- Progesterone**
- Changes in rat cervical collagen during gestation and after antiprogesterone treatment as measured in vivo with light-induced autofluorescence (Glassman et al). 1995;173:1550-6
- Immunolocalization of progesterone-induced uterine protein-1 in human endometrium during the menstrual cycle and in the placenta throughout gestation (Sharpe-Timms et al). 1995;173:1569-78
- Initial and steady-state pharmacokinetics of a vaginally administered formulation of progesterone (Archer et al). 1995;173:471-8
- Progestins; see Progestational hormones**
- Progestogen; see Progestational hormones**
- Prognosis**
- The effect of diagnosis and treatment delay on prognostic factors and survival in endometrial carcinoma (Menczer et al). 1995;173:774-8
- Fetal fibronectin, interleukin-6, and C-reactive protein are useful in establishing prognostic subcategories of idiopathic preterm labor (Burrus et al). 1995;173:1258-62
- Human papillomavirus deoxyribonucleic acid as a prognostic indicator in early-stage cervical cancer: a possible role for type 18 (Rose et al). 1995;173:1461-8
- Program evaluation**
- The in-training examination in obstetrics and gynecology: an attempt to establish a remediation indicator (Ling et al). 1995;173:946-50
- Propeptides; see Peptides**
- Prophylaxis**
- The feasibility of a control population for a randomized control trial of seizure prophylaxis in the hypertensive disorders of pregnancy (Burrows and Burrows). 1995;173:929-35
- Heparin levels to guide thromboembolism prophylaxis during pregnancy (Barbour et al). 1995;173:1869-73
- Long-term follow-up of mothers and their infants in a randomized trial on iron prophylaxis during pregnancy (Hemminki and Meriläinen). 1995;173:205-9
- Prenatal screening for group B *Streptococcus*. I. Impact of antepartum screening on antenatal prophylaxis and intrapartum care (Mercer et al). 1995;173:837-41
- Prenatal screening for group B *Streptococcus*. II. Impact of antepartum screening and prophylaxis on neonatal care (Mercer et al). 1995;173:842-6
- Prostacyclins; see Epoprostenol**
- Prostaglandin E₂; see Dinoprostone**
- Prostaglandin F_{2α}; see Dinoprost**
- Prostaglandins**
- Secretion of prostaglandins and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies: comparison with human umbilical vein endothelial cells (Gallery et al). 1995;173:1557-62
- Protein C**
- Resistance to activated protein C as a basis for venous thromboembolism associated with pregnancy and oral contraceptives (Hellgren et al). 1995;173:210-3
- Proteins**
- Fetal fibronectin, interleukin-6, and C-reactive protein are useful in establishing prognostic subcategories of idiopathic preterm labor (Burrus et al). 1995;173:1258-62
- Immunohistochemical studies of human uteroplacental tissues from first-trimester spontaneous abortion (Hill et al). 1995;173:90-6
- Immunolocalization of progesterone-induced uterine protein-1 in human endometrium during the menstrual cycle and in the placenta throughout gestation (Sharpe-Timms et al). 1995;173:1569-78
- Interleukin-1 β and interleukin-4 increase parathyroid hormone-related protein secretion by human umbilical vein endothelial cells in culture (Ferguson et al). 1995;173:448-56
- The value of routine urine dipstick screening for protein at each prenatal visit (Gribble et al). 1995;173:214-7
- Proteinuria**
- A comparison between two screening methods for detection of microproteinuria (Higby et al). 1995;173:1111-4
- Protirelin**
- Thyrotropin-releasing hormone: Does two hundred micrograms provide effective stimulation to the preterm fetal pituitary gland compared with four hundred micrograms? (Crowther et al). 1995;173:719-23
- Proto-oncogenes**
- Multivariate survival analysis of clinicopathologic features in surgical stage I endometrioid carcinoma including analysis of HER-2/*neu* expression (Nazeer et al). 1995;173:1829-34
- Psychomotor performance**
- Follow-up of children born with an umbilical arterial blood pH <7 (Nagel et al). 1995;173:1758-64
- Prenatal and perinatal influences on long-term psychomotor

Psychomotor performance—cont'd

development in offspring of diabetic mothers (Rizzo et al). 1995;173:1753-8

Public health

A piece of my mind (Goodrich). 1995;173:357-60 (Pres. address)

Puerperium

Necrotizing fasciitis in the puerperium (Rowan and North). 1995;173:241-2

Post-cesarean section splenic rupture (Kaluarachchi and Krishnamurthy). 1995;173:230-2

Thrombolytic therapy for basilar artery thrombosis in the puerperium (Cincotta et al). 1995;173:967-9

Women at risk for postpartum-onset major depression (Stowe and Nemeroff). 1995;173:639-45 (Symposium)

Pulmonary fibrosis

Management and outcome of pregnant women with interstitial and restrictive lung disease (Bogges et al). 1995;173:1007-14

Purines

The interaction of nitric oxide and superoxide in the human fetal-placental vasculature (Holcberg et al). 1995;173:528-33

Pyelectasis; see Kidney diseases**Pyridinoline**

Changes in rat cervical collagen during gestation and after antiprogesterone treatment as measured in vivo with light-induced autofluorescence (Glassman et al). 1995;173:1550-6

Pyridoxine

Pyridoxine for nausea and vomiting of pregnancy: a randomized, double-blind, placebo-controlled trial (Vutyavanich et al). 1995;173:881-4

Q**Quality of life**

Correlation of urodynamic measures of urethral resistance with clinical measures of incontinence severity in women with pure genuine stress incontinence (Theofrastous et al). 1995;173:407-14

R**Radiotherapy**

No more radiogenic castration in women with Hodgkin's disease? (De Wilde and Hesseling). 1995;173:1639 (Letter)

Receptors, somatotropin

Growth hormone receptor messenger ribonucleic acid expression in leiomyoma and surrounding myometrium (Sharara and Nieman). 1995;173:814-9

Red blood cells; see Erythrocytes**Reference books, medical**

De conceptu et generatione hominis (Rueff). 1995;173:1349-50 (Classic pages in obstetrics and gynecology)

Relaxation

Absence of relaxation to lactate in human placental vessels of pregnancies with severe preeclampsia (Figueroa et al). 1995;173:1800-6

Renal agenesis; see Kidney diseases**Renin**

Hemodynamic and hormonal responses to atrial distension in the ovine fetus (Jaekle et al). 1995;173:694-701

Reproducibility of results

Ultrasonographic measurement of the dividing membrane in twin pregnancy during the second and third trimesters:

a reproducibility study (Stagiannis et al). 1995;173:1546-50

Valsalva leak point pressures in women with genuine stress incontinence: reproducibility, effect of catheter caliber, and correlations with other measures of urethral resistance (Bump et al). 1995;173:551-7

Reproductive system

Kininogen present in rat reproductive tissues is apparently synthesized by the liver, not by the reproductive system (Hossain et al). 1995;173:830-4

Research design

The feasibility of a control population for a randomized control trial of seizure prophylaxis in the hypertensive disorders of pregnancy (Burrows and Burrows). 1995;173:929-35

Residents; see Internship and residency**Respiratory burst**

Inhibition of neutrophil oxidative burst and phagocytosis by meconium (Clark and Duff). 1995;173:1301-5

Respiratory distress syndrome

Antenatal corticosteroid therapy: a meta-analysis of the randomized trials, 1972 to 1994 (Crowley). 1995;173:322-35

Cost savings from the use of antenatal steroids to prevent respiratory distress syndrome and related conditions in premature infants (Simpson and Lynch). 1995;173:316-21

Diagnosis of the respiratory distress syndrome by amniocentesis (Gluck et al). 1995;173:629-30 (Classic pages in obstetrics and gynecology)

Meta-analysis of randomized controlled trials of antenatal corticosteroid for the prevention of respiratory distress syndrome: discussion (Sinclair). 1995;173:335-44

Retroperitoneal neoplasms

Ultrasonographic and magnetic resonance imaging findings of a large asymptomatic retroperitoneal pelvic leiomyoma (Abulafia and Sherer). 1995;173:228-30

Retroperitoneum

First report of a vaginal foreign body perforating into the retroperitoneum (O'Hanlan and Westphal). 1995;173:962-4

Rh isoimmunization

An animal model for hemolytic disease of the fetus and newborn. I. Alloimmunization techniques (Moise et al). 1995;173:51-5

An animal model for hemolytic disease of the fetus and newborn. II. Fetal effects in New Zealand rabbits (Moise et al). 1995;173:747-53

RhD type; see Blood grouping and crossmatching**Ribonucleic acid; see RNA****Risk factors**

Benefits and risks of estrogen replacement therapy (Lobo). 1995;173:982-90 (Symposium)

Can the risk for Down syndrome be reliably modified by second-trimester ultrasonography? (Palomaki and Had-dow) (Letter); (Vintzileos and Egan) (Reply). 1995;173:1639-40

Case-control study of risk factors for partial molar pregnancy (Berkowitz et al). 1995;173:788-94

A comparison of the relative risk of vessel injury with conical versus pyramidal laparoscopic trocars in a rabbit model (Hurd et al). 1995;173:1731-3

Elevated maternal serum α -fetoprotein levels: What is the risk of fetal aneuploidy? (Thiagarajah et al). 1995;173:388-92

Estimation of Down syndrome risk in a donor egg pregnancy (Goldberg et al). 1995;173:974-5 (Letter)

- Maternal serum placental alkaline phosphatase level and risk for preterm delivery (Meyer et al). 1995;173:181-6
- Normal nuchal thickness in the midtrimester indicates reduced risk of Down syndrome in pregnancies with abnormal triple-screen results (Bahado-Singh et al). 1995;173:1106-10
- Risk factors for the development of preterm premature rupture of the membranes after arrest of preterm labor (Guinn et al). 1995;173:1310-5
- Salivary estriol as risk assessment for preterm labor: a prospective trial (McGregor et al). 1995;173:1337-42
- Women at risk for postpartum-onset major depression (Stowe and Nemeroff). 1995;173:639-45 (Symposium)
- RNA**
- Detection of hepatitis C virus antibodies and specific hepatitis C virus ribonucleic acid sequences in cord bloods from a heterogeneous prenatal population (Silverman et al). 1995;173:1396-400
- RNA, messenger**
- Expression of parathyroid hormone-related peptide and its receptor messenger ribonucleic acid in human amnion and chorion-decidua: implications for secretion and function (Bruns et al). 1995;173:739-46
- Growth hormone receptor messenger ribonucleic acid expression in leiomyoma and surrounding myometrium (Sharara and Nieman). 1995;173:814-9
- Insulin and glucose modulate glucose transporter messenger ribonucleic acid expression and glucose uptake in trophoblasts isolated from first-trimester chorionic villi (Gordon et al). 1995;173:1089-97
- Interleukin-10 messenger ribonucleic acid in human placenta: implications of a role for interleukin-10 in fetal allograft protection (Cadet et al). 1995;173:25-9
- Kinogen present in rat reproductive tissues is apparently synthesized by the liver, not by the reproductive system (Hossain et al). 1995;173:830-4
- RU 486; see Mifepristone**
- Ruptured membranes, fetal; see Fetal membranes**
- S**
- Sacrocolposuspension; see Vagina, surgery**
- Sacrospinous suspensions; see Suspensions**
- Saliva**
- Salivary estriol as risk assessment for preterm labor: a prospective trial (McGregor et al). 1995;173:1337-42
- Sarcoma**
- Malignant myxoid sarcoma of the Bartholin gland in pregnancy (Fried-Oginski et al). 1995;173:1633-5
- Sarcoma, Kaposi's**
- Acquired immunodeficiency syndrome-related Kaposi's sarcoma: two cervical cases (Darai et al). 1995;173:979 (Letter)
- Screening; see Mass screening**
- Second stage of labor; see Labor stage, second**
- Second trimester of pregnancy; see Pregnancy trimester, second**
- Seizures**
- Differential regulation of seizure activity in the hippocampus of male and female rats (Standley et al). 1995;173:1160-5
- The feasibility of a control population for a randomized control trial of seizure prophylaxis in the hypertensive disorders of pregnancy (Burrows and Burrows). 1995;173:929-35
- Sturge-Weber syndrome in pregnancy (Dolkart and Bhat). 1995;173:969-71
- Serotonin**
- Human placental monoamine transporters as targets for amphetamines (Ramamoorthy et al). 1995;173:1782-7
- Sex**
- Are more male infants affected by preterm premature rupture of the membranes? (Kurzelt and Evertson). 1995;173:1900 (Letter)
- Gender differences in depression in primary care (Williams et al). 1995;173:654-9 (Symposium)
- Gender-specific second-trimester biometry (Smulian et al). 1995;173:1195-201
- Very-low-birth-weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, May 1991 through December 1992 (Fanaroff et al). 1995;173:1423-31
- Sex characteristics**
- Differential regulation of seizure activity in the hippocampus of male and female rats (Standley et al). 1995;173:1160-5
- Sex hormones**
- The regulation of plasminogen activators and plasminogen activator inhibitor type 1 in endothelial cells by sex hormones (Sobel et al). 1995;173:801-8
- Shoulder**
- Are labor abnormalities more common in shoulder dystocia? (McFarland et al). 1995;173:1211-4
- Fetal macrosomia: Does antenatal prediction affect delivery route and birth outcome? (Weeks et al). 1995;173:1215-9
- Skin diseases**
- Common dermatoses (Nanda). 1995;173:488-95 (Primary care)
- Skull**
- Massive congenital intracranial teratoma with skull rupture at delivery (Washburne et al). 1995;173:226-8
- Sleep disorders**
- Nocturnal hyperventilation in pregnancy—reversal with nasal continuous positive airway pressure (Polo and Ekholm). 1995;173:238-9
- Sling, surgical; see Surgical equipment**
- Smoking**
- Determinants of cervical ectopia and of cervicitis: age, oral contraception, specific cervical infection, smoking, and douching (Critchlow et al). 1995;173:534-43
- Society of Gynecologic Surgeons**
- Transactions of the twenty-first annual meeting of the Society of Gynecologic Surgeons. 1995;173:1661-733
- Society of Perinatal Obstetricians**
- Transactions of the fifteenth annual meeting of the Society of Perinatal Obstetricians. 1995;173:1007-348
- Socioeconomic factors**
- A piece of my mind (Goodrich). 1995;173:357-60 (Pres. address)
- Sound**
- Distance from an intrauterine hydrophone as a factor affecting intrauterine sound pressure levels produced by the vibroacoustic stimulation test (Eller et al). 1995;173:523-7
- The South Atlantic Association of Obstetricians and Gynecologists**
- Transactions of the fifty-seventh annual meeting of The South Atlantic Association of Obstetricians and Gynecologists. 1995;173:357-478
- Spacelabs 90207 monitor; see Blood pressure monitors**

Specialties, medical

The current paradigm shift in American medicine (Sherline). 1995;173:672-3 (Letter)

Spirits

Clarification of source (Brucker) (Letter); (van der Merwe) (Reply). 1995;173:1899-900

Spleen

A case of splenosis masquerading as endometriosis (Matonis and Luciano). 1995;173:971-3

Splenic rupture

Post-cesarean section splenic rupture (Kaluvarachchi and Krishnamurthy). 1995;173:230-2

Spouse abuse

The battered woman (Chez and Jones). 1995;173:677-9 (Primary care)

Methods of and attitudes toward screening obstetrics and gynecology patients for domestic violence (Parsons et al). 1995;173:381-7

Stage, neoplasm; see Neoplasm staging**Stains and staining**

Granular cell tumors of the vulva (Horowitz et al). 1995;173:1710-4

Sterilization

Whitridge Williams' obstetrics (Haig). 1995;173:1351 (Letter)

Steroids

Antenatal steroids and neonatal outcomes in controlled clinical trials of surfactant replacement (White et al). 1995;173:286-90

Cost savings from the use of antenatal steroids to prevent respiratory distress syndrome and related conditions in premature infants (Simpson and Lynch). 1995;173:316-21

Observational evidence for the efficacy of antenatal steroids from randomized studies of surfactant replacement (Gunkel and Mitchell). 1995;173:281-5

Relationship between antenatal steroid administration and grades III and IV intracranial hemorrhage in low birth weight infants (Shankaran et al). 1995;173:305-12

Salivary estriol as risk assessment for preterm labor: a prospective trial (McGregor et al). 1995;173:1337-42

Steroid hormone effects on the proliferation of human ovarian surface epithelium in vitro (Karlan et al). 1995;173:97-104

Streptococcus agalactiae

The accuracy and patient preference for self-collected group B *Streptococcus* cultures (Mercer et al). 1995;173:1325-8

Prenatal screening for group B *Streptococcus*. I. Impact of antepartum screening on antenatal prophylaxis and intrapartum care (Mercer et al). 1995;173:837-41

Prenatal screening for group B *Streptococcus*. II. Impact of antepartum screening and prophylaxis on neonatal care (Mercer et al). 1995;173:842-6

Streptococcus pyogenes

Necrotizing fasciitis in the puerperium (Rowan and North). 1995;173:241-2

Stress

Shear stress may stimulate release and action of nitric oxide in the human fetal-placental vasculature (Wieczorek et al). 1995;173:708-13

Stress incontinence, urinary; see Urinary incontinence, stress**Students**

The emergency contraceptive pill: a survey of knowledge and attitudes among students at Princeton University (Harper and Ellertson). 1995;173:1438-45

Sturge-Weber syndrome

Sturge-Weber syndrome in pregnancy (Dolkart and Bhat). 1995;173:969-71

Subcutaneous injections; see Injections, subcutaneous**Substance abuse**

Fetal responses to maternal and fetal methamphetamine administration in sheep (Stek et al). 1995;173:1592-8

Human placental monoamine transporters as targets for amphetamines (Ramamoorthy et al). 1995;173:1782-7

Thrombocytopenia in pregnant women who use cocaine (Kain et al). 1995;173:885-90

Uterine rupture in association with alkaloidal ("crack") cocaine abuse (Mishra et al). 1995;173:243-4

Sulfatases

Pregnancy outcome for women with very low levels of maternal serum unconjugated estriol on second-trimester screening (Schleifer et al). 1995;173:1152-6

Sulindac

Fetal cardiac function and ductus arteriosus during indomethacin and sulindac therapy for threatened preterm labor: a randomized study (Räsänen and Jouppila). 1995;173:20-5

Supernumerary ovary; see Ovary**Superoxide**

The interaction of nitric oxide and superoxide in the human fetal-placental vasculature (Holcberg et al). 1995;173:528-33

Superoxide dismutase

Prevention of diabetes-associated embryopathy by overexpression of the free radical scavenger copper zinc superoxide dismutase in transgenic mouse embryos (Hagay et al). 1995;173:1036-41

Surface-active agents

Antenatal steroids and neonatal outcomes in controlled clinical trials of surfactant replacement (White et al). 1995;173:286-90

Observational evidence for the efficacy of antenatal steroids from randomized studies of surfactant replacement (Gunkel and Mitchell). 1995;173:281-5

Surfactant; see Surface-active agents**Surgery, gynecologic**

Granular cell tumors of the vulva (Horowitz et al). 1995;173:1710-4

Surgery, operative

Evaluation of preoperative cardiac risk index values in patients undergoing vaginal surgery (Shackelford et al). 1995;173:80-4

Predictive factors from cold knife conization for residual cervical intraepithelial neoplasia in subsequent hysterectomy (Moore et al). 1995;173:361-8

Surgery, plastic

Modified Le Fort partial colpocleisis with Kelly urethral plication and posterior colpoproctoplasty in the medically compromised elderly: a comparison with vaginal hysterectomy, anterior colporrhaphy, and posterior colpoproctoplasty (Denchey et al). 1995;173:1697-702

Surgery, urologic

Comparison of anterior colporrhaphy and retropubic urethropexy for patients with genuine stress urinary incontinence (Harris et al). 1995;173:1671-5

The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation (Young et al). 1995;173:1719-26

Pelvic floor electrical stimulation in the treatment of genuine stress incontinence: a multicenter, placebo-controlled trial (Sand et al). 1995;173:72-9

- Sacrocolpopexy and the anterior compartment: support and function (Brubaker). 1995;173:1690-6
- Three surgical procedures for genuine stress incontinence: five-year follow-up of a prospective randomized study (Bergman and Elia). 1995;173:66-71
- Urethral and bladder neck closure mechanisms (Petros and Ulmsten) (Letter); (DeLancey) (Reply). 1995;173:346-8
- Surgical equipment**
- The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation (Young et al). 1995;173:1719-26
- Surgical instruments**
- A comparison of the relative risk of vessel injury with conical versus pyramidal laparoscopic trocars in a rabbit model (Hurd et al). 1995;173:1731-3
- Immediate maternal and neonatal effects of low-forceps delivery according to the new criteria of The American College of Obstetricians and Gynecologists compared with spontaneous vaginal delivery in term pregnancies (Carmona et al). 1995;173:55-9
- Single-use versus reusable laparoscopic surgical instruments: a comparative cost analysis (Schaer et al). 1995;173:1812-5
- Vascular clamping model not new (Barr) (Letter); (Tanaka and Natori) (Reply). 1995;173:345
- Surgical mesh**
- The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation (Young et al). 1995;173:1719-26
- Surgical wound dehiscence**
- Wound strength in abdominal incisions: a comparison of two continuous mass closure techniques in rats (Meeks et al). 1995;173:1676-83
- Survival**
- The effect of diagnosis and treatment delay on prognostic factors and survival in endometrial carcinoma (Menczer et al). 1995;173:774-8
- Multivariate survival analysis of clinicopathologic features in surgical stage I endometrioid carcinoma including analysis of HER-2/*neu* expression (Nazeer et al). 1995;173:1829-34
- Suspensions**
- Sacrospinous suspension: a local practitioner's experience (Pasley). 1995;173:440-8
- Suture techniques**
- Cherney versus midline vertical incision for myomectomy or hysterectomy of a significantly enlarged uterus (De Lia et al). 1995;173:1714-8
- Radical hysterectomy: Does the type of incision matter? (Orr et al). 1995;173:399-406
- Wound strength in abdominal incisions: a comparison of two continuous mass closure techniques in rats (Meeks et al). 1995;173:1676-83
- T
- Taxol**
- Effects of Taxol on choriocarcinoma cells (Marth et al). 1995;173:1835-42
- Teaching**
- Breast-feeding education of obstetrics-gynecology residents and practitioners (Freed et al). 1995;173:1607-13
- Changes in health care delivery: a threat to academic obstetrics (Tomlinson et al). 1995;173:1614-6
- The in-training examination in obstetrics and gynecology: an attempt to establish a remediation indicator (Ling et al). 1995;173:946-50
- Paying debts that cannot be repaid (Addison). 1995;173:1661-3 (Pres. address)
- Teenage pregnancy; see Pregnancy in adolescence**
- Teenagers; see Adolescence**
- Teratoma**
- Massive congenital intracranial teratoma with skull rupture at delivery (Washburne et al). 1995;173:226-8
- Terbutaline**
- Incidence of adverse cardiopulmonary effects with low-dose continuous terbutaline infusion (Perry et al). 1995;173:1273-7
- Oral terbutaline in the outpatient management of preterm labor (How et al). 1995;173:1518-22
- Termination of pregnancy; see Abortion**
- Testosterone**
- Patterns of luteinizing and follicle-stimulating hormone pulsatility in menopausal women: correlation with plasma testosterone level and vasomotor instability episodes (Fossum et al). 1995;173:795-800
- Third trimester of pregnancy; see Pregnancy trimester, third**
- Thrombocytopenia**
- Maternal thrombocytopenia in pregnancy: time for a reassessment (Silver et al). 1995;173:479-82 (Clin. opinion)
- Molecular genotyping of fetal platelet antigens with uncultured amniocytes (Khouzami et al). 1995;173:1202-6
- Thrombocytopenia in pregnant women who use cocaine (Kain et al). 1995;173:885-90
- Thromboembolism**
- Heparin levels to guide thromboembolism prophylaxis during pregnancy (Barbour et al). 1995;173:1869-73
- Resistance to activated protein C as a basis for venous thromboembolism associated with pregnancy and oral contraceptives (Hellgren et al). 1995;173:210-3
- Thrombolytic therapy**
- Thrombolytic therapy for basilar artery thrombosis in the puerperium (Cincotta et al). 1995;173:967-9
- Thrombophlebitis**
- Pregnancy complicated by cerebral venous thrombosis in Behçet's disease (Wechsler et al). 1995;173:1627-9
- Thrombosis**
- Hormone replacement therapy reduces the reactivity of monocytes and platelets in whole blood—A beneficial effect on atherogenesis and thrombus formation? (Aune et al). 1995;173:1816-20
- Thrombolytic therapy for basilar artery thrombosis in the puerperium (Cincotta et al). 1995;173:967-9
- Thromboxane A₂**
- Meconium inhibits the contraction of umbilical vessels induced by the thromboxane A₂ analog U46619 (Montgomery et al). 1995;173:1075-8
- Thromboxane B₂**
- Maternal serum thromboxane B₂ reduction versus pregnancy outcome in a low-dose aspirin trial (Hauth et al). 1995;173:578-84
- Thromboxanes**
- The effect of aspirin and indomethacin on prostacyclin and thromboxane production by placental tissue incubated with immunoglobulin G fractions from patients with lupus anticoagulant (Peaceman and Rehnberg). 1995;173:1391-6
- Thyrotropin-releasing hormone; see Protirelin**
- Tissue donors**
- Estimation of Down syndrome risk in a donor egg pregnancy (Goldberg et al). 1995;173:974-5 (Letter)
- Tocolysis**
- Maternal corticosteroid and tocolytic treatment and morbidity and mortality in very low birth weight infants (Atkinson et al). 1995;173:299-305

Tocolysis — cont'd

New perspectives for the effective treatment of preterm labor (Keirse). 1995;173:618-28 (Curr. dev.)

Topical administration; see Administration, topical**Transactions**

Transactions of the fifteenth annual meeting of the Society of Perinatal Obstetricians. 1995;173:1007-348

Transactions of the fifty-seventh annual meeting of The South Atlantic Association of Obstetricians and Gynecologists. 1995;173:357-478

Transactions of the twenty-first annual meeting of the Society of Gynecologic Surgeons. 1995;173:1661-733

Transdermal administration; see Administration, cutaneous**Transplantation**

Fetal liver cell transplantation for the creation of lymphohematopoietic chimerism in fetal baboons (Shields et al). 1995;173:1157-60

Transplantation, autologous

A case of splenosis masquerading as endometriosis (Matonis and Luciano). 1995;173:971-3

Transplantation, homologous

Interleukin-10 messenger ribonucleic acid in human placenta: implications of a role for interleukin-10 in fetal allograft protection (Cadet et al). 1995;173:25-9

Transport, placental; see Maternal-fetal exchange**Transvaginal endoscopy; see Endoscopy****Transvaginal ultrasonography, prenatal; see Ultrasonography, prenatal****Treatment outcome**

The effect of diagnosis and treatment delay on prognostic factors and survival in endometrial carcinoma (Menczer et al). 1995;173:774-8

Trial of labor

Route of delivery for the breech presentation: a conundrum (Eller and VanDorsten). 1995;173:393-8

Trichomonas vaginalis

Prevention of premature birth by screening and treatment for common genital tract infections: results of a prospective controlled evaluation (McGregor et al). 1995;173:157-67

Trisomy

Significance of prenatal diagnosis of umbilical cord cyst in a fetus with trisomy 18 (Ramirez et al). 1995;173:955-7

Trocars; see Surgical instruments**Trophoblast**

Immunohistochemical studies of human uteroplacental tissues from first-trimester spontaneous abortion (Hill et al). 1995;173:90-6

Indications for examination of spontaneous abortion specimens: a reassessment (Wolf and Horger). 1995;173:1364-8 (Clin. opinion)

Insulin and glucose modulate glucose transporter messenger ribonucleic acid expression and glucose uptake in trophoblasts isolated from first-trimester chorionic villi (Gordon et al). 1995;173:1089-97

Trophoblastic tumor

Case-control study of risk factors for partial molar pregnancy (Berkowitz et al). 1995;173:788-94

Trypsin inhibitors

Urinary trypsin inhibitor prevents uterine muscle contraction by inhibition of Ca^{++} influx (Kanayama et al). 1995;173:192-9

Tuboovarian abscess; see Abscess**Tumor markers, biological**

Expression of two mucin antigens in cultured human ovar-

ian surface epithelium: influence of a family history of ovarian cancer (Auersperg et al). 1995;173:558-65

Macrophage colony-stimulating factor 1, a clinically useful tumor marker in endometrial adenocarcinoma: comparison with CA 125 and the aminoterminal propeptide of type III procollagen (Hakala et al). 1995;173:112-9

Tumor necrosis factor

Reduction of tumor necrosis factor- α bioactivity by a human ovarian epithelial cancer cell line in vitro (Sancho-Tello et al). 1995;173:1470-7

Soluble tumor necrosis factor receptors in maternal plasma and second-trimester amniotic fluid (Kupferminc et al). 1995;173:900-5

Tumor suppressor genes; see Genes, suppressor, tumor**Tumors, vulvar; see Vulvar neoplasms****Twins**

Cohort study of twinning in an academic health center: changes in management and outcome over forty years (Saacks et al). 1995;173:432-9

Delivery of the nonvertex second twin: breech extraction versus external cephalic version (Chauhan et al). 1995;173:1015-20

Emergency cervical cerclage after the first delivery in a twin pregnancy with dichorionic placenta (Minakami et al). 1995;173:345-6 (Letter)

Nocturnal hyperventilation in pregnancy—reversal with nasal continuous positive airway pressure (Polo and Ekholm). 1995;173:238-9

Prospective determination of chorionicity, amnionity, and zygosity in twin gestations (Scardo et al). 1995;173:1376-80

The relationship of birth weight and birth weight discordance to cerebral palsy or mental retardation later in life for twins weighing less than 2500 grams (Rydstrom). 1995;173:680-6

Ultrasonographic measurement of the dividing membrane in twin pregnancy during the second and third trimesters: a reproducibility study (Stagiannis et al). 1995;173:1546-50

U**Ultrasonography**

Adenomyosis must be considered in patients with menorrhagia and a normal-appearing cavity on hysteroscopy or ultrasonography (McCausland) (Letter); (Emanuel et al) (Reply). 1995;173:675

Hysteroscopy as gold standard for evaluation of abnormal uterine bleeding (Gimpelson and Whalen) (Letter); (Karlsson et al) (Reply). 1995;173:1637-8

Ultrasonographic evaluation of patients with abnormal bleeding (Goldstein) (Letter); (Emanuel et al) (Reply). 1995;173:1351-2

Ultrasonographic and magnetic resonance imaging findings of a large asymptomatic retroperitoneal pelvic leiomyoma (Abulafia and Sherer). 1995;173:228-30

Value of transvaginal ultrasonography and hysteroscopy in the evaluation of postmenopausal women with metrorrhagia (de Mendonça and Kay) (Letter); (Emanuel et al) (Reply). 1995;173:1352-3

Ultrasonography, prenatal

Accuracy of prenatal diagnosis of renal agenesis with color flow imaging in severe second-trimester oligohydramnios (Sepulveda et al). 1995;173:1788-92

The accuracy of prenatal ultrasonography in detecting con-

- genital anomalies (Boyle) (Letter); (Jeanty) (Reply). 1995;173:667-8
- Can the risk for Down syndrome be reliably modified by second-trimester ultrasonography? (Palomaki and Had-dow) (Letter); (Vintzileos and Egan) (Reply). 1995;173:1639-40
- Cardiac and venous blood flow in fetuses of insulin-depen-dent diabetic mothers: evidence of abnormal hemody-namics in early gestation (Rizzo et al). 1995;173:1775-81
- Early ultrasonographic detection of fetal growth retardation in an ovine model of placental insufficiency (Barbera et al). 1995;173:1071-4
- Femur/foot length ratio for detection of Down syndrome: results of a multicenter prospective study (Grandjean et al). 1995;173:16-9
- Gender-specific second-trimester biometry (Smulian et al). 1995;173:1195-201
- Hyperechoic fetal bowel: an ultrasonographic marker for adverse fetal and neonatal outcome (Muller et al). 1995;173:508-13
- Intrauterine ultrasonographic assessments of embryonic de-velopment (Fujiwaki et al). 1995;173:1770-4
- Is polyhydramnios in an ultrasonographically normal fetus an indication for genetic evaluation? (Barnhard et al). 1995;173:1523-7
- Isolated hyperechoic fetal bowel: significance and implica-tions for management (MacGregor et al). 1995;173:1254-8
- A new diagnostic method to detect ectopic pregnancy at a very early stage (Asseryanis et al). 1995;173:236-7
- A new method for on-screen ultrasonographic determina-tion of fetal cardiac axis (Bork et al). 1995;173:1192-5
- Normal nuchal thickness in the midtrimester indicates re-duced risk of Down syndrome in pregnancies with abnor-mal triple-screen results (Bahado-Singh et al). 1995;173:1106-10
- Nuchal cords: timing of prenatal diagnosis and duration (Collins et al). 1995;173:768
- Prenatal cytogenetic abnormalities: correlations of structural rearrangements and ultrasonographically detected fetal anomalies (Hume et al). 1995;173:1334-6
- Prenatal diagnosis of congenital cytomegalovirus infection with abnormal triple-screen results and hyperechoic fetal bowel (Peters et al). 1995;173:953-4
- Role of prenatal ultrasonography in women with positive screen for Down syndrome on the basis of maternal serum markers (Nyberg et al). 1995;173:1030-5
- Ultrasonographic assessment of fetal growth: comparison between human and ovine fetus (Barbera et al). 1995;173:1765-9
- Ultrasonographic bone characteristics during normal pregnancy: longitudinal and cross-sectional evaluation (Gambacciani et al). 1995;173:890-3
- Ultrasonographic measurement of the dividing membrane in twin pregnancy during the second and third trimesters: a reproducibility study (Stagiannis et al). 1995;173:1546-50
- Ultrasonographically guided intrauterine contraceptive de-vice removal before chorionic villus sampling (Ranzini et al). 1995;173:603-5
- Uterine artery Doppler velocimetry in the detection of adverse obstetric outcomes in women with unexplained elevated maternal serum α -fetoprotein levels (Konchak et al). 1995;173:1115-9
- Umbilical arteries**
- Follow-up of children born with an umbilical arterial blood pH < 7 (Nagel et al). 1995;173:1758-64
- Meconium inhibits the contraction of umbilical vessels in-duced by the thromboxane A₂ analog U46619 (Montgom-ery et al). 1995;173:1075-8
- Nitric oxide concentrations are increased in the fetoplacen-tal circulation in preeclampsia (Lyall et al). 1995;173:714-8
- Routine measurements of umbilical artery lactate levels in the prediction of perinatal outcome (Westgren et al). 1995;173:1416-22
- Shear stress may stimulate release and action of nitric oxide in the human fetal-placental vasculature (Wieczorek et al). 1995;173:708-13
- Single umbilical artery: Does it matter which artery is miss-ing? (Abuhamad et al). 1995;173:728-32
- Umbilical cord**
- Interleukin-1 β and interleukin-4 increase parathyroid hor-mone-related protein secretion by human umbilical vein endothelial cells in culture (Ferguson et al). 1995;173:448-56
- Maternal oxygen administration and fetal well-being (Adams and Douglas) (Letter); (Thorpe et al) (Reply). 1995;173:974
- Relationship between placental histologic features and um-bilical cord blood gases in preterm gestations (Salafia et al). 1995;173:1058-64
- Significance of prenatal diagnosis of umbilical cord cyst in a fetus with trisomy 18 (Ramirez et al). 1995;173:955-7
- Umbilical cord cyst; see Urachal cyst**
- Umbilical veins**
- De formato foetu (Fabrici). 1995;173:1617-8 (Classic pages in obstetrics and gynecology)
- Inducible platelet adherence to human umbilical vein endo-thelium by anticardiolipin antibody-positive sera (Silver et al). 1995;173:702-7
- Interleukin-1 β and interleukin-4 increase parathyroid hor-mone-related protein secretion by human umbilical vein endothelial cells in culture (Ferguson et al). 1995;173:448-56
- Meconium inhibits the contraction of umbilical vessels in-duced by the thromboxane A₂ analog U46619 (Montgom-ery et al). 1995;173:1075-8
- Relationship between placental histologic features and um-bilical cord blood gases in preterm gestations (Salafia et al). 1995;173:1058-64
- Secretion of prostaglandins and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies: comparison with human umbilical vein en-dothelial cells (Gallery et al). 1995;173:1557-62
- Urachal cyst**
- Significance of prenatal diagnosis of umbilical cord cyst in a fetus with trisomy 18 (Ramirez et al). 1995;173:955-7
- Ureter**
- Ureteral anastomosis with the Unilink system (Sinha) (Letter); (Soisson) (Reply). 1995;173:674-5
- Urethra**
- The Mersilene mesh suburethral sling: a clinical and urody-namic evaluation (Young et al). 1995;173:1719-26
- Unwarranted prenatal intervention (Tennenbaum) (Letter); (Quintero et al) (Reply). 1995;173:668-9
- Urethral and bladder neck closure mechanisms (Petros and Ulmsten) (Letter); (DeLancey) (Reply). 1995;173:346-8
- Valsalva leak point pressures in women with genuine stress

Urethra—cont'd

incontinence: reproducibility, effect of catheter caliber, and correlations with other measures of urethral resistance (Bump et al). 1995;173:551-7

Urethra, anatomy and histology

Periurethral and paravaginal anatomy: an endovaginal magnetic resonance imaging study (Aronson et al). 1995;173:1702-10

Urethra, surgery

Comparison of anterior colporrhaphy and retropubic urethropexy for patients with genuine stress urinary incontinence (Harris et al). 1995;173:1671-5

Effects of sacrocolposuspension on the lower urinary tract (Varner et al). 1995;173:1684-9

Modified Le Fort partial colpocleisis with Kelly urethral plication and posterior colpoperineoplasty in the medically compromised elderly: a comparison with vaginal hysterectomy, anterior colporrhaphy, and posterior colpoperineoplasty (Denehy et al). 1995;173:1697-702

Sacrocolpopexy and the anterior compartment: support and function (Brubaker). 1995;173:1690-6

Urethral obstruction

Sequential urinalysis improves evaluation of fetal renal function in obstructive uropathy (Johnson et al). 1995;173:59-65

Urethropexy; see Urethra, surgery**Urinalysis**

Sequential urinalysis improves evaluation of fetal renal function in obstructive uropathy (Johnson et al). 1995;173:59-65

The value of routine urine dipstick screening for protein at each prenatal visit (Gribble et al). 1995;173:214-7

Urinary incontinence

Effects of sacrocolposuspension on the lower urinary tract (Varner et al). 1995;173:1684-9

Urinary incontinence, stress

Comparison of anterior colporrhaphy and retropubic urethropexy for patients with genuine stress urinary incontinence (Harris et al). 1995;173:1671-5

Correlation of urodynamic measures of urethral resistance with clinical measures of incontinence severity in women with pure genuine stress incontinence (Theofrastous et al). 1995;173:407-14

The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation (Young et al). 1995;173:1719-26

Pelvic floor electrical stimulation in the treatment of genuine stress incontinence: a multicenter, placebo-controlled trial (Sand et al). 1995;173:72-9

Sacrocolpopexy and the anterior compartment: support and function (Brubaker). 1995;173:1690-6

Three surgical procedures for genuine stress incontinence: five-year follow-up of a prospective randomized study (Bergman and Elia). 1995;173:66-71

Urethral and bladder neck closure mechanisms (Petros and Ulmsten) (Letter); (DeLancey) (Reply). 1995;173:346-8

Valsalva leak point pressures in women with genuine stress incontinence: reproducibility, effect of catheter caliber, and correlations with other measures of urethral resistance (Bump et al). 1995;173:551-7

Urinary tract

Effects of sacrocolposuspension on the lower urinary tract (Varner et al). 1995;173:1684-9

Urine

Acute maternal hydration in third-trimester oligohydramnios: effects on amniotic fluid volume, uteroplacental

perfusion, and fetal blood flow and urine output (Flack et al). 1995;173:1186-91

Urinary trypsin inhibitor prevents uterine muscle contraction by inhibition of Ca^{++} influx (Kanayama et al). 1995;173:192-9

Urodynamics

Correlation of urodynamic measures of urethral resistance with clinical measures of incontinence severity in women with pure genuine stress incontinence (Theofrastous et al). 1995;173:407-14

The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation (Young et al). 1995;173:1719-26

Urogenital diseases

Randomized comparison of a new estradiol-releasing vaginal ring versus estriol vaginal pessaries (Saure) (Letter); (Henriksson and Sternquist) (Reply). 1995;173:670-1

Urokinase

Thrombolytic therapy for basilar artery thrombosis in the puerperium (Cincotta et al). 1995;173:967-9

Uterine activity; see Fetal movement**Uterine arteries**

Uterine artery blood flow response to correction of amniotic fluid volume (Bower et al). 1995;173:502-7

Uterine artery Doppler velocimetry in the detection of adverse obstetric outcomes in women with unexplained elevated maternal serum α -fetoprotein levels (Konchak et al). 1995;173:1115-9

Uterine contraction

Contractions are not always labor (Nagey) (Letter); (Wapner and Ross) (Reply). 1995;173:975-6

Effects of intracervical prostaglandin E_2 on fetal heart rate and uterine activity patterns in the presence of oligohydramnios (Larson et al). 1995;173:1166-70

Mechanism underlying phasic contractions of pregnant rat myometrium simulated by aluminum fluoride (Garfield) (Letter); (Phillippe) (Reply). 1995;173:348-9

Neurobiology of uterine irritability in preterm labor (Friedman) (Letter); (Roberts and Morrison) (Reply). 1995;173:1638-9

The pharmacokinetics of the oxytocin antagonist atosiban in pregnant women with preterm uterine contractions (Goodwin et al). 1995;173:913-7

Urinary trypsin inhibitor prevents uterine muscle contraction by inhibition of Ca^{++} influx (Kanayama et al). 1995;173:192-9

Uterine hemorrhage

Hysteroscopy as gold standard for evaluation of abnormal uterine bleeding (Gimpelson and Whalen) (Letter); (Karls-son et al) (Reply). 1995;173:1637-8

Uterine irritability; see Uterine contraction**Uterine neoplasms**

Cherney versus midline vertical incision for myomectomy or hysterectomy of a significantly enlarged uterus (De Lia et al). 1995;173:1714-8

Grapelike leiomyoma of the uterus (Brand et al). 1995;173:959-61

Uterine prolapse

Effects of sacrocolposuspension on the lower urinary tract (Varner et al). 1995;173:1684-9

Sacrocolpopexy and the anterior compartment: support and function (Brubaker). 1995;173:1690-6

Sacrospinous suspension: a local practitioner's experience (Pasley). 1995;173:440-8

The squirrel monkey as an animal model of pelvic

relaxation: an evaluation of a large breeding colony (Coates et al). 1995;173:1664-70

Transvaginal sacrospinous colpopexy: anatomic landmarks to be aware of to minimize complications (Verdeja et al). 1995;173:1468-9

Uterine rupture

Uterine rupture in association with alkaloidal ("crack") cocaine abuse (Mishra et al). 1995;173:243-4

Uteroplacental tissue; see Placenta

Uterus

Cherney versus midline vertical incision for myomectomy or hysterectomy of a significantly enlarged uterus (De Lia et al). 1995;173:1714-8

Endothelin-1 and big endothelin-1 increase in human endometrium during menstruation (Ohbuchi et al). 1995;173:1483-90

Estrogen increases nitric oxide synthase activity in the uterus of nonpregnant sheep (Figueroa and Massmann). 1995;173:1539-45

Estrogenic activity of RU 486 (mifepristone) in rat uterus and cultured uterine myocytes (Dibbs et al). 1995;173:134-40

An increase in expression of the lipocalin 24p3 is found in mouse uterus coincident with birth (Kasik and Rice). 1995;173:613-7

V

Vacuum curettage

Obstetric outcome after failed termination of pregnancy—a report of two cases (Ricciotti et al). 1995;173:1619-20

Vagina

First report of a vaginal foreign body perforating into the retroperitoneum (O'Hanlan and Westphal). 1995;173:962-4

Initial and steady-state pharmacokinetics of a vaginally administered formulation of progesterone (Archer et al). 1995;173:471-8

The preterm prediction study: significance of vaginal infections (Meis et al). 1995;173:1231-5

Vagina, anatomy and histology

Periurethral and paravaginal anatomy: an endovaginal magnetic resonance imaging study (Aronson et al). 1995;173:1702-10

Vagina, surgery

Comparison of anterior colporrhaphy and retropubic urethropexy for patients with genuine stress urinary incontinence (Harris et al). 1995;173:1671-5

Effects of sacrocolposuspension on the lower urinary tract (Varner et al). 1995;173:1684-9

Evaluation of preoperative cardiac risk index values in patients undergoing vaginal surgery (Shackelford et al). 1995;173:80-4

Modified Le Fort partial colpocleisis with Kelly urethral plication and posterior colpoperineoplasty in the medically compromised elderly: a comparison with vaginal hysterectomy, anterior colporrhaphy, and posterior colpoperineoplasty (Denehy et al). 1995;173:1697-702

A randomized trial of open versus closed vaginal vault in the prevention of postoperative morbidity after abdominal hysterectomy (Colombo et al). 1995;173:1807-11

Sacrocolpopexy and the anterior compartment: support and function (Brubaker). 1995;173:1690-6

Vaginal delivery; see Delivery

Vaginal diseases

Chronic fungal vaginitis: the value of cultures (Nyirjesy et al). 1995;173:820-3

Vaginal hysterectomy; see Hysterectomy

Vaginal rings; see Pessaries

Vaginitis

Chronic fungal vaginitis: the value of cultures (Nyirjesy et al). 1995;173:820-3

Vaginosis, bacterial

Intravaginal clindamycin treatment for bacterial vaginosis: effects on preterm delivery and low birth weight (Joeseof et al). 1995;173:1527-31

The preterm prediction study: significance of vaginal infections (Meis et al). 1995;173:1231-5

Prevention of premature birth by screening and treatment for common genital tract infections: results of a prospective controlled evaluation (McGregor et al). 1995;173:157-67

Valsalva leak point pressure

Valsalva leak point pressures in women with genuine stress incontinence: reproducibility, effect of catheter caliber, and correlations with other measures of urethral resistance (Bump et al). 1995;173:551-7

Vascular endothelium; see Endothelium, vascular

Vasomotor system

Patterns of luteinizing and follicle-stimulating hormone pulsatility in menopausal women: correlation with plasma testosterone level and vasomotor instability episodes (Fossum et al). 1995;173:795-800

Vasopressins

Platelet response to vasopressin in preeclampsia (van der Post et al) (Letter); (Kyle et al) (Reply). 1995;173:1897-8

Venous blood flow, fetal; see Fetal blood

Ventricular function, left

Quantitative echocardiographic assessment of left ventricular function in critically ill obstetric patients: a comparative study (Rokey et al). 1995;173:1148-52

Version, fetal

Delivery of the nonvertex second twin: breech extraction versus external cephalic version (Chauhan et al). 1995;173:1015-20

Fetal acoustic stimulation, an adjunct to external cephalic version: a blinded, randomized crossover study (Johnson and Elliott). 1995;173:1369-72

Very low birth weight infant; see Infant, low birth weight

Vessels, blood; see Blood vessels

Vibroacoustic stimulation; see Acoustic stimulation

Violence

The battered woman (Chez and Jones). 1995;173:677-9 (Primary care)

Methods of and attitudes toward screening obstetrics and gynecology patients for domestic violence (Parsons et al). 1995;173:381-7

Viral infection, intrauterine; see Pregnancy complications, infectious

Vitamin A

Case-control study of risk factors for partial molar pregnancy (Berkowitz et al). 1995;173:788-94

Vitamin E

Red blood cell vitamin E concentrations in fetuses are related to but lower than those in mothers during gestation (Cachia et al). 1995;173:42-51

Severe preeclampsia and antioxidant nutrients (Valsecchi et al) (Letter); (Mikhail et al) (Reply). 1995;173:673-4

Vitamins

Spontaneous hair hyperpigmentation in response to vitamin

Vitamins — cont'd

intake in pregnancy — a clue for homocystinuria (Reish et al). 1995;173:1640-1 (Letter)

Vomiting

Pyridoxine for nausea and vomiting of pregnancy: a randomized, double-blind, placebo-controlled trial (Vutya-vanich et al). 1995;173:881-4

Successful pregnancy in association with Zollinger-Ellison syndrome (Harper et al). 1995;173:863-4

Vulvar neoplasms

Granular cell tumors of the vulva (Horowitz et al). 1995;173:1710-4

Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells (Hietanen et al). 1995;173:1477-82

W

Wales

Factors associated with preterm birth in Cardiff, Wales. I. Univariable and multivariable analysis (Meis et al). 1995;173:590-6

Factors associated with preterm birth in Cardiff, Wales. II. Indicated and spontaneous preterm birth (Meis et al). 1995;173:597-602

Water

Acute maternal hydration in third-trimester oligohydramnios: effects on amniotic fluid volume, uteroplacental perfusion, and fetal blood flow and urine output (Flack et al). 1995;173:1186-91

Whites

Endometrial cancer: stage at diagnosis and associated factors in black and white patients (Barrett et al). 1995;173:414-23

Williams, Whitridge

Whitridge Williams' obstetrics (Haig). 1995;173:1351 (Letter)

Women, working

The association between occupational factors and preterm birth: a United States nurses' study (Luke et al). 1995;173:849-62

Women over 35 years old in pregnancy; see Maternal age 35 and over

Women's health

The interaction between regular exercise and selected aspects of women's health (Clapp and Little). 1995;173:2-9 (Primary care)

Work

The association between occupational factors and preterm birth: a United States nurses' study (Luke et al). 1995;173:849-62

Wound healing

Wound strength in abdominal incisions: a comparison of two continuous mass closure techniques in rats (Meeks et al). 1995;173:1676-83

Wound infection

Wound infection after abdominal hysterectomy: effect of the depth of subcutaneous tissue (Soper et al). 1995;173:465-71

X

Xanthine oxidase

The interaction of nitric oxide and superoxide in the human fetal-placental vasculature (Holcberg et al). 1995;173:528-33

Z

Zidovudine

The impact of initiating a human immunodeficiency virus screening program in an urban obstetric population (Lewis et al). 1995;173:1329-33

Zinc

Prevention of diabetes-associated embryopathy by overexpression of the free radical scavenger copper zinc superoxide dismutase in transgenic mouse embryos (Hagay et al). 1995;173:1036-41

Zollinger-Ellison syndrome

Successful pregnancy in association with Zollinger-Ellison syndrome (Harper et al). 1995;173:863-4

Zygote

Prospective determination of chorionicity, amnionity, and zygosity in twin gestations (Scardo et al). 1995;173:1376-80

